




F.A.R. AREA:-

COVERED AREA DETAIL ON GROUND FLOOR:-

(CIRCULATION AREA AT ONE FLOOR):-

$$= 57.891 \text{ SQ.M.}$$

COVERED AREA DETAIL AT ONE FLOOR:-

$$= (\text{TYPE-A}) + (\text{TYPE-B}) + (\text{TYPE-C}) + (\text{TYPE-D}) + (\text{TYPE-E}) + (\text{TYPE-F}) + (\text{CIRCULATION AREA AT ONE FLOOR})$$

$$= (48.152) + (49.555) + (61.306) + (71.566) + (77.906 \times 3) + (87.549) + (57.891)$$

$$= (48.152) + (49.555) + (61.306) + (71.566) + (233.718) + (87.549) + (57.891)$$

$$= 609.737 \text{ SQ.M.}$$

$$= 609.737 \text{ SQ.M.}$$

$$= 609.737 \text{ SQ.M.}$$

$$= 609.737 \text{ SQ.M.}$$

GROUND COVERAGE FOR ONE BLOCK:-

$$= (\text{TYPE-A}) + (\text{TYPE-B}) + (\text{TYPE-C}) + (\text{TYPE-D}) + (\text{TYPE-E}) + (\text{TYPE-F}) + (\text{CIRCULATION AREA AT ONE FLOOR})$$

$$+ (\text{LIFTWELL AREA}) + (\text{LIFT LOBBY}) + (\text{FIRESCAPE STAIR}) + (\text{CUP BOARD}) + ((\text{A}) + (\text{B}) + (\text{C}) + (\text{D}) + (\text{E}) + (\text{F}))$$

$$= (48.152) + (49.555) + (61.306) + (71.566) + (77.906 \times 3) + (87.549) + (57.891) + (16.53) + (14.16) + (11.094) + ((1.854) + (1.854) + (1.854) + (2.007) + (2.781 \times 3) + (2.781))$$

$$= (48.152) + (49.555) + (61.306) + (71.566) + (233.718) + (87.549) + (57.891) + (16.53) + (14.16) + (11.094) + (18.693)$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

$$= 670.214 \text{ SQ.M.}$$

15% EXTRA F.A.R. AREA CALCULATION FOR BLOCK-A:-

AREA DETAIL OF FIRESCAPE STAIRCASE:-

$$= (2.205 \times 2.86) + (1.995 \times 2.40) = 11.094 \text{ SQ.M.}$$

AREA DETAIL OF MUMTY:-

$$= (3.46 \times 5.40) + (6.505 \times 2.86) = 37.288 \text{ SQ.M.}$$

AREA DETAIL OF MACHINE ROOM:-

$$= (6.22 \times 7.72) + (2.36 \times 1.10) = 50.614 \text{ SQ.M.}$$

AREA DETAIL OF WATER TANK:-

$$= (6.03 \times 3.945) = 23.788 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-A

$$(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-B

$$(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-C

$$(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-D

$$(1.545 \times 0.60) + (1.80 \times 0.60) = 2.007 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-E

$$(0.60 \times 1.545 \times 3) = 2.781 \text{ SQ.M.}$$

CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-F

$$(0.60 \times 1.545 \times 3) = 2.781 \text{ SQ.M.}$$

DETAIL OF LIFT WELL AREA:-

$$(1.90 \times 1.90 \times 3) + (1.90 \times 3.0) = 16.53 \text{ SQ.M.}$$

DETAIL OF LIFT LOBBY AREA:-

$$= (2.36 \times 3.0) + (2.36 \times 3.0) = 14.16 \text{ SQ.M.}$$

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:-

$$= \text{FIRESCAPE STAIR} + \text{LIFT WELL} + \text{LIFT LOBBY}:-$$

$$= 11.094 + 16.53 + 14.16 = 41.784 \text{ SQ.M.}$$

15% EXTRA FAR AREA DETAIL ON ONE FLOOR (1ST TO 19TH):-

$$= \text{FIRESCAPE STAIR} + \text{CUP BOARD} + ((\text{A}) + (\text{B}) + (\text{C}) + (\text{D}) + (\text{E}) + (\text{F})) + \text{LIFT LOBBY}:-$$

$$= 11.094 + 18.693 + 14.16$$

$$= 43.947 \text{ SQ.M.}$$

15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-A:-

$$= \text{GROUND FLOOR} + \text{1ST FLOOR TO 19TH FLOOR} + \text{MUMTY}$$

$$+ \text{MACHINE ROOM} + \text{WATER TANK}$$

$$= 41.784 + (43.947 \times 19) + 37.238 + 50.614 + 23.788$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

$$= 988.467 \text{ SQ.M.}$$

SCHEDULE OF DOOR & WINDOWS

S.NO.	TYPE	SIZE	CILL. LVL.	LTL. LVL.
1	D	0.100 X 2.10	-	2.10 M.
2	D-1	0.90 X 2.10	-	2.10
3	DW-1	1.680 X 2.50	-	2.50
4	DW-2	1.250 X 2.50	-	2.50
5	W	0.90 X 1.450	1.050	2.50
6	W-1	0.45 X 1.450	1.050	2.50

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:-

FIRESCAPE STAIR + LIFT WELL + LIFT LOBBY:-

11.094 + 16.53 + 14.16 = 41.784 SQ.M.

15% EXTRA FAR AREA DETAIL ON ONE FLOOR (1ST TO 19TH):-

FIRESCAPE STAIR + CUP BOARD + ((A) + (B) + (C) + (D) + (E) + (F)) + LIFT LOBBY:-

11.094 + 18.693 + 14.16 = 43.947 SQ.M.

15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-A:-

GROUND FLOOR + 1ST FLOOR TO 19TH FLOOR + MUMTY

+ MACHINE ROOM + WATER TANK

41.784 + (43.947 x 19) + 37.238 + 50.614 + 23.788

= 988.467 SQ.M.

SIGNING AUTHORITY

ARCHITECTS SIGN

M.N. ANDLEY

ARCHITECTS

SUBMISSION DRAWING

PROJECT:-

GROUP HOUSING FOR

M/S ANTRIKSH ENGINEERS PVT. LTD

PLOT NO. GH-15A, SECTOR-1

AT GREATER NOIDA. (U.P.)

DRG. TITLE:-

TYPICAL FLOOR PLAN (BLOCK-A)

SCALE: 1:100

DRG. NO. 04

DATE: 27/05/2011


ARCHITECTS:-

M.N. ANDLEY B.A.R.C.H. F.I.A. F.I.Y.

ANDLEYS ASSOCIATES PVT. LTD.

ARCHITECTS ENGINEERS PLANNERS

39 HOUSING SOCIETY N.D.S.E.I NEW DELHI - 110049



UNIT PLAN TYPE-A (SCALE:- 1:150)

COVERED AREA DETAIL OF ONE UNIT TYPE-A

$$= (9.61 \times 6.36) - ((\text{A}) + (\text{B}) + (\text{C}) + (\text{D}))$$

$$= (61.119) - \text{A}(1.23 \times 3.73) + \text{B}(1.935 \times 0.92)$$

$$+ \text{C}(2.23 \times 1.5) + \text{D}(1.635 \times 1.99)$$


$$= (61.119) - \text{A}(4.588) + \text{B}(1.78)$$

$$+ \text{C}(3.345) + \text{D}(3.254)$$

$$= (61.119) - (12.967) = 48.152 \text{ SQ.M.}$$

$$= 48.152 \text{ SQ.M.}$$

$$= 48.152 \text{ SQ.M.}$$



UNIT PLAN TYPE-B (SCALE:- 1:150)

COVERED AREA DETAIL OF ONE UNIT TYPE-B

$$= (10.09 \times 6.36) - ((\text{A}) + (\text{B}) + (\text{C}) + (\text{D}))$$

$$= (64.172) - \text{A}(1.71 \times 3.73) + \text{B}(1.935 \times 0.92)$$

$$+ \text{C}(2.23 \times 1.5) + \text{D}(1.565 \times 1.99)$$


$$= (64.172) - \text{A}(6.378) + \text{B}(1.78)$$

$$+ \text{C}(3.345) + \text{D}(3.114)$$

$$= (64.172) - (14.617) = 49.555 \text{ SQ.M.}$$

$$= 49.555 \text{ SQ.M.}$$

$$= 49.555 \text{ SQ.M.}$$



UNIT PLAN TYPE-C (SCALE:- 1:150)

COVERED AREA DETAIL OF ONE UNIT TYPE-C

$$= (12.655 \times 6.95) - ((\text{A}) + (\text{B}) + (\text{C}) + (\text{D}) + (\text{E}))$$

$$= (84.725) - \text{A}(3.775 \times 3.365) + \text{B}(1.935 \times 1.12) + \text{C}(0.605 \times 3.215)$$

$$+ \text{D}(2.23 \times 1.7) + \text{E}(1.33 \times 2.115)$$


$$= (84.725) - \text{A}(12.703) + \text{B}(2.167) + \text{C}(1.945) + \text{D}(3.791) + \text{E}(2.813)$$

$$= (84.725) - (23.419) = 61.306 \text{ SQ.M.}$$

$$= 61.306 \text{ SQ.M.}$$

$$= 61.306 \text{ SQ.M.}$$

$$= 61.306 \text{ SQ.M.}$$



UNIT PLAN TYPE-D (SCALE:- 1:150)

COVERED AREA DETAIL OF ONE UNIT TYPE-D

$$= (13.705 \times 6.51) - ((\text{A}) + (\text{B}) + (\text{C}))$$

$$= (89.219) - \text{A}(2.215 \times 0.6) + \text{B}(3.115 \times 1.285) + \text{C}(2.60 \times 3.565)$$

$$+ \text{D}(2.315 \times 1.05)$$

$$= (89.219) - \text{A}(1.329) + \text{B}(4.003) + \text{C}(9.269) + \text{D}(2.43)$$

$$= (89.219) - (17.653) = 71.566 \text{ SQ.M.}$$

SCHEDULE OF DOOR & WINDOWS				
S.NO.	TYPE	SIZE	CILL. LVL.	LTL. LVL.
1	D	0.100 X 2.10	-	2.10 M.
2	D-1	0.90 X 2.10	-	2.10
3	DW-1	1.680 X 2.50	-	2.50 "
4	DW-2	1.250 X 2.50	-	2.50 "
5	W	0.90 X 1.450	1.050	2.50 "
6	W-1	0.45 X 1.450	1.050	2.50 "
27/05/2011				

SUBMISSION DRAWING						
PROJECT:						
GROUP HOUSING FOR						
M/S ANTRIKSH ENGINEERS PVT. LTD.						
PLOT NO. GH-15A, SECTOR-1						
AT GREATER NOIDA. (U.P.)						
DRG. TITLE:						
TYPICAL FLOOR PLAN (BLOCK-B)						
SCALE: 1:100	DATE: 27/05/2011	DRG. NO. 06				
ARCHITECTS:						
M. M. ANDLEY	B. ARCH. FALA. ETV.					
ARCHITECTS	ENGINEERS	SOCIETY	HOUSING	39		
PLANNERS	NEW DELHI - 110049					
ANDLEY ASSOCIATES PVT. LTD.						

SIGNING AUTHORITY				
ARCHITECTS SIGN				
M. M. ANDLEY				
ARCHITECT (A. 75/1841)				

15% EXTRA FAR AREA CALCULATION FOR BLOCK-B:				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				
COVERED AREA DETAIL AT ONE FLOOR:				
= 57.891 SQ.M.				
COVERED AREA DETAIL AT ONE FLOOR:				
= 37.288 SQ.M.				
AREA DETAIL OF M/C MACHINE ROOM:				
= 50.614 SQ.M.				
AREA DETAIL OF WATER TANK:				
= 23.788 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-A:				
= 1.854 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-B:				
= 1.854 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-C:				
= 1.854 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-D:				
= 2.007 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-E:				
= 2.781 SQ.M.				
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-F:				
= 2.781 SQ.M.				
DETAIL OF LIFT WELL AREA:				
= 16.53 SQ.M.				
DETAIL OF LIFT LOBBY AREA:				
= 14.16 SQ.M.				
15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				



15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				


15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				

15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				
= 42.246 SQ.M.				
LIFT WELL (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
FIRE STAIRCASE (SCALE: 1:100)				
= 11.094 + 16.53 + 14.16				
AREA DETAIL OF FIRESCAPE STAIRCASE:				
= 11.094 SQ.M.				


15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:				
= 41.784 SQ.M.				
FIRESCAPE STAIR + CUP BOARD ((A)+(B)+(C)+(D)+(E)+(F)):				
= 11.094 + 16.53 + 14.16 = 41.784 SQ.M.				
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-B:				




UNIT PLAN TYPE-A (SCALE:- 1:150)
COVERED AREA DETAIL OF ONE UNIT TYPE-A
 $= (9.61 \times 6.36) - [(A) + (B) + (C) + (D)]$
 $= (61.119) - A(1.23 \times 3.73) + B(1.935 \times 0.92)$
 $+ C(2.23 \times 1.5) + D(1.635 \times 1.99)$
 $= (61.119) - A(4.588) + B(1.78) + C(3.345) + D(3.254)$
 $= (61.119) - (12.967) = \mathbf{48.152 \text{ SQ.M.}}$




UNIT PLAN TYPE-B (SCALE:- 1:150)
COVERED AREA DETAIL OF ONE UNIT TYPE-B
 $= (10.09 \times 6.36) - [(A) + (B) + (C) + (D)]$
 $= (64.172) - A(1.71 \times 3.73) + B(1.935 \times 0.92)$
 $+ C(2.23 \times 1.5) + D(1.565 \times 1.99)$
 $= (64.172) - A(6.378) + B(1.78) + C(3.345) + D(3.114)$
 $= (64.172) - (14.617) = \mathbf{49.555 \text{ SQ.M.}}$




UNIT PLAN TYPE-C (SCALE:- 1:150)
COVERED AREA DETAIL OF ONE UNIT TYPE-C
 $= (12.655 \times 6.695) - [(A) + (B) + (C) + (D) + (E)]$
 $= (84.725) - A(3.775 \times 3.365) + B(1.935 \times 1.12) + C(0.605 \times 3.215)$
 $+ D(2.23 \times 1.7) + E(1.332 \times 2.115)$
 $= (84.725) - A(12.703) + B(2.167) + C(1.945) + D(3.791) + E(2.813)$
 $= (84.725) - (23.419) = \mathbf{61.306 \text{ SQ.M.}}$




UNIT PLAN TYPE-D (SCALE:- 1:150)
COVERED AREA DETAIL OF ONE UNIT TYPE-D
 $= (13.705 \times 6.51) - [(A) + (B) + (C)]$
 $= (89.219) - A(2.215 \times 0.6) + B(4.295 \times 2.465) + C(2.65 \times 2.165)$
 $= (89.219) - A(1.329) + B(10.587) + C(5.737)$
 $= (89.219) - (17.653) = \mathbf{71.566 \text{ SQ.M.}}$




UNIT PLAN TYPE-E (SCALE:- 1:150)
COVERED AREA DETAIL OF ONE UNIT TYPE-E
 $= (12.975 \times 7.395) - [(A) + (B) + (C) + (D)]$
 $= (95.95) - A(1.615 \times 1.45) + B(3.115 \times 1.285) + C(2.60 \times 3.565)$
 $+ D(2.315 \times 1.05)$
 $= (95.95) - A(2.342) + B(4.003) + C(9.269) + D(2.43)$
 $= (95.95) - (18.044) = \mathbf{77.906 \text{ SQ.M.}}$



DETAIL OF LIFT WELL:-
 $= (2.36 \times 3.0) + (2.36 \times 3.0) = \mathbf{14.16 \text{ SQ.M.}}$



AREA DETAIL OF FIRESCAPE STAIRCASE:-
 $= (2.205 \times 2.86) + (1.995 \times 2.40) = \mathbf{11.094 \text{ SQ.M.}}$



CIRCULATION AREA AT ONE FLOOR (SCALE:- 1:150)
COVERED AREA OF CIRCULATION AT ONE FLOOR:-
 $= [(A) + (B) + (E) + (F) + (G) + (H) + (J) + (L) + (M) + (N) + (O)]$
 $+ [(N) + (F) + (L) - \text{LIFT LOBBY}]$
 $= A(2.305 \times 2.40) + B(1.50 \times 2.36) + E(6.22 \times 3.0) + F(2.45 \times 1.50 \times 2)$
 $+ G(1.20 \times 2.38 \times 3) + H(1.50 \times 2.13) + J(5.40 \times 3.23)$
 $+ L(1.90 \times 0.23 \times 7) + M(0.23 \times 2.36 \times 4)$
 $+ N(0.23 \times 2.13 \times 2) + P(0.23 \times 3.46 \times 2) - (14.16)$
 $= A(5.532) + B(3.54) + E(18.66)$
 $+ F(7.35) + G(8.568) + H(3.195) + J(17.442)$
 $+ L(3.059) + M(2.171) + N(9.79) + P(1.592) - (14.16)$
 $= 72.088 - 14.16 = \mathbf{57.928 \text{ SQ.M.}}$

F.A.R. AREA:-
COVERED AREA DETAIL ON GROUND FLOOR:-
 (CIRCULATION AREA AT ONE FLOOR):-
 $= \mathbf{57.928 \text{ SQ.M.}}$
COVERED AREA DETAIL AT ONE FLOOR:-
 $= [\text{TYPE-A} \times 2] + [\text{TYPE-B} \times 2] + [\text{TYPE-C}] + [\text{TYPE-D}]$
 $+ [\text{TYPE-E} \times 2] + [\text{CIRCULATION AREA AT ONE FLOOR}]:-$
 $= (48.152 \times 2) + (49.555 \times 2) + (61.306) + (71.566)$
 $+ (77.906 \times 2) + (57.928)$
 $= (96.304) + (99.11) + (61.306) + (71.566)$
 $+ (155.812) + (57.928)$
 $= \mathbf{542.026 \text{ SQ.M.}}$
GROUND COVERAGE FOR ONE BLOCK:-
 $= [\text{TYPE-A} \times 2] + [\text{TYPE-B} \times 2] + [\text{TYPE-C}] + [\text{TYPE-D}]$
 $+ [\text{TYPE-E} \times 2] + [\text{CIRCULATION AREA AT ONE FLOOR}]$
 $+ [\text{LIFTWELL AREA}] + [\text{LIFT LOBBY}] + [\text{FIRESCAPE STAIR}]$
 $+ \text{CUP BOARD } [(A) \times 2] + (B) \times 2 + (C) + (D) + (E) \times 2]:-$
 $= (48.152 \times 2) + (49.555 \times 2) + (61.306) + (71.566)$
 $+ (77.906 \times 2) + (57.928) + (16.53) + (14.16) + (11.094)$
 $+ [(1.854 \times 2) + (1.854 \times 2) + (1.854) + (2.007) + (2.781 \times 2)]:-$
 $= (96.304) + (99.11) + (61.306) + (71.566) + (155.812)$
 $+ (57.928) + (16.53) + (14.16) + (11.094) + (16.839)$
 $= \mathbf{600.647 \text{ SQ.M.}}$

15% EXTRA F.A.R. AREA CALCULATION FOR BLOCK-G:-
AREA DETAIL OF FIRESCAPE STAIRCASE:-
 $= (2.205 \times 2.86) + (1.995 \times 2.40) = \mathbf{11.094 \text{ SQ.M.}}$
AREA DETAIL OF MUMTY:-
 $= (3.46 \times 5.40) + (6.505 \times 2.86) = \mathbf{37.288 \text{ SQ.M.}}$
AREA DETAIL OF MACHINE ROOM:-
 $= (6.22 \times 7.72) + (2.36 \times 1.10) = \mathbf{50.614 \text{ SQ.M.}}$
AREA DETAIL OF WATER TANK:-
 $= (6.03 \times 3.945) = \mathbf{23.788 \text{ SQ.M.}}$
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-A
 $(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-B
 $(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-C
 $(1.545 \times 0.6 \times 2) = 1.854 \text{ SQ.M.}$
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-D
 $(1.545 \times 0.60) + (1.80 \times 0.6) = 2.007 \text{ SQ.M.}$
CUPBOARD AREA DETAIL FOR ONE UNIT TYPE-E
 $(0.60 \times 1.545 \times 3) = 2.781 \text{ SQ.M.}$
DETAIL OF LIFT WELL AREA:-
 $(1.90 \times 1.90 \times 3) + (1.90 \times 3.0) = \mathbf{16.53 \text{ SQ.M.}}$
DETAIL OF LIFT LOBBY AREA:-
 $= (2.36 \times 3.0) + (2.36 \times 3.0) = \mathbf{14.16 \text{ SQ.M.}}$
15% EXTRA FAR AREA DETAIL ON GROUND FLOOR:-
 $= \text{FIRESCAPE STAIR} + \text{LIFT WELL} + \text{LIFT LOBBY}:-$
 $= 11.094 + 16.53 + 14.16$
 $= \mathbf{41.784 \text{ SQ.M.}}$
15% EXTRA FAR AREA DETAIL ON ONE FLOOR (1ST TO 19TH):-
 $= \text{FIRESCAPE STAIR} + \text{CUPBOARD } [(A) \times 2] + (B) \times 2 + (C)$
 $+ (D) + (E) \times 2 + \text{LIFT LOBBY}:-$
 $= 11.094 + 16.839 + 14.16$
 $= \mathbf{42.093 \text{ SQ.M.}}$
15% EXTRA FAR AREA DETAIL ON ALL FLOOR OF BLOCK-G:-
 $= \text{GROUND FLOOR} + \text{1ST FLOOR TO 19TH FLOOR} + \text{MUMTY}$
 $+ \text{MACHINE ROOM} + \text{WATER TANK}$
 $= 41.784 + (42.093 \times 19) + 37.288 + 50.614 + 23.788$
 $= \mathbf{953.241 \text{ SQ.M.}}$

SCHEDULE OF DOOR & WINDOWS				
S.NO.	TYPE	SIZE	CILL. LVL.	LTL. LVL.
1	D	0.100 X 2.10	-	2.10 M.
2	D-1	0.90 X 2.10	-	2.10
3	DW-1	1.500 X 2.50	-	2.50
4	DW-2	1.250 X 2.50	1.050	2.50
5	W	0.90 X 1.450	1.050	2.50
6	W-1	0.45 X 1.450	1.050	2.50

SIGNING AUTHORITY

[Signature]

ARCHITECTS SIGN

M. N. ANDLEY
 B. ARCH. F.I.A. F.I.V.
 ARCHITECTS CA/73/17841

SUBMISSION DRAWING

PROJECT:-
GROUP HOUSING FOR
M/S ANTRIKSH ENGINEERS PVT. LTD
PLOT NO. GH-15A, SECTOR-1
AT GREATER NOIDA. (U.P.)

DRG. TITLE:-
TYPICAL FLOOR PLAN (BLOCK-G)

SCALE:- 1:100 **DRG. NO:- 16**

DATE:- 27/05/2011

ARCHITECTS:-
 M. N. ANDLEY B. ARCH. F.I.A. F.I.V.

ANDLEYS ASSOCIATES PVT. LTD.
 ARCHITECTS ENGINEERS PLANNERS
 39 HOUSING SOCIETY N.D.S.E-1 NEW DELHI - 110049