






DOOR WINDOW SCHEDULE

TYPE	SIZE	SILL	LINTEL (From FFL)
D1	2000 X 2500	450	2500
D11	3020 X 2500	450	2500
D12	2912 X 2500	450	2500






DOOR WINDOW SCHEDULE

TYPE	SIZE	SILL	LINTEL (From FFL)
D1	2000 X 2500	450	2500
D11	3020 X 2500	450	2500
D12	2912 X 2500	450	2500




F.A.R. AREA DETAIL OF GROUND/STILT FLOOR






CANOP AT 2nd


ELEVATION



TOWER - 3
19TH. FLOOR PLAN



TOWER - 3
18TH. FLOOR PLAN







TOWER - 3
TERRACE PLAN

REFUGE AREA CALCULATION					
As per N.B.C. - PART 4 Clause E-4 (Note)					
TOWER	GROSS AREA OF 2 CONSECUTIVE FLOOR	PERSONS @ 12.50 SQ.M OF GROSS AREA (A)	REFUGE AREA @ 0.3 SQ.M/PERSON or Min 15 SQ.M Whichever is higher (B)	ADDITIONAL REFUGE AREA @ 0.9 WHEELCHAIR @ 0.9 SQ.M/200 OCCUPANT (C)	TOTAL REFUGE AREA REQUIRED (A+B)
A	1138.02	91.04	27.31	0.90	28.21

NOTES:
Refuge area for highrise Apartment of height above 60 M while having balconies shall be provided at 60 M and thereafter at every 30 M or so.

NOTE:- E.C.S. PER UNIT HAS BEEN CALCULATED WITH
1. ON LESS THAN 50 SQ.MT. = 1 TWO WHEELER
2. 1 E.C.S. FOR FLAT AREA 50 SQ.MT. TO 100 SQ.MT.
3. 1.25 E.C.S. FOR FLAT AREA 100 SQ.MT. TO 150 SQ.MT.
4. 1.50 E.C.S. FOR FLAT AREA MORE THAN 150 SQ.MT.

DOOR & WINDOW OPENING SCHEDULE			
TYPE	SIZE	SILL LVL.	LINTEL LVL.
D7	1500 X 2500	----	2500
D	1200 X 2500	----	2500
D1	1200 X 2500	----	2500
D2	1000 X 2100	----	2100
D3	900 X 2100	----	2100
D4	800 X 2100	----	2100
D5	700 X 2100	----	2100
SD1	1840 X 2500	----	2500
SD2	1747 X 2500	----	2500
SD3	1500 X 2500	----	2500
SD4	1400 X 2500	----	2500
SD5	1425 X 2500	----	2500
SD6	2000 X 2500	----	2500
SD7	1800 X 2500	----	2500
SD8	1575 X 2500	----	2500
SD9	2150 X 2500	----	2500
SD10	1525 X 2500	----	2500
SD11	2475 X 2500	----	2500
DW1	1104 X 1350	1150	2500
DW2	1312 X 1350	1150	2500
DW3	1500 X 1350	1150	2500
DW4	1525 X 1350	1150	2500
W1	900 X 2050	450	2500
W2	1500 X 2050	450	2500
W3	3000 X 1500	1000	2500
W4	1126 X 1500	1000	2500
V1	600 X 1000	1500	2500
V2	490 X 1000	1500	2500
FCD	1300 X 2100	----	2100



REFUGE AREA CALCULATION					
As per N.B.C - PART 4 Clause E-4 (Note)					
TOWER	GROSS AREA OF 2 CONSECUTIVE FLOOR	PERSONS @ 0.2 SQM/PERSON or Min 15 SQM (NO.4)	REFUGE AREA @ 0.2 SQM/PERSON or Min 15 SQM whichever is higher (A)	ADDITIONAL REFUGE AREA 1 WHEELCHAIR @ 0.9 SQM/2.00 OCCUPANT (B)	TOTAL REFUGE AREA REQUIRED (A+B)
A	1351.9	108.15	32.45	0.90	33.35

NOTES:
 Refuge area for Highrise Apartment of height above 60 M while having balconies shall be provided at 60 M and thereafter at every 30 M or so.

