


FAR AREA OF 3RD, 4TH & 5TH FLOOR			
TYPICAL FLOOR AREA CIRCULATION			SQ. M
AREA DETAIL OF UNIT 1	56.306	X 4	= 225.223
AREA DETAIL OF UNIT 2	67.333	X 1	= 67.333
AREA DETAIL OF UNIT 3	79.371	X 1	= 79.371
TOTAL COLUMN AREA			0.382
TOTAL FLOOR FAR AREA			= 374.639

[illegible][illegible][illegible]

FEATURE WALL AREA FOR GROUND COVER							
1	+	5.2	X	0.270	=	1.196	SQ. M

61.	CANTENERS TRACKING RECORD AREA FOR BOUNDING COVERAGE				50 M
	1	2	3	4	
	TOTAL OF 110.3				
62	1	1	1	1	2.80 SQ M
	2	1	1	1	3.67 SQ M
	3	1	1	1	3.67 SQ M
	4	1	1	1	3.67 SQ M
	5	1	1	1	3.67 SQ M
	6	1	1	1	3.67 SQ M
	7	1	1	1	3.67 SQ M
	8	1	1	1	3.67 SQ M
	9	1	1	1	3.67 SQ M
	10	1	1	1	3.67 SQ M
	11	1	1	1	3.67 SQ M
	12	1	1	1	3.67 SQ M
	13	1	1	1	3.67 SQ M
	14	1	1	1	3.67 SQ M
	15	1	1	1	3.67 SQ M
	16	1	1	1	3.67 SQ M
	17	1	1	1	3.67 SQ M
	18	1	1	1	3.67 SQ M
	19	1	1	1	3.67 SQ M
	20	1	1	1	3.67 SQ M
	21	1	1	1	3.67 SQ M
	22	1	1	1	3.67 SQ M
	23	1	1	1	3.67 SQ M
	24	1	1	1	3.67 SQ M
	25	1	1	1	3.67 SQ M
	26	1	1	1	3.67 SQ M
	27	1	1	1	3.67 SQ M
	28	1	1	1	3.67 SQ M
	29	1	1	1	3.67 SQ M
	30	1	1	1	3.67 SQ M
	31	1	1	1	3.67 SQ M
	32	1	1	1	3.67 SQ M
	33	1	1	1	3.67 SQ M
	34	1	1	1	3.67 SQ M
	35	1	1	1	3.67 SQ M
	36	1	1	1	3.67 SQ M
	37	1	1	1	3.67 SQ M
	38	1	1	1	3.67 SQ M
	39	1	1	1	3.67 SQ M
	40	1	1	1	3.67 SQ M
	41	1	1	1	3.67 SQ M
	42	1	1	1	3.67 SQ M
	43	1	1	1	3.67 SQ M
	44	1	1	1	3.67 SQ M
	45	1	1	1	3.67 SQ M
	46	1	1	1	3.67 SQ M
	47	1	1	1	3.67 SQ M
	48	1	1	1	3.67 SQ M
	49	1	1	1	3.67 SQ M
	50	1	1	1	3.67 SQ M
	51	1	1	1	3.67 SQ M
	52	1	1	1	3.67 SQ M
	53	1	1	1	3.67 SQ M
	54	1	1	1	3.67 SQ M
	55	1	1	1	3.67 SQ M
	56	1	1	1	3.67 SQ M
	57	1	1	1	3.67 SQ M
	58	1	1	1	3.67 SQ M
	59	1	1	1	3.67 SQ M
	60	1	1	1	3.67 SQ M
	61	1	1	1	3.67 SQ M
	62	1	1	1	3.67 SQ M
	63	1	1	1	3.67 SQ M
	64	1	1	1	3.67 SQ M
	65	1	1	1	3.67 SQ M
	66	1	1	1	3.67 SQ M
	67	1	1	1	3.67 SQ M
	68	1	1	1	3.67 SQ M
	69	1	1	1	3.67 SQ M
	70	1	1	1	3.67 SQ M
	71	1	1	1	3.67 SQ M
	72	1	1	1	3.67 SQ M
	73	1	1	1	3.67 SQ M
	74	1	1	1	3.67 SQ M
	75	1	1	1	3.67 SQ M
	TOTAL OF 110.3				
63	1	1	1	1	0.06 SQ M
	2	1	1	1	0.06 SQ M
	3	1	1	1	0.06 SQ M
	4	1	1	1	0.06 SQ M
	5	1	1	1	0.06 SQ M
	6	1	1	1	0.06 SQ M
	7	1	1	1	0.06 SQ M
	8	1	1	1	0.06 SQ M
	9	1	1	1	0.06 SQ M
	10	1	1	1	0.06 SQ M
	11	1	1	1	0.06 SQ M
	12	1	1	1	0.06 SQ M
	13	1	1	1	0.06 SQ M
	14	1	1	1	0.06 SQ M
	15	1	1	1	0.06 SQ M
	16	1	1	1	0.06 SQ M
	17	1	1	1	0.06 SQ M
	18	1	1	1	0.06 SQ M
	19	1	1	1	0.06 SQ M
	20	1	1	1	0.06 SQ M
	21	1	1	1	0.06 SQ M
	22	1	1	1	0.06 SQ M
	23	1	1	1	0.06 SQ M
	24	1	1	1	0.06 SQ M
	25	1	1	1	0.06 SQ M
	26	1	1	1	0.06 SQ M
	27	1	1	1	0.06 SQ M
	28	1	1	1	0.06 SQ M
	29	1	1	1	0.06 SQ M
	30	1	1	1	0.06 SQ M
	31	1	1	1	0.06 SQ M
	32	1	1	1	0.06 SQ M
	33	1	1	1	0.06 SQ M
	34	1	1	1	0.06 SQ M
	35	1	1	1	0.06 SQ M
	36	1	1	1	0.06 SQ M
	37	1	1	1	0.06 SQ M
	38	1	1	1	0.06 SQ M
	39	1	1	1	0.06 SQ M
	40	1	1	1	0.06 SQ M
	41	1	1	1	0.06 SQ M
	42	1	1	1	0.06 SQ M
	43	1	1	1	0.06 SQ M
	44	1	1	1	0.06 SQ M
	45	1	1	1	0.06 SQ M
	46	1	1	1	0.06 SQ M
	47	1	1	1	0.06 SQ M
	48	1	1	1	0.06 SQ M
	49	1	1	1	0.06 SQ M
	50	1	1	1	0.06 SQ M
	51	1	1	1	0.06 SQ M
	52	1	1	1	0.06 SQ M
	53	1	1	1	0.06 SQ M
	54	1	1	1	0.06 SQ M
	55	1	1	1	0.06 SQ M
	56	1	1	1	0.06 SQ M
	57	1	1	1	0.06 SQ M
	58	1	1	1	0.06 SQ M
	59	1	1	1	0.06 SQ M
	60	1	1	1	0.06 SQ M
	61	1	1	1	0.06 SQ M
	62	1	1	1	0.06 SQ M
	63	1	1	1	0.06 SQ M
	64	1	1	1	0.06 SQ M
	65	1	1	1	0.06 SQ M
	66	1	1	1	0.06 SQ M
	67	1	1	1	0.06 SQ M
	68	1	1	1	0.06 SQ M
	69	1	1	1	0.06 SQ M
	70	1	1	1	0.06 SQ M
	71	1	1	1	0.06 SQ M
	72	1	1	1	0.06 SQ M
	73	1	1	1	0.06 SQ M
	74	1	1	1	0.06 SQ M
	75	1	1	1	0.06 SQ M
	TOTAL OF 110.3				
64	1	1	1	1	0.06 SQ M
	2	1	1	1	0.06 SQ M
	3	1	1	1	0.06 SQ M
	4	1	1	1	0.06 SQ M
	5	1	1	1	0.06 SQ M
	6	1	1	1	0.06 SQ M
	7	1	1	1	0.06 SQ M
	8	1	1	1	0.06 SQ M
	9	1	1	1	0.06 SQ M
	10	1	1	1	0.06 SQ M
	11	1	1	1	0.06 SQ M
	12	1	1	1	0.06 SQ M
	13	1	1	1	0.06 SQ M
	14	1	1	1	0.06 SQ M
	15	1	1	1	0.06 SQ M
	16	1	1	1	0.06 SQ M
	17	1	1	1	0.06 SQ M
	18	1	1	1	0.06 SQ M
	19	1	1	1	0.06 SQ M
	20	1	1	1	0.06 SQ M
	21	1	1	1	0.06 SQ M
	22	1	1	1	0.06 SQ M
	23	1	1	1	0.06 SQ M
	24	1	1	1	0.06 SQ M
	25	1	1	1	0.06 SQ M
	26	1	1	1	0.06 SQ M
	27	1	1	1	0.06 SQ M
	28	1	1	1	0.06 SQ M
	29	1	1	1	0.06 SQ M
	30	1	1	1	0.06 SQ M
	31	1	1	1	0.06 SQ M
	32	1	1	1	0.06 SQ M
	33	1	1	1	0.06 SQ M
	34	1	1	1	0.06 SQ M
	35	1	1	1	0.06 SQ M
	36	1	1	1	0.06 SQ M
	37	1	1	1	0.06 SQ M
	38	1	1	1	0.06 SQ M
	39	1	1	1	0.06 SQ M
	40	1	1	1	0.06 SQ M
	41	1	1	1	0.06 SQ M
	42	1	1	1	0.06 SQ M
	43	1	1	1	0.06 SQ M
	44	1	1	1	0.06 SQ M
	45	1	1	1	0.06 SQ M
	46	1	1	1	0.06 SQ M
	47	1	1	1	0.06 SQ M
	48	1	1	1	0.06 SQ M
	49	1	1	1	0.06 SQ M
	50	1	1	1	0.06 SQ M
	51	1	1	1	0.06 SQ M
	52	1	1	1	0.06 SQ M
	53	1	1	1	0.06 SQ M
	54	1	1	1	0.06 SQ M
	55	1	1	1	0.06 SQ M
	56	1	1	1	0.06 SQ M
	57	1	1	1	0.06 SQ M
	58	1	1	1	0.06 SQ M
	59	1	1	1	0.06 SQ M
	60	1	1	1	0.06 SQ M
	61	1	1	1	0.06 SQ M
	62	1	1	1	0.06 SQ M
	63	1	1	1	0.06 SQ M
	64	1	1	1	0.06 SQ M
	65	1	1	1	0.06 SQ M
	66	1	1	1	0.06 SQ M
	67	1	1	1	0.06 SQ M
	68	1	1	1	0.06 SQ M
	69	1	1	1	0.06 SQ M
	70	1	1	1	0.06 SQ M
	71	1	1	1	0.06 SQ M
	72	1	1	1	0.06 SQ M
	73	1	1	1	0.06 SQ M
	74	1	1	1	0.06 SQ M
	75	1	1	1	0.06 SQ M
	TOTAL OF 110.3				
65	1	1	1	1	0.06 SQ M
	2	1	1	1	0.06 SQ M
	3	1	1	1	0.06 SQ M
	4	1	1	1	0.06 SQ M
	5	1	1	1	0.06 SQ M
	6	1	1	1	0.06 SQ M
	7	1	1	1	0.06 SQ M
	8	1	1	1	0.06 SQ M
	9	1	1	1	0.06 SQ M
	10	1	1	1	0.06 SQ M
	11	1	1	1	0.06 SQ M
	12	1	1	1	0.06 SQ M
	13	1	1	1	0.06 SQ M
	14	1	1	1	0.06 SQ M
	15	1	1	1	0.06 SQ M
	16	1	1	1	0.06 SQ M
	17	1	1	1	0.06 SQ M
	18	1	1	1	0.06 SQ M
	19	1	1	1	0.06 SQ M
	20	1	1	1	0.06 SQ M
	21	1	1	1	0.06 SQ M
	22	1	1	1	0.06 SQ M
	23	1	1	1	0.06 SQ M
	24	1	1	1	0.06 SQ M
	25	1	1	1	0.06 SQ M
	26	1	1	1	0.06 SQ M
	27	1	1	1	0.06 SQ M
	28	1	1	1	0.06 SQ M
	29	1	1	1	0.06 SQ M
	30	1	1	1	0.06 SQ M
	31	1	1	1	0.06 SQ M
	32	1	1	1	0.06 SQ M
	33	1	1	1	0.06 SQ M
	34	1	1	1	0.06 SQ M
	35	1	1	1	0.06 SQ M
	36	1	1	1	0.06 SQ M
	37	1	1	1	0.06 SQ M
	38	1	1	1	0.06 SQ M
	39	1	1	1	0.06 SQ M
	40	1	1	1	0.06 SQ M
	41	1	1	1	0.06 SQ M
	42	1	1	1	0.06 SQ M
	43	1	1	1	0.06 SQ M
	44	1	1	1	0.06 SQ M
	45	1	1	1	0.06 SQ M
	46	1	1	1	0.06 SQ M
	47	1	1	1	0.06 SQ M
	48	1	1	1	0.06 SQ M
	49	1	1	1	0.06 SQ M
	50	1	1	1	0.06 SQ M
	51	1	1	1	0.06 SQ M
	52	1	1	1	0.06 SQ M
	53	1	1	1	

C	131.944	5.515	3.765	78.321	50.0
DETAIL OF REDUCTIONS					
1	1.500	0.000	0.000	3.550	50.0
2	1.500	0.000	0.000	3.550	50.0
3	1.800	2.100	0.000	7.780	50.0
4	1.710	3.165	0.000	5.475	50.0
5	3.515	3.150	0.000	5.417	50.0
6	0.000	0.000	0.000	3.550	50.0
7	0.000	0.000	0.000	3.687	50.0
8	0.000	0.000	0.000	3.687	50.0
9	0.000	0.000	0.000	3.740	50.0

GROUND COVERAGE		
INITIAL ROOM AREA (SQR)	147,971	SQ.M
INITIAL CORRIDOR AREA (SQR)	98,451	SQ.M
INITIAL CORRIDOR AREA OF TYPICAL ROOM	1,100	SQ.M
INITIAL CORRIDOR AREA OF TYPICAL MACHINE ROOM AREA	1,100	SQ.M
TOTAL	151,222	SQ.M

GROUND COVERAGE	
TYPICAL FLOOR AREA	487.753 SQ. M
50% F.A.T. COMMON AREA OF TYPICAL FLOOR	59.541 SQ. M
JANITORY/MACHINE ROOM AREA	9.937 SQ. M
FEATURE WALL	1.196 SQ. M
TOTAL	658.427 SQ. M

FEATURE WALL AREA FOR GROUND COVER							
1	+	5.2	X	0.270	=	1.196	SQ. M

61.	CANTENERS TRACKING RECORD AREA FOR BOUNDING COVERAGE				50 M
	1	2	3	4	
62	1	1	1	1	2.80 SQ M
	2	1	1	1	3.67 SQ M
63	3	1	1	1	3.67 SQ M
	4	1	1	1	3.67 SQ M
64	5	1	1	1	3.67 SQ M
	6	1	1	1	3.67 SQ M
65	7	1	1	1	3.67 SQ M
	8	1	1	1	3.67 SQ M
66	9	1	1	1	3.67 SQ M
	10	1	1	1	3.67 SQ M
67	11	1	1	1	3.67 SQ M
	12	1	1	1	3.67 SQ M
68	13	1	1	1	3.67 SQ M
	14	1	1	1	3.67 SQ M
69	15	1	1	1	3.67 SQ M
	16	1	1	1	3.67 SQ M
70	17	1	1	1	3.67 SQ M
	18	1	1	1	3.67 SQ M
71	19	1	1	1	3.67 SQ M
	20	1	1	1	3.67 SQ M
72	21	1	1	1	3.67 SQ M
	22	1	1	1	3.67 SQ M
73	23	1	1	1	3.67 SQ M
	24	1	1	1	3.67 SQ M
74	25	1	1	1	3.67 SQ M
	26	1	1	1	3.67 SQ M
75	27	1	1	1	3.67 SQ M
	28	1	1	1	3.67 SQ M
76	29	1	1	1	3.67 SQ M
	30	1	1	1	3.67 SQ M
77	31	1	1	1	3.67 SQ M
	32	1	1	1	3.67 SQ M
78	33	1	1	1	3.67 SQ M
	34	1	1	1	3.67 SQ M
79	35	1	1	1	3.67 SQ M
	36	1	1	1	3.67 SQ M
80	37	1	1	1	3.67 SQ M
	38	1	1	1	3.67 SQ M
81	39	1	1	1	3.67 SQ M
	40	1	1	1	3.67 SQ M
82	41	1	1	1	3.67 SQ M
	42	1	1	1	3.67 SQ M
83	43	1	1	1	3.67 SQ M
	44	1	1	1	3.67 SQ M
84	45	1	1	1	3.67 SQ M
	46	1	1	1	3.67 SQ M
85	47	1	1	1	3.67 SQ M
	48	1	1	1	3.67 SQ M
86	49	1	1	1	3.67 SQ M
	50	1	1	1	3.67 SQ M
87	51	1	1	1	3.67 SQ M
	52	1	1	1	3.67 SQ M
88	53	1	1	1	3.67 SQ M
	54	1	1	1	3.67 SQ M
89	55	1	1	1	3.67 SQ M
	56	1	1	1	3.67 SQ M
90	57	1	1	1	3.67 SQ M
	58	1	1	1	3.67 SQ M
91	59	1	1	1	3.67 SQ M
	60	1	1	1	3.67 SQ M
92	61	1	1	1	3.67 SQ M
	62	1	1	1	3.67 SQ M
93	63	1	1	1	3.67 SQ M
	64	1	1	1	3.67 SQ M
94	65	1	1	1	3.67 SQ M
	66	1	1	1	3.67 SQ M
95	67	1	1	1	3.67 SQ M
	68	1	1	1	3.67 SQ M
96	69	1	1	1	3.67 SQ M
	70	1	1	1	3.67 SQ M
97	71	1	1	1	3.67 SQ M
	72	1	1	1	3.67 SQ M
98	73	1	1	1	3.67 SQ M
	74	1	1	1	3.67 SQ M
99	75	1	1	1	3.67 SQ M
	76	1	1	1	3.67 SQ M
100	77	1	1	1	3.67 SQ M
	78	1	1	1	3.67 SQ M
101	79	1	1	1	3.67 SQ M
	80	1	1	1	3.67 SQ M
102	81	1	1	1	3.67 SQ M
	82	1	1	1	3.67 SQ M
103	83	1	1	1	3.67 SQ M
	84	1	1	1	3.67 SQ M
104	85	1	1	1	3.67 SQ M
	86	1	1	1	3.67 SQ M
105	87	1	1	1	3.67 SQ M
	88	1	1	1	3.67 SQ M
106	89	1	1	1	3.67 SQ M
	90	1	1	1	3.67 SQ M
107	91	1	1	1	3.67 SQ M
	92	1	1	1	3.67 SQ M
108	93	1	1	1	3.67 SQ M
	94	1	1	1	3.67 SQ M
109	95	1	1	1	3.67 SQ M
	96	1	1	1	3.67 SQ M
110	97	1	1	1	3.67 SQ M
	98	1	1	1	3.67 SQ M
111	99	1	1	1	3.67 SQ M
	100	1	1	1	3.67 SQ M
112	101	1	1	1	3.67 SQ M
	102	1	1	1	3.67 SQ M
113	103	1	1	1	3.67 SQ M
	104	1	1	1	3.67 SQ M
114	105	1	1	1	3.67 SQ M
	106	1	1	1	3.67 SQ M
115	107	1	1	1	3.67 SQ M
	108	1	1	1	3.67 SQ M
116	109	1	1	1	3.67 SQ M
	110	1	1	1	3.67 SQ M
117	111	1	1	1	3.67 SQ M
	112	1	1	1	3.67 SQ M
118	113	1	1	1	3.67 SQ M
	114	1	1	1	3.67 SQ M
119	115	1	1	1	3.67 SQ M
	116	1	1	1	3.67 SQ M
120	117	1	1	1	3.67 SQ M
	118	1	1	1	3.67 SQ M
121	119	1	1	1	3.67 SQ M
	120	1	1	1	3.67 SQ M
122	121	1	1	1	3.67 SQ M
	122	1	1	1	3.67 SQ M
123	123	1	1	1	3.67 SQ M
	124	1	1	1	3.67 SQ M
124	125	1	1	1	3.67 SQ M
	126	1	1	1	3.67 SQ M
125	127	1	1	1	3.67 SQ M
	128	1	1	1	3.67 SQ M
126	129	1	1	1	3.67 SQ M
	130	1	1	1	3.67 SQ M
127	131	1	1	1	3.67 SQ M
	132	1	1	1	3.67 SQ M
128	133	1	1	1	3.67 SQ M
	134	1	1	1	3.67 SQ M
129	135	1	1	1	3.67 SQ M
	136	1	1	1	3.67 SQ M
130	137	1	1	1	3.67 SQ M
	138	1	1	1	3.67 SQ M
131	139	1	1	1	3.67 SQ M
	140	1	1	1	3.67 SQ M
132	141	1	1	1	3.67 SQ M
	142	1	1	1	3.67 SQ M
133	143	1	1	1	3.67 SQ M
	144	1	1	1	3.67 SQ M
134	145	1	1	1	3.67 SQ M
	146	1	1	1	3.67 SQ M
135	147	1	1	1	3.67 SQ M
	148	1	1	1	3.67 SQ M
136	149	1	1	1	3.67 SQ M
	150	1	1	1	3.67 SQ M
137	151	1	1	1	3.67 SQ M
	152	1	1	1	3.67 SQ M
138	153	1	1	1	3.67 SQ M
	154	1	1	1	3.67 SQ M
139	155	1	1	1	3.67 SQ M
	156	1	1	1	3.67 SQ M
140	157	1	1	1	3.67 SQ M
	158	1	1	1	3.67 SQ M
141	159	1	1	1	3.67 SQ M
	160	1	1	1	3.67 SQ M
142	161	1	1	1	3.67 SQ M
	162	1	1	1	3.67 SQ M
143	163	1	1	1	3.67 SQ M
	164	1	1	1	3.67 SQ M
144	165	1	1	1	3.67 SQ M
	166	1	1	1	3.67 SQ M
145	167	1	1	1	3.67 SQ M
	168	1	1	1	3.67 SQ M
146	169	1	1	1	3.67 SQ M
	170	1	1	1	3.67 SQ M
147	171	1	1	1	3.67 SQ M
	172	1	1	1	3.67 SQ M
148	173	1	1	1	3.67 SQ M
	174	1	1	1	3.67 SQ M
149	175	1	1	1	3.67 SQ M
	176	1	1	1	3.67 SQ M
150	177	1	1	1	3.67 SQ M
	178	1	1	1	3.67 SQ M
151	179	1	1	1	3.67 SQ M
	180	1	1	1	3.67 SQ M
152	181	1	1	1	3.67 SQ M
	182	1	1	1	3.67 SQ M
153	183	1	1	1	3.67 SQ M
	184	1	1	1	3.67 SQ M
154	185	1	1	1	3.67 SQ M
	186	1	1	1	3.67 SQ M
155	187	1	1	1	3.67 SQ M
	188	1	1	1	3.67 SQ M
156	189	1	1	1	3.67 SQ M
	190	1	1	1	3.67 SQ M
157	191	1	1	1	3.67 SQ M
	192	1	1	1	3.67 SQ M
158	193	1	1	1	3.67 SQ M
	194	1	1	1	3.67 SQ M
159	195	1	1	1	3.67 SQ M
	196	1	1	1	3.67 SQ M
160	197	1	1	1	3.67 SQ M
	198	1	1	1	3.67 SQ M
161	199	1	1	1	3.67 SQ M
	200	1	1	1	3.67 SQ M
162	201	1	1	1	3.67 SQ M
	202	1	1	1	3.67 SQ M
163	203	1	1	1	3.67 SQ M
	204	1	1	1	3.67 SQ M
164	205	1	1	1	3.67 SQ M
	206	1	1	1	3.67 SQ M
165	207	1	1	1	3.67 SQ M
	208	1	1	1	3.67 SQ M
166	209	1	1	1	3.67 SQ M
	210	1	1	1	3.67 SQ M
167	211	1	1	1	3.67 SQ M
	212	1	1	1	3.67 SQ M
168	213	1	1	1	3.67 SQ M
	214	1	1	1	3.67 SQ M
169	215	1	1	1	3.67 SQ M
	216	1	1	1	3.67 SQ M
170	217	1	1	1	3.67 SQ M
	218	1	1	1	3.67 SQ M
171	219	1	1	1	3.67 SQ M
	220	1	1	1	3.67 SQ M
172	221	1	1	1	3.67 SQ M
	222	1	1	1	3.67 SQ M
173	223	1	1	1	3.67 SQ M
	224	1	1	1	3.67 SQ M
174	225	1	1	1	3.67 SQ M
	226	1	1	1	3.67 SQ M
175	227	1	1	1	3.67 SQ M
	228	1	1	1	3.67 SQ M
176	229	1	1	1	3.67 SQ M
	230	1	1	1	3.67 SQ M
177	231	1	1	1	3.67 SQ M
	232	1	1	1	3.67 SQ M
178	233	1	1	1	3.67 SQ M
	234	1	1	1	3.67 SQ M
179	235	1	1	1	3.67 SQ M
	236	1	1	1	3.67 SQ M
180	237	1	1	1	3.67 SQ M
	238	1	1	1	3.67 SQ M
181	239	1	1	1	3.67 SQ M
	240	1	1	1	3.67 SQ M
182	241	1	1	1	3.67 SQ M
	242	1	1	1	3.67 SQ M
183	243	1	1	1	3.67 SQ M
	244	1	1	1	3.67 SQ M
184	245	1	1	1	3.67 SQ M
	246	1	1	1	3.67 SQ M
185	247	1	1	1	3.67 SQ M
	248	1	1	1	3.67 SQ M
186	249	1	1	1	3.67 SQ M
	250	1	1	1	3.67 SQ M
187	251	1	1	1	3.67 SQ M
	252	1	1	1	3.67 SQ M
188	253	1	1	1	3.67 SQ M
	254	1	1	1	3.67 SQ M
189	255	1	1	1	3.67 SQ M
	256	1	1	1	3.67 SQ M
190	257	1	1	1	3.67 SQ M
	258	1	1	1	3.67 SQ M
191	259	1	1	1	3.67 SQ M
	260	1	1	1	3.67 SQ M
192	261	1	1	1	3.67 SQ M
	262	1	1	1	3.67 SQ M
193	263	1	1	1	3.67 SQ M
	264	1	1	1	3.67 SQ M
194	265	1	1	1	3.67 SQ M
	266	1	1	1	3.67 SQ M
195	267	1	1	1	3.67 SQ M
	268	1	1	1	3.

GROUND COVERAGE		
INITIAL ROOM AREA (SQR)	147,971	SQ.M
INITIAL CORRIDOR AREA (SQR)	98,451	SQ.M
INITIAL CORRIDOR AREA OF TYPICAL ROOM	1,100	SQ.M
INITIAL CORRIDOR AREA OF TYPICAL MACHINE ROOM AREA	1,100	SQ.M
TOTAL	151,222	SQ.M

GROUND COVERAGE	
TYPICAL FLOOR AREA	487.753 SQ. M
50% F.A.T. COMMON AREA OF TYPICAL FLOOR	59.541 SQ. M
JANITORY/MACHINE ROOM AREA	9.937 SQ. M
FEATURE WALL	1.196 SQ. M
TOTAL	658.427 SQ. M

