

OPENING SCHEDULE					
S.No.	TYPE	WIDTH	SL	LL	REMARKS
1.	D	.90	-	2.1	DOOR
2.	D1	1.05	-	2.1	DOOR
3.	D2	1.20	-	2.1	DOOR
4.	D3	1.50	-	2.1	DOOR
5.	D4	1.80	-	2.1	DOOR
6.	D5	2.0	-	2.1	DOOR
7.	DW	3.0	0.9	2.1	DOOR/WINDOW

1425/781
 21/1/15
 Map For Proposed Building Is As Per Building Bye Law Submitted For Approval Phase
 Ping Assn.

NOTE :-
 1. ALL STAIRCASE ARE FIRE STAIR CASES AS PER NBC. PART-IV
 2. WHERE EVER THE LIGHTING AND VENTILATION IS NOT SUFFICIENT ,ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION SHALL BE PROVIDED AS PER NBC.

Note:- Alisa Infratech Pvt. Ltd. has applied to the IGBC for platinum rating and will be eligible for the additional FAR available/purchasable as per Noida bylaws as amended from time to time and shall at a future date file for revised sanction of building plans with increased FAR, parking and support services (lifts,shafts etc.).	PROJECT	TITLE	SCALE	DATE	ARCHITECTS SIGN	OWNERS SIGN	CONSULTANT
	PROPOSED COMMERCIAL BUILDING ON PLOT NO.- C3-A,SECTOR-129, NOIDA. FOR - ALISA INFRATECH PVT. LTD.	SUBMISSION DRAWING 15th FLOOR PLAN	1:100 & 1:200	24 - 03 - 2015	<i>Rajiv Goel</i>	For Alisa Infratech Pvt. Ltd. <i>[Signature]</i> Authorised Signatory	R.N.Gupta & Associates Consulting Engineers, Architects & Valuers E-1, Sector-55, Noida Phones - (+120) 4321556 email - info@rngcorp.com
			JOB NO. 1253	DRG.NO. 17	RAJIV GOEL CA/79/2361		


OPENING SCHEDULE					
S.No.	TYPE	WIDTH	SL	LL	REMARKS
1.	D	.90	-	2.1	DOOR
2.	D1	.950	-	2.1	DOOR
3.	D2	1.20	-	2.1	DOOR
4.	D3	1.50	-	2.1	DOOR
5.	D4	1.80	-	2.1	DOOR
6.	D5	2.0	-	2.1	DOOR
7.	DW	3.0	0.9	2.1	DOOR/WINDOW

किसी भी प्रकार के अतिक्रमण से बचना है।
 सभी दरवाजे बाहरी ओर खुलने चाहिए।
 अतिक्रमण से बचना है।
 अतिक्रमण से बचना है।
 अतिक्रमण से बचना है।


AREA CHART
 ENVELOPE AREA = 1658.22 SQM.
CUTOUTS
 (1) SHAFT = (0.90X0.60) X 2 = 1.08 SQM.
 (1a) SHAFT = (1.25X0.90) X 2 = 2.25 SQM.
 (2) SHAFT = (2.0X0.75) X 1 = 1.50 SQM.
 (3) SHAFT = (0.975X1.65) X 2 = 3.20 SQM.
 (4) SHAFT = (0.50X0.60) X 2 = 0.60 SQM.
 (5) SHAFT = (0.975X4.25) X 2 = 8.28 SQM.
 (6) SHAFT = (0.75X4.10) X 2 = 6.15 SQM.
 (7) SHAFT = (0.75X1.60) X 2 = 2.40 SQM.
 (8) SHAFT = (0.60X1.20) X 2 = 1.44 SQM.
 (9) SHAFT = (0.60X2.45) X 2 = 2.94 SQM.
 (10) SHAFT = (0.75X1.4) X 4 = 4.20 SQM.
 (11) SHAFT = (3.30X0.30) X 1 = 0.99 SQM.
 (12) SHAFT = (0.575X2.30) X 1 = 1.32 SQM.
 (13) SHAFT = (2.025X0.60) X 2 = 2.42 SQM.
 (14) SHAFT = (1.35X0.80) X 1 = 1.08 SQM.
 (15) SHAFT = (0.75X1.35) X 1 = 1.01 SQM.
TOTAL = 40.86 SQM

SERVICES
 (B).FIRESCAPE STAIRCASE=3.40X6.10=20.74 SQM.
 (C).T.F.A. ROOM=(7.72) X 2 = 15.44 SQM.
 (C1).ELEC.ROOM=(2.55X3.0) X 2 = 15.30 SQM.
 (D).LIFT LOBBY=(3.0X3.10) X 2 =18.60 SQM
 (E).LIFT LOBBY=(6.10X4.85) X 1 = 29.58 SQM
 (E1).MACH.ROOM = 54.17 SQM.
 (H).LIFT=(3.0X2.0) X 1 = 6.0 SQM.
 (I).LIFT=(2.40X2.60) X 1 = 6.24 SQM.
 (J).LIFT=(2.85X3.075) X 4 = 35.06 SQM.
TOTAL = 201.13 SQM.

FAR = ENVELOPE - CUTOUTS - SERVICES
 =1658.22 - 40.86 - 201.13
 =1416.23 SQM.



OFFICE FLOOR (35th FLOOR PLAN)



AREA ENVELOPE PLAN (35th FLOOR)

PROJECT
 Proposed Commercial Building on
 Plot no.- C3-A, Sector-129, NOIDA.
 FOR - ALISA INFRATECH PVT. LTD.

Note:-
 Alisa infratech Pvt. Ltd. has applied to the IGBC for platinum rating and will be eligible for the additional FAR available/purchasable as per Noida bylaws as amended from time to time and shall at a future date file for revised sanction of building plans with increased FAR, parking and support services (lifts, shafts etc.).

TITLE SUBMISSION DRAWING
 PLAN & AREA ENVELOPE

OFFICE FLOOR (35th FLOOR PLAN)

SCALE 1:100 & 1:200 DATE 24 - 03 - 2015
 JOB NO. 1253 DRG.NO. 23


ARCHITECTS SIGN OWNERS SIGN

For Alisa Infratech Pvt. Ltd.
 RAJIV GOEL
 CA/76/2361
 Authorised Signatory


CONSULTANT
R.N.Gupta & Associates
 Consulting Engineers, Architects & Valuers
 E-1, Sector-55, Noida
 Phones - (+120) 4321556
 email - info@rngcorp.com

NOTE :-
 1. ALL STAIRCASE ARE FIRE STAIR CASES AS PER NBC. PART-IV
 2. WHERE EVER THE LIGHTING AND VENTILATION IS NOT SUFFICIENT ,ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION SHALL BE PROVIDED AS PER NBC.

OPENING SCHEDULE					
S.No.	TYPE	WIDTH	SL	LL	REMARKS
1.	D	.90	-	2.1	DOOR
2.	D1	1.05	-	2.1	DOOR
3.	D2	1.20	-	2.1	DOOR
4.	D3	1.50	-	2.1	DOOR
5.	D4	1.80	-	2.1	DOOR
6.	D5	2.0	-	2.1	DOOR
7.	DW	3.0	0.9	2.1	DOOR/WINDOW



TYPICAL FLOOR
(17, 19, 20, 22, 23, 24, 26, 27, 29, 32 & 33 FL.)



TYPICAL FLOOR ENVELOPE PLAN
(17, 19, 20, 22, 23, 24, 26, 27, 29, 32 & 33)

NOTE :-
 1. ALL STAIRCASE ARE FIRE STAIR CASES AS PER NBC. PART-IV
 2. WHERE EVER THE LIGHTING AND VENTILATION IS NOT SUFFICIENT. ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION SHALL BE PROVIDED AS PER NBC.

AREA CHART

ENVELOPE AREA = 1658.22 SQM

CUTOUTS

- 1=SHAFT=(0.60X0.65) X 4 = 1.56 SQM
 - 2=SHAFT=(0.75X2.0) X14 = 21.0 SQM
 - 6=SHAFT=(0.75X2.10) X 2 = 3.15 SQM.
 - 7=SHAFT=(0.975X1.65) X 2 = 3.20 SQM.
 - 9=SHAFT=(0.50X0.60) X 4 = 1.20 SQM
 - 10=SHAFT=(0.975X4.25)X2=8.28 SQM
 - 11=SHAFT=(0.75X4.10)X2=6.15 SQM
 - 12=SHAFT=(0.75X1.60)X2=2.40 SQM
 - 12a=SHAFT=(1.60X0.60)X2=1.92 SQM
 - 13=SHAFT=(0.60X1.20)X2=1.44 SQM
 - 14=SHAFT=(0.60X2.45)X2=2.94 SQM
 - 15=SHAFT=(0.75X1.4)X4=4.20 SQM
 - 16=SHAFT=(2.325X0.60)X2=2.79 SQM
 - 17=SHAFT=(3.30X0.30) X 2 = 1.98 SQM
 - 18=SHAFT=(0.575X2.30) X 2 = 2.644 SQM
 - 19=SHAFT=(1.40X0.60) X 8 = 6.72 SQM
 - 21=SHAFT=2.20 X 2 = 4.40 SQM
 - 22=SHAFT=1.29 X 2 = 2.58 SQM
 - 25=SHAFT=(0.90X1.25) X 2 = 2.25 SQM
- TOTAL = 80.80 SQM

SERVICES

- (B). FIRESCAPE STAIRCASE=3.40X6.10=20.74 SQM.
 - (C). T.F.A .ROOM=(7.72) X 2 = 15.44 SQM.
 - (C1). ELEC. ROOM=(2.55X3.0) X 2 = 15.30 SQM.
 - (D). LIFT LOBBY=(3.0X3.10) X 2 =18.60 SQM
 - (E). LIFT LOBBY=(6.10X4.85) X 2 = 59.17 SQM
 - (H). LIFT=(3.0X2.0) X 2 = 12.0 SQM.
 - (I). LIFT=(2.40X2.60) X 2 = 12.48 SQM.
 - (J). LIFT=(2.85X3.075) X 4 = 35.06 SQM.
- TOTAL = 188.79 SQM.

FAR = ENVELOPE - CUTOUTS - SERVICES
 =1658.22 - 80.80 - 188.79
 =1388.63 SQM.

PROJECT

Proposed Commercial Building on
 Plot nb.- C3-A, Sector-129, NOIDA.
 FOR - ALISA INFRATECH PVT. LTD.

Note:-

Alisa Infratech Pvt. Ltd. has applied to the IGBC for platinum rating and will be eligible for the additional FAR available/purchasable as per Noida bylaws as amended from time to time and shall at a future date file for revised sanction of building plans with increased FAR, parking and support services (lifts, shafts etc.).

TITLE SUBMISSION DRAWING
 PLAN & AREA ENVELOPE

TYPICAL FLOOR-
 17, 19, 20, 22, 23, 24, 26, 27, 29, 32 & 33 FLOOR PLAN

SCALE 1:100 & 1:200 DATE 24 - 03 - 2015

JOB NO. 1253 DRG.NO. 21

ARCHITECTS SIGN OWNERS SIGN

(Signature)

For Alisa Infratech Pvt. Ltd.
(Signature)
 Authorised Signatory

RAJIV GOEL
 CA/76/2361

CONSULTANT


R.N.Gupta & Associates
 Consulting Engineers, Architects & Valuers

E-1, Sector-55, Noida
 Phones - (+120) 4321556
 email - info@rngcorp.com


HVAC SHAFT TAG DETAIL			SHAFT SIZES	
S.NO	TAG NO.	SHAFT DETAIL	LENGTH	WIDTH
01	SH-01	STAIRCASE PRESS.	2050	600
02	SH-02	CHILLED WATER PIPE	1200	600
03	SH-03	SERVICE LIFT LOBBY PRESS.	1300	750
04	SH-04	GUEST LIFT LOBBY PRESS.	2300	575
05	SH-05	GUEST LIFT LOBBY PRESS.	2300	575
06	SH-06	STP EXHAUST AIR	2595	750
07	SH-07	SERVICE LIFT LOBBY PRESS.	1300	750
08	SH-08	CHILLED WATER PIPE	1500	750
09	SH-09	CHILLED WATER PIPE	1200	600
10	SH-10	STAIRCASE PRESS.	2050	600
11	SH-22	TFA FRESH AIR SHAFT	1950	1800
12	SH-23	TFA FRESH AIR SHAFT	1950	1800
13	SH-24	FIRE MODE FRESH AIR FROM TERRACE TO 9th FLOOR	3800	750
14	SH-25	FIRE MODE FRESH AIR FROM TERRACE TO 9th FLOOR	3800	750
15	SH-26	FIRE MODE EXHAUST AIR FROM TERRACE TO 9th FLOOR	1650	975

ELECTRICAL SHAFT TAG DETAIL			SHAFT SIZES	
S.NO	TAG NO.	SHAFT DESCRIPTION	LENGTH	WIDTH
01	EL-01	DG FLUE PIPE SHAFT	3800	975
02	EL-02	DG FLUE PIPE SHAFT	1100	975
03	EL-03	MV SHAFT (APARTMENTS)	1500	750
04	EL-04	LV SHAFT (APARTMENTS)	900	750
05	EL-05	LV SHAFT (APARTMENTS)	900	750
06	EL-06	MV SHAFT (APARTMENTS)	1500	750

PLUMBING SHAFT TAG DETAIL		
S.NO	TAG NO.	SHAFT DETAIL
01	PL-04	PLUMBING SHAFT
02	PL-05	PLUMBING SHAFT



34th (SERVICE FLOOR - 2)



AREA ENVELOPE PLAN
34th (SERVICE FLOOR - 2)

NOTE :-
1. ALL STAIRCASE ARE FIRE STAIR CASES AS PER NBC. PART-V
2. WHERE EVER THE LIGHTING AND VENTILATION IS NOT SUFFICIENT, ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION SHALL BE PROVIDED AS PER NBC.

AREA CHART
ENVELOPE AREA = 1658.22 SQM.
CUTOUTS

- 1=SHAFT=(0.60X0.65) X 4 = 1.56 SQM
 - 2=SHAFT=(0.75X2.0) X14 = 21.0 SQM
 - 6=SHAFT=(0.75X2.10) X 1 = 1.575 SQM
 - 7=SHAFT=(0.975X1.65) X 2 = 3.20 SQM
 - 9=SHAFT=(0.50X0.60) X 4 = 1.20 SQM
 - 10=SHAFT=(0.975X4.25)X2=8.28 SQM
 - 11=SHAFT=(0.75X4.10)X2=6.15 SQM
 - 12=SHAFT=(0.75X1.60)X2=2.40 SQM
 - 12a=SHAFT=(1.60X0.60)X2=1.92 SQM
 - 13=SHAFT=(0.60X1.20)X2=1.44 SQM
 - 14=SHAFT=(0.60X2.45)X2=2.94 SQM
 - 15=SHAFT=(0.75X1.4)X4=4.20 SQM
 - 16=SHAFT=(2.325X0.60)X2=2.79 SQM
 - 17=SHAFT=(3.30X0.30) X 2 = 1.98 SQM
 - 18=SHAFT=(0.575X2.30) X 2 = 2.644 SQM
 - 19=SHAFT=(1.40X0.60) X 8 = 6.72 SQM
 - 21=SHAFT=2.20 X 2 = 4.40 SQM
 - 22=SHAFT=1.29 X 2 = 2.58 SQM
 - 25=SHAFT=(0.90X1.25) X 2 = 2.25 SQM
- TOTAL = 79.22 SQM

NON FAR = ENVELOPE - CUTOUTS
=1658.22 - 79.22
=1579.0 SQM.

PROJECT

Proposed Commercial Building on
Plot no.- C3-A, Sector-129, NOIDA.
FOR - ALISA INFRATECH PVT. LTD.

Note:-
Alisa Infratech Pvt. Ltd. has applied to the IGC for platinum rating and will be eligible for the additional FAR available/purchasable as per Noida bylaws as amended from time to time and shall at a future date file for revised sanction of building plans with increased FAR, parking and support services (lifts, shafts etc.).

TITLE

SUBMISSION DRAWING
PLAN & AREA ENVELOPE

34th (SERVICE FLOOR - 2)

SCALE 1:100 & 1:200 DATE SEP - 2014

JOB NO. 1253 DRG.NO. 19

ARCHITECTS SIGN OWNERS SIGN

किसी भी प्रकार के प्रस्ताव को अंतिम रूप में प्रमाणित करने के लिए प्रस्तावकर्ता को आवश्यक विवरण प्रदान करने के लिए अनुरोध किया जाता है।


(Signature)

RAJIV GOEL
CA/76/2381



For Alisa Infratech Pvt. Ltd.
(Signature)
Authorised Signatory

CONSULTANT

R.N.Gupta & Associates
Consulting Engineers, Architects & Valuers
E-1, Sector-55, Noida
Phones - (+120) 4321556
email - info@rngcorp.com



OPENING SCHEDULE					
S.No.	TYPE	WIDTH	SL	LL	REMARKS
1.	D	.90	-	2.1	DOOR
2.	D1	1.05	-	2.1	DOOR
3.	D2	1.20	-	2.1	DOOR
4.	D3	1.50	-	2.1	DOOR
5.	D4	1.80	-	2.1	DOOR
6.	D5	2.0	-	2.1	DOOR
7.	DW	3.0	0.9	2.1	DOOR/WINDOW



NOTE :-
 1. ALL STAIRCASE ARE FIRE STAIR CASES AS PER NBC. PART-IV
 2. WHERE EVER THE LIGHTING AND VENTILATION IS NOT SUFFICIENT, ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION SHALL BE PROVIDED AS PER NBC.

16th फ्लोर, नोडा
 राजीव गुप्ता
 24/03/2015
 21/4/15

Note:- Alisa Infratech Pvt. Ltd. has applied to the FCBC for platinum rating and will be eligible for the additional FAR available/purchasable as per Noida bylaws as amended from time to time and shall at a future date file for revised sanction of building plans with increased FAR, parking and support services (lifts, shafts etc.).	PROJECT	TITLE	SCALE	DATE	ARCHITECTS SIGN	OWNERS SIGN	CONSULTANT
	PROPOSED COMMERCIAL BUILDING ON PLOT NO.- C3-A, SECTOR-129, NOIDA.	SUBMISSION DRAWING 16th FLOOR PLAN	1:100 & 1:200	24 - 03 - 2015	<i>[Signature]</i>	For Alisa Infratech Pvt. Ltd. <i>[Signature]</i> Authorised Signatory	R.N.Gupta & Associates Consulting Engineers, Architects & Valuers E-1, Sector-55, Noida Phones - (+120) 4321556 email - info@rngcorp.com
	FOR - ALISA INFRATECH PVT. LTD.		JOB NO. 1253	DRG.NO. 18	RAJIV GOEL CA78/2361		

