

State Level Environment Impact Assessment Authority, Uttar Pradesh

To.

Mr Rakesh Yadav,
Director,
M/s Colorful Estates Pvt.Ltd.
34/C-8, Sector-8,
Rohini, New Delhi- 110084.

Directorate of Environment, U.P.

Dr. Bhim Rao Ambedkar Paryavaran Parisar
Vineet Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : doeuplko@yahoo.com
Website : www.seiaaup.com

Ref 3119/ Parya/SEAC/722/AD(H)/2011

Dated 04/13 February, 2013

Sub: Environmental Clearance for Proposed Group Housing Project "Antriksh Golf View -II" at GH-04 B, Sector- 78, Noida, U.P-Regarding.

Dear Sir,

Please refer to your application/letter dated 13-12-2011, 12-01-2012, 19-03-2012, 30-06-2012 and 06-11-2012 addressed to the Secretary SEAC & Director, Directorate of Environment Govt. of U.P. Dr. Bhimrao Ambedkar Paryavaran Parisar, Vineet Khand-1, Gomti Nagar, Lucknow on the subject as above. The State Level Expert Appraisal Committee (SEAC) considered in the meeting 17-12-2012 the case and has been given to understand that:-

1. The Environmental Clearance is sought for Group Housing Project "Antriksh Golf View-II" at Plot No. GH-04B, Sector-78, Noida, U.P.
2. Total plot area of the project is 30979 sqm and total built up area of the project is 124163.45 sqm. Green area is proposed as 12476.876 sqm (50.16 %).
3. Total no of dwelling units as 996 have been proposed and the maximum height of building will not exceed than 56.55 mt.
4. 415 kld will be total water requirement and the total fresh water requirement as 301.5 kld shall be sourced from Municipal Supply.
5. 334 KLD waste water to be generated, which will be treated in STP of 151 KLD capacity.
6. Parking facility is proposed as 1151 ECS.
7. 8 no of RWH pits have been proposed.
8. Energy requirement is 3740 KVA which shall be sourced from UPPCL. Backup power requirement shall be met through 2x1010 KVA and 2x500 KVA DG sets.
9. 2460.55 kg/day Quantity of municipal waste is to be generated.
10. The proposal is covered under category 8"a" of the EIA notification dated 14/09/2006, as amended.

Based on the recommendations of the SEAC (meeting held on 17/12/2012), the State Level Environment Impact Assessment Authority (meeting held on 27/12/2012 & 28-01-2013) has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:-

a. General Conditions:

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.

5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law, Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, Instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
24. The Green building Concept suggested by Indian Green Building Council, which is a

25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2005 shall be compulsorily ensured.
26. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
28. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of e-waste.
31. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. The project proponents shall ensure that no construction activity is undertaken without obtaining pre-environmental clearance.
35. A report on the energy conservation measures confirming to energy conservation norms finalized by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.
36. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
37. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
38. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
39. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
40. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
41. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
42. High rise buildings should obtain clearance from aviation department or concerned authority of
43. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
44. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way

45. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
46. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
47. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
48. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
49. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
50. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
51. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
52. Parking areas should be in accordance with the norms of MOEF, Government of India. Plans may be drawn up accordingly and submitted.
53. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
54. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
55. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
56. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
57. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
58. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
59. E-Waste Management should be done as per MoEF guidelines.
60. Electrical waste should be segregated and disposed suitably as not to impose Environmental Risk.
61. The use of suitably processed plastic waste in the construction of roads should be considered.
62. Displaced persons shall be suitably rehabilitated as per prescribed norms.
63. Dispensary for first aid shall be provided.
64. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests, adopting suitable measures.
65. Diesel generating set stacks should be monitored for CO and HC.
66. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
67. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.

68. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
69. An energy audit should be annually carried out during the operational phase and submitted to the authority.
70. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
71. Appropriate safety measures should be made for accidental fire.
72. Smoke meters should be installed as warning measures for accidental fires.
73. A Compliance report of the similar project under taken earlier is to be submitted. This report is to be certified by RO, UPPCB.
74. Plan for safe disposal of R.O reject is to be submitted.
75. Project falling within 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco- sensitive zone is not earmarked.

b. Specific Conditions:

1. No ground water to be used during construction and operation phase. Sprinkler to be used for curing and quenching during construction phase.
2. STP to be constructed during construction phase. 100% waste water is to be treated in captive STP conforming to prescribe standards of receiving body or designated use. Monitoring of STP to be done daily till its stabilizations then weekly. To discharge excess treated waste water into public drainage system permission from the competent authority to be taken before prior to any discharge. Dedicated power supply for STPs is to be ensured. During operation sludge of STP is to be used in house and surplus manure should be managed by given to end user or sell Individual STP and D.G. sets to be handed over to individual RWA for the maintenance.
3. All entry/exit point should be bell mouth. All internal roads should not be less than 9 meter wide. Wheel wash arrangement is to be made at exit point
4. Use of LEDs should be explored . Solar light is to be provided in the common areas with 50% of them may be with dual provision.
5. Rain Water Harvesting shall be done only from the roof top. RWH from green and other open areas shall be done only after permission from CGWB.
6. Height of the stack should be provided as discussed based on combined DG sets capacity and be higher than the tallest building.
7. Environmental and Social Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within the month) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program may include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmes shall be specified.
8. Crèche, convenient shopping provision shall be provided during the operation and construction phase.
9. Green belt area should be covered with 50% trees, 25% shrubs and 25% grass. Trees should be planted on 3 rows on the periphery. At least 50% of tree should be ever green.
10. Criteria/ norms provided by competent Authority regarding the seismic zone be followed for construction work.

11. E-waste shall be managed as per e-waste notification.
12. ECS is to be as per Greater Noida by laws.
13. No buildings except those required for infrastructure shall be constructed.
14. Project falling within in 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco- sensitive zone is not earmarked. The Environment and forest department issued direction to this effect vide letter no 6-10/2011 dated 15th March, 2011.
15. Swimming pool water is to be managed as per WHO norms. A details plan for the management of Swimming pool water during operation phase is to be submitted.
16. Provision is to be made for old age people in the club house and parking space is to be provided at community centre.
17. A sign board displaying green building is installed at the Entry Gate.
18. Ground water should not be extracted for the purpose of construction or otherwise. In case of default the Environmental Clearance will deem to be cancelled.

The stipulated conditions as above regarding the project will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along-with their amendments and rules made there under and also any other orders passed by the Hon'ble Courts of Law relating to the subject matter.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issuance of this clearance.

The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. The SEIAA may impose additional Environmental Conditions or modify the existing ones, if necessary.

This is to request you to take further necessary action in the matter as per provisions of Gazette Notification No. S.O. 1533(E) dated 14-09-2006, as amended and send regular compliance reports to the Authority as prescribed in the aforesaid notification.



(J. S. Yadav)


Member Secretary, SEIAA

Dated: As above

No..... /Parya/SEAC/722/2011/AD(H)

Copy with enclosure for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Dr. P.L. Ahuja Rai, Advisor, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
3. Chief Conservator, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. District Magistrate, Noida.
5. The Member Secretary, U.P. Pollution Control Board, PICUP Bhawan, Gomti Nagar, Lucknow.
6. Deputy Director, Regional office, Meerut, Directorate of Environment.
7. Copy to guard file.



(O. P. Varma)

Secretary, SEAC/

Director (I/C), Environment