

25/12/2013
पुनर्विचार

प्रेषक,

निदेशक,

पर्यावरण निदेशालय, उ०प्र०,

विनीत खण्ड-1, गोमती नगर, लखनऊ।

सेवा में,

Mr. S.J. Sodi/Jitendra Yadav,

CEO/GM,

B-21,22, Sector-16,

Noida, U.P.-201301

पत्रांक-2558/पर्या/एस०ई०ए०सी०/1507/2012/ए०डी०(वी०बी०) दिनांक 06 फरवरी, 2014

विषय : Environmental Clearance for IT Park Project "Intelli Cvitty" at Plot No. 10, Tech Zone IV, Greater Noida, U.P. by M/s Ascot Project Pvt. Ltd.

महोदय,

कृपया उपरोक्त विषयक अपने पत्र दिनांक 06/01/2014 का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके माध्यम से अवगत कराया गया है कि प्रश्नगत परियोजना की अभी तक पूर्व-पर्यावरणीय क्लीयरेंस का पत्र प्राप्त नहीं हुआ है।

उक्त के सम्बन्ध में अवगत कराना है कि प्रश्नगत परियोजना की पूर्व-पर्यावरणीय क्लीयरेंस राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण के पत्र संख्या-1729/पर्या/एस०ई०ए०सी०/1507/2012/ए०डी०(वी०बी०) दिनांक 11 अक्टूबर, 2013 के माध्यम से आपको पूर्व में ही प्रेषित किया जा चुका है।

अतः आपके अनुरोध पर राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण, उ०प्र० द्वारा निर्गत पत्र संख्या-1729/पर्या/एस०ई०ए०सी०/1507/2012/ए०डी०(वी०बी०) दिनांक 11 अक्टूबर, 2013 का कार्यालय प्रति की प्रमाणित प्रति संलग्न कर प्रेषित की जा रही है।

संलग्नक-यथोक्त।

भवदीय,



(डा० ए०ए० खान)

विशेष कार्याधिकारी (तकनीकी)

कृते निदेशक

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Dr. Bhim Rao Ambedkar Paryavaran Parisar
Vineet Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : docuplko@yahoo.com
Website : www.seiaaup.com

To,
Mr. S.J. Sodi/Jitendra Yadav,
CEO/GM,
B-22, 222, Sector- 16,
Noida, U.P. 201301

Ref. No. 1729/Praya/SEAC/1507/2012/AD(V.B.)

Date: 11 October, 2013

Sub: Environmental Clearance for IT Park Project "Intellicity" at Plot No-10 Tech Zone-4, Greater Noida (West), U.P. -Regarding.

Dear Sir,

Please refer to your letter dated 15-02-2013, 16-08-2013 & 19-08-2013 addressed to the Secretary, SEAC, Directorate of Environment Govt. of UP on the subject as above. A presentation was made by the Project Proponent along with the Consultant M/s GRC India Pvt. Ltd. in the State Level Expert Appraisal Committee meeting dated 31-08-2013.

The Project proponent, through documents (submitted to SEAC) and presentation made during meeting, has informed to the SEAC that:-

1. The environmental clearance is sought for IT Park Project "Intellicity" at Plot No-10 Tech Zone-4, Greater Noida (West), U.P.
2. The area details of the project is as follows:

Sl. No.	Particulars	Area (in m ²)
1.	Plot Area	100030.31
2.	Permissible Ground Coverage @ 30%	30009
3.	Achieved Ground Coverage (@ 27.51%)	27515.72
4.	Permissible FAR (@ 1.875)	187556.8
5.	Additional FAR 5% (5% of 1.875) for constructing Gold rating building	9377.84
6.	Total Permissible FAR (@ 1.875 & additional 5% of 1.875 FAR)	196934.64
7.	Achieved FAR	196922.91
8.	Permissible IT/ITES FAR Area (@ 75% of Total Permissible FAR)	147700.98
9.	Achieved FAR for IT/ITES (74.99% of Total Permissible FAR)	147695
10.	Permissible Residential FAR Area (10 % of Total Permissible FAR)	19693.46
11.	Achieved FAR for Residential Towers (9.99 %)	19692.30
12.	Permissible Commercial FAR Area (10 % of total Permissible FAR)	19693.46
13.	Achieved FAR for Commercial (9.99%)	19690.45
14.	Balance FAR Area for Institutional (5 % of Permissible FAR)	9846.732
15.	Achieved FAR for Institutional (4.99%)	9845.16
16.	Basement Area (1 st & 2 nd basement) Stores, services & parking only.	97850.390
17.	Built up Area	3,21,332.536
18.	Landscape Area	45,422.72
19.	Non FAR Area	3990.39
20.	15 % Additional FAR for services	28133.43
21.	Achieved 15% additional FAR for services	22568.84

3. Floor wise details of proposed usages are as follows:

SPINE WING - A & B	
FLOOR	USE
GR. FLOOR	Offices (I.T), Shops (Commercial), Banking & financial services, export related services (Institutional facilities) Public utilities
1ST FLOOR	Offices (I.T), Travel related services (Institutional facilities)
2ND TO 18 TH FLOOR	Offices (I.T)
TEMPORAL	
FLOOR	USE
GR. FLOOR	Shops (Commercial), Public utilities
1ST FLOOR	Shops (Commercial)


 डॉ० भीम राव अम्बेडकर
 विशेष कार्यवाहक
 पर्यावरण निदेशालय
 ३०५०, लखनऊ.

2ND FLOOR	Games & Entertainment Zone & canteen (Institutionnel facilities)
3RD FLOOR	Shops (Commercial)
CEREBRUM	
FLOOR	USE
GR. FLOOR	Shops (Commercial), Banking & financial, Public utilities
1ST FLOOR	Shops (Commercial), Banking & financial, Training centre & library (institutional facilities)
2ND to 29 TH FLOOR	Offices (I.T)
30TH FLOOR	Service floor
32nd TO 35 TH FLOOR	Club, business centre & conference facilities (institutional facilities)
THE FRONT LOBE	
FLOOR	USE
GR. FLOOR	Shops (Commercial), public utilities
1ST FLOOR	Shops (Commercial)
2ND FLOOR	Restaurant & canteen (Institutional facilities)
THINKPAD	
FLOOR	USE
GR. FLOOR	Banking & financial & club (institutional facilities) Residential Apartment (Residential)
1ST FLOOR	Banking & financial & club (institutional facilities) Residential Apartment (Residential)
2ND TO 4TH FLOOR	Residential apartment (Residential)
OCCILOBE	
FLOOR	USE
GR. FLOOR	Office (I.T)
1ST TO 14TH FLOOR	Office (I.T)

4. Facility wise population details are as follows:

Sl. No.	Unit Type	FAR Area (in m ²) / DU's	Total Population
1.	IT & ITES Area	147695	
	Staff		28,063
	Visitors		1,476
2.	Residents	19692.30	
	Villas	116 DU	522
	1 BHK Flat	52 DU	234
	Staff		38
	Visitors		76
3.	Commercial	19690.45	
	Multiplexes (considering 6 shows/day)	3 multiplex of 199 seat each & 1 of 354 seat	
	Staff		25
	Visitor		5706
	Shops	17862.86	
	Staff		150
	Visitor		2827

- The quantity of earth to be excavated is proposed as 8,80,653.51 m³.
- The total nos. of tower and floors is Tower 1 (G+18), Tower 2 (G+3), Tower 3 (G+35), Tower 4(G+2), Tower 5 (G+4), Tower 6 (G+14).
- Parking facility is required for 3187 ECS and proposed for 3912 ECS.
- The total water requirement is proposed as 1450 KLD. Total Fresh water requirement is 478 KLD from Municipal supply.
- The total waste water generation is proposed as 1215 KLD to be treated in STP of 1500 KLD capacity. Treated waste water shall be used in flushing (874 KLD), Horticulture (45 KLD) and DG set cooling (53 KLD).
- Makeup water for swimming pool shall be 10 KLD.
- Total power requirement is proposed as 25 MVA to be supplied by NPCL.
- 25 no. of DG sets of total 21750 KVA (i.e. 10 x 1250 KVA, 2 x 750 kVA, 12 x 500 kVA & 1 x 1750 kVA) are proposed for power backup.
- Green area of the proposed project is 45,422.72 sqm.
- Quantity of MSW to be generated is proposed as 11,178.39 kg/day.
- The proposed quantity of RW to be harvested is 793.67 m³. The volume of RWH pits is proposed as 38.47 m³, whereas the total no of proposed RWH pits are 19.


 प्रमुख कार्यकारी
 पर्यावरण निदेशालय
 संप्र. लखनऊ

16. All internal roads are proposed to be at least 09 meter wide.
17. The Project proposal falls under category 8 "b" of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting held on 31-08-2013 the State Level Environment Impact Assessment Authority in its Meeting held on 30-09-2013 decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:-

a. General Conditions:

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.
5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law, Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, Instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.


श्री. प्रमोद

श्री. प्रमोद
पर्यावरण निदेशालय
संयोजक

24. The Green building Concept suggested by Indian Green Building Council, which is a part of CII-Godrej GBC, shall be studied and followed as far as possible.
25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2005 shall be compulsorily ensured.
26. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
28. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of e-waste.
31. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. A report on the energy conservation measures confirming to energy conservation norms finalized by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.
35. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
36. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
37. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
38. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
39. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
40. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
41. High rise buildings should obtain clearance from aviation department of concerned authority.
42. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
43. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
44. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
45. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
46. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
47. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
48. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
49. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.


पनि प्रमाणित
सं. १००/२००८
कार्याधिकारी
वातावरण निदेशालय
सं. प्र. १००/२००८

50. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
51. Parking areas should be in accordance with the norms of MOEF, Government of India. Plans may be drawn up accordingly and submitted.
52. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
53. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
54. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
55. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
56. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
57. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
58. E-Waste Management should be done as per MoEF guidelines.
59. Electrical waste should be segregated and disposed suitably as not to impose Environmental Risk.
60. The use of suitably processed plastic waste in the construction of roads should be considered.
61. Displaced persons shall be suitably rehabilitated as per prescribed norms.
62. Dispensary for first aid shall be provided.
63. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests, adopting suitable measures.
64. Diesel generating set stacks should be monitored for CO and HC.
65. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
66. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
67. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
68. An energy audit should be annually carried out during the operational phase and submitted to the authority.
69. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
70. Appropriate safety measures should be made for accidental fire.
71. Smoke meters should be installed as warning measures for accidental fires.
72. Project falling within 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.

b. Specific Conditions:

1. Digging of basement shall be undertaken in consultation with District Administration/Mining Department in view of structural safety of adjacent buildings.
2. Sprinkler to be used for curing and quenching during construction phase. No ground water to be used during construction and operation phase.
3. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within three month) on need base assessment study in the study area. Income generating measures which can help in upliftment of weaker section of society consistent with the traditional skills of the people identified. The program me can include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmers shall be specified.
4. Use of LEDs should be explored in place of CFL. Solar light is to be provided in the common areas with 50% of them may be with dual power.


श्री श्री श्री


डा० ए० ए० खान
प्रमुख कार्यकारी
पर्यावरण निदेशांक
सं० प्र० लखनऊ

5. All internal and peripheral roads should be minimum 9 m. wide and all entry & exit should be bell mouth shaped.
6. The three tier Green Belt shall be raised all around the plant site which shall comprise of not less than 33% of the total area. The project proponent shall ensure that the density of trees are not less than 2500 per ha and rate of survival of plantation shall be not less than 80%. The selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
7. Wheel wash arrangement is to be made at exit point during construction phase.
8. STP to be constructed during construction phase. 100% waste water is to be treated in STP confirming to prescribe standards of receiving body or designated use. Monitoring of STP to be done weekly till its stabilizations then monthly.
9. Provision for 100% Rain Water Harvesting in the project premises shall be made. RWH shall be initially done only from the roof top. RWH from green and other open areas shall be done only after permission from CGWB. No. of rain water harvesting pits shall be increased towards open area.
10. Stack Height should be calculated based on combined Gen-sets capacity and shall be higher than the tallest building in the project.
11. The total excavated soil will be completely utilized at project site for leveling and back filling. The top soil generated during basement construction will be used for plantation and green area development. The management of surplus soil, if any, will be transported and managed in Eco- friendly manner and the plan will be submitted within 3 month.
12. E-waste shall be managed as per e-waste notification. Temporary storage at secure place be made till it is given to recycler approved by CPCB. Temporary storage for MSW for two days shall be provided.
13. Ground water should not be extracted for the purpose of construction or otherwise. In case of default the Environmental Clearance will deem to be cancelled.
14. Post project monitoring for air, water (surface+ ground), Stack (including CO and HC) Noise of D.G. sets, STP to be carried out as CPCB Guidelines.
15. Adequate Ventilation arrangement for the basement shall be undertaken along with installation of CO Monitors.
16. The basement should be constructed in consultation with CGWB to avoid infringement of water table.
17. Project falling within in 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
18. If any of Wetlands/Ponds exist within the project area as per revenue records, it should be protected and maintained and brought to the notice of forest department / SEIAA for directions.
19. An area of 500mt radius around is to be treated as no-development zone as required/prescribed/ identified under law and should be kept as buffer / no activity zone. The proposed site should not be a part of any no-development zone as required/prescribed/identified under law.
20. Arrangement should be made for guard for collection of storm water.
21. Detailed MSW Management plan including collection and transportation is to be submitted with in 03 month.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Greater Noida. In case of violation, it would not be effective and would automatically be stand cancelled.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deemed to be cancelled.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental


प्रति प्रमाणित
डा० ए० ए० खान
असिस्टेंट सचिव
पर्यावरण निदेशालय
उ०प्र०, लखनऊ

conditions or modify the existing ones, if necessary. Necessary statutory clearances should be obtained and submitted before start of any construction activity.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

This is to request you to take further necessary action in the matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(J. S. Yadav)

Member Secretary, SEIAA

Dated: As above

Copy with enclosure for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Advisor, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
3. Chief Conservator, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. District Magistrate, Gautam Budh Nagar.
5. The Member Secretary, U.P. Pollution Control Board, PICUP Bhawan, Gomti Nagar, Lucknow.
6. Deputy Director, Regional office, Meerut, Directorate of Environment.
7. Copy to Web Master/ guard file.

(O. P. Varma)

Secretary, SEAC/

Director (IC), Environment