

COPY OF APPROVAL FROM STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY UTTAR PRADESH.

State Level Environment Impact Assessment Authority, Uttar Pradesh

Registered

Directorate of Environment, U.P.

Dr. Khilji Raj, Additional Secretary, Envtm.

Floor, Room - 1, Ganga Nagar, Lucknow - 226 010

Phone : 91-522-2300541, Fax : 01-522-2300541

E-mail : dorajp@upseb.com

Website : www.seaup.com

Ref: 2242/Parya/SEAC/1657/2013/JDCAIS/P&A-I

Date: 12 October, 2013

To,

M/s Gaursons Realtach Pvt. Ltd.,
Gaur Bn Park, Plot No-1,
Abhay Khand-II, Indrapuram,
Ghaziabad.

Subj: Regarding Environment Clearance for the proposed Township "Gaur Yamuna City" at Sector-19, Yamuna Expressway, YEIDA, Greater Noida, Gauram Bn Nagar, Uttar Pradesh.

Dear Sir,

Please refer to your letter dated 28/06/2013 received in this office on 27/06/2013, letter dated 05/09/2013 and 30/09/2013 addressed to the Secretary/Chairman, SEAC, Directorate of Environment, Lucknow. The SEAC considered the matter in its meeting held on dated 06/08/2013, 30/09/2013. A presentation was made by the consultant M/s ENV-DAS India Pvt. Ltd. along with the proled proponent. The proponent, through the documents submitted & the presentation made, informed the SEAC that:

1. The Environmental Clearance is sought for Township Project Gaur Yamuna City (Part-1) at Sector-19, Yamuna Expressway, YEIDA, Greater Noida, U.P.
2. The total plot area and proposed built up area of project are respectively 101.227 ha & 37,68,536.25 m².
3. The total FAR is 5000884.
4. Parking facility is required for 16679ECS for residential and total parking proposed for 41708.ECS.
5. The total water requirement is proposed as 9738.83KLPD which will be sourced from municipal supply. Total fresh water requirement is proposed 7287.42 KLD.
6. The total waste water generation is proposed as 7654.96 KLD and treated in STP of capacity 5.5 MLD.
7. Total power requirement is proposed as 186.4 MVA from UPPTCL.
8. 150 nos. DG Sets of (150x1250 KVA) are proposed for power back up for total capacity of 187.5 MVA.
9. Total green area of the proposed project is 151834.05 m² shrubs 50% and trees.
10. Quantity of MSW to be generated is proposed is 28000 kg/day, sludge from STP is 11 kg/day.

Based on the recommendation of the SEAC meeting dated 30/09/2013 the SEIAA in its meeting dated 09/10/2013 has agreed to grant the Environment Clearance to the proposed project subject to the effective implementation of the following specific and general conditions.

SPECIFIC CONDITIONS

I. Construction Phase

1. Consent for Establishment shall be obtained from Uttar Pradesh Pollution Control Board under Air and Water Act and a copy shall be submitted to SEIAA, U. P. before start of any construction work at the site.

2. For proposed Project "Yamuna City" at Sector-18, Yamuna Expressway, Etawah, District Mathura, Uttar Pradesh (U.P.)

- ii. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- iii. A First Aid Room will be provided in the project both during construction and operation of the project.
- iv. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- v. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- vi. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- vii. The approach road to DSI shall be ensured.
- viii. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- ix. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- x. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the Uttar Pradesh Pollution Control Board.
- xi. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- xii. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- xiii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- xiv. Ambient noise levels should conform to residential standards both during day and night. Instrumental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/UPPCB.
- xv. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1998 and amended as on 27th August, 2003. (This above condition is applicable only if the project site is located within the 100 Km of Thermal Power Stations).
- xvi. Ready mixed concrete must be used in building construction.
- xvii. Storm water control and its re-use as per CGWS and BIS standards for various applications.
- xviii. Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.
- xix. Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
- xx. Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
- xxi. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

E.I. The proposed Project "Yamuna-Kalyan" is Scope-13, Yamuna Expressway, EIRIA, Greenfield, Gurgaon Road, Gurgaon Distt Haryana, U.P.

- ix. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- x. A Report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U factors etc and submit to the Ministry in three months time.
- xi. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
- xii. Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.
- xiii. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.

PART - B. GENERAL CONDITIONS

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U.P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.
5. All trees falling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/Inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law. Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.

- i. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the SEIAA before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Discharge of unused treated effluent shall conform to the norms and standards of the Uttar Pradesh Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
- ii. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- iii. Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Uttar Pradesh Pollution Control Board.
- iv. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- v. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
- vi. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- vii. Rain water harvesting for roof run-off and surface run-off as plan submitted should be implemented. Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
- viii. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.

2.2. for proposed Project Township "Gaur Yamuna City" at Sector-10, Yamuna Extension, WIDR, Greater Noida, Gautam Buddha Nagar, U.P.

15. The emissions and effluents etc from machines, instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposal (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
24. The Green building Concept suggested by Indian Green Building Council, which is a part of CR-Godrej GBC, shall be studied and followed as far as possible.
25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2015 shall be compulsorily ensured.
26. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
28. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of e-waste.
31. Educate citizens and other stakeholders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. The project proponents shall ensure that no construction activity is undertaken without obtaining pre-environmental clearance.
35. A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, B & U Factors etc.

2.2. An proposed Project Township "Gaur Tumara City" at Scheme-15, Farmana, Gurgaon, Haryana, YESK, Greater Noida, Gautam Budh Nagar, U.P.

36. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km. of Thermal Power Station).
37. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
38. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
39. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
40. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
41. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
42. High rise buildings should obtain clearance from aviation department or concerned authority.
43. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
44. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
45. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
46. It shall be ensured that all Street and park lighting is solar powered, 50% of the same may be provided with dual (solar/electrical) alternatives.
47. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
48. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
49. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
50. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
51. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
52. Parking areas should be in accordance with the norms of M.O.F., Government of India. Plans may be drawn up accordingly and submitted.
53. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined & a report submitted.
54. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
55. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
56. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.

57. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belts etc. should be provided on the layout plan.
58. The DB sets shall be so installed so as to conform to prescribed stack heights and regulations, and also to the noise standards as prescribed. Details should be submitted.
59. E-Waste Management should be done as per MoEF guidelines.
60. Electronic waste should be segregated & disposed suitably as not to impose Environmental Risk.
61. The use of suitably processed plastic waste in the construction of roads should be considered.
62. Displaced persons shall be suitably rehabilitated as per prescribed norms.
63. Dispensary for first aid shall be provided.
64. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests; adopting suitable measures.
65. Diesel generating set stacks should be monitored for CO and HC.
66. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon seasons.
67. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
68. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
69. An energy audit should be annually carried out during the operational phase and submitted to the authority.
70. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
71. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within the month) on need base assessment study in the study area. Income generating measures which can help in upliftment of weaker section of society consistent with the traditional skills of the people identified. The programme can include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmes shall be specified. Revised ECR plan is to be submitted within 3 month. Failing which, the environmental Clearance shall be deemed to be cancelled.
72. Appropriate safety measures should be made for accidental fire.
73. Smoke meters should be installed as warning measures for accidental fires.
74. Plan for safe disposal of B.O reject is to be submitted.
75. Project falling within in 10 Km. area of Wild Life Sanctuary is to obtain a clearance from National Board Wild life (NBWL) even if the eco-sensitive zone is not earmarked.
76. The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
77. Provision should be made for supply of kerosene or cooking gas and pressure cooker to the labourers during construction phase.
78. Six monthly monitoring reports should be submitted to DoEn, U.P./UPSEB/ MoEF Regional Office, Lucknow.
79. Officials from DoEn, U.P./UPSEB/ MoEF Regional Office, Lucknow who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection.
80. In the case of any change(s) in the scope of the project, the project would require a fresh EC

U.P. Environmental Protection Board, "Ganga Vasthika Chet" at Sector-113, Gomti Nagar, Lucknow, U.P.

81. The SEIAA, UP reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound manner.
82. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
83. Any appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 90 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be invalid and cancelled. Also, in the event of any dispute on ownership of the proposed site, this permission shall automatically deem to be invalid and cancelled.

The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Courts of Law relating to the subject matter.

The project proponent will have to submit the management of MSW including collection & transportation and approved plans and proposals incorporating the conditions specified in this Environmental Clearance within 03 months of issuance of this clearance.

The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary.

This is to request you to take further necessary action in matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14-09-2006 as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(J. S. Yadav)

Member Secretary, SEIAA

No. /P/Env/SEAC/1657/2013/JICA(S)

as above

Copy for information and necessary action to:

1. The Principal Secretary, Environment, U.P. Govt., Lucknow.
2. Dr. P.L. Ahuja R&L Advisor, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhavan, CGO Complex, Lodi Road, New Delhi.
3. Chief Conservator, Ministry of Environment & Forests, Regional Office (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. The Member Secretary, U.P. Pollution Control Board, PCEB Bhawan, Gomti Nagar, Lucknow.
5. District Magistrate, Gautam Buddha Nagar, U.P.
6. Deputy Director, Regional Office, Environment Directorate, Meerut.
7. Copy for Web Master/Guard File

(O.P. Varma)

Director (I/C)/Secretary SEAC,
Directorate of Environment, U.P.

E.C. for proposed Project "Vijayvihar Water Treatment Plant" at Sector-08, Yamuna Extension, VPO-1, Greater Noida, Gautam Buddha Nagar, U.P.

4. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
5. A First Aid Room will be provided in the project both during construction and operation of the project.
6. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid waste generated during the construction phase should be ensured.
7. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
8. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
9. The approach road to OSR shall be ensured.
10. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
11. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
12. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the Uttar Pradesh Pollution Control Board.
13. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
14. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
15. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
16. Ambient noise levels should conform to residential standards both during
17. day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/APPCB.
18. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100 Km of Thermal Power Stations).
19. Ready mixed concrete must be used in building construction.
20. Storm water control and its re-use as per CGWB and BIS standards for various applications.
21. Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.
22. Permission to draw ground water shall be obtained from the Competent Authority prior to construction/operation of the project.
23. Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
24. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

EC, for proposed Project in the City of Varanasi, Uttar Pradesh, India, under the supervision of the Ministry of Environment, Government of India, New Delhi, India.

25. Use of glass may be reduced by up to 40% to reduce the electricity consumption and load on air-conditioning. If necessary, use high quality double glass with special reflective coating in windows.
26. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
27. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all airconditioned spaces while it is aspirational for non-airconditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
28. The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightning etc.
29. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
30. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

II. Operation Phase

1. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the SEIAA before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Discharge of unused treated effluent shall conform to the norms and standards of the Uttar Pradesh Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
2. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
3. Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Uttar Pradesh Pollution Control Board.
4. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
5. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
6. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
7. Rain water harvesting for roof run off and surface run off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mtr. above the highest ground water table.
8. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.

10. For proposed Project Yamuna "Tata Yamuna City" at Sector 12, Yamuna Expressway, FIDA, Greater Noida, Gautam Budh Nagar, U.P.

9. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
10. A Report on the energy conservation measures conforming to energy conservation norms finalised by Bureau of Energy Efficiency, should be prepared incorporating details about building materials & technology, R & U factors etc and submit to the Ministry in three months time.
11. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposal off/seen for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
12. Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.
13. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.

PART - B. GENERAL CONDITIONS

1. Provision should be made for supply of kerosene or cooking gas and pressure cooker to the labourers during construction phase.
2. Six monthly monitoring reports should be submitted to DoEn, U.P./UPSEB/ MoEF Regional Office, Lucknow.
3. Officials from DoEn, U.P./UPSEB/ MoEF Regional Office, Lucknow who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection.
4. In the case of any change(s) in the scope of the project, the project would require a fresh EC.
5. The SEIAA, UP reserves the right to add additional safeguard measures consequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound manner.
6. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
7. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
8. Any appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be invalid and cancelled. Also, in the event of any dispute on ownership of the proposed site, this permission shall automatically deem to be invalid and cancelled.

The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Courts of law relating to the subject matter.

The project proponent will have to submit the management of MSW including collection &

COPY OF N.O.C (AIRPORT AUTHORITY OF INDIA)



Page 1 of 2

भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No. AA/NOG/2014/205/8154- 23		Date: 17/7/2014
GATEWAY INDIA/2014/205/8154		
GATEWAY INDIA/2014/205/8154		
AIRWAY CORRIDOR-12, INDIA/2014/205/8154		
N		
NOC Objection Certificate for Height Clearance		
This NOC is issued by Airport Authority of India (AAI) in pursuance of responsibility conferred by and in accordance with the provisions of Govt. of India (Ministry of Civil Aviation) order SOBs (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.		
1. Reference		
NOC ID	SAFENORTH/055014/30228	
Applicant	M/s. A. A. A. A.	
Ref. Reference		
2. NOC Details for Height Clearance:		
Applicant Name	M/s. A. A. A. A.	
Type of Structure/Building		
Site Address	150-15, Yamuna Expressway Industrial Development Authority, GALTAMBUH NAGAR, Mirzapur	
Site Coordinates	25 18 24 N 77 45 44 E 25 18 40 N 77 35 54 E 25 17 50 N 77 35 54 E	
Site Elevation MSL in Mts	115 Mts One Hundred Ninety Five only	
Permissible height above Ground Level in Mts	120.00 Mts One Hundred Twenty only	
Permissible Top Elevation MSL in Mts	120.00 Mts One Hundred Twenty only	
3. This NOC is subject to the terms and conditions as stated below:		
a. The site coordinates and site elevations provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the data provided by the applicant, this NOC will be invalid. b. The issue of the NOC is further subject to the provisions of Section 3 of the Indian Aircraft Act, 1934 and those of any notifications issued from time to time including the Aircraft (Construction and Construction) Rules, 1984. c. No radio/TV towers, lighting masts, etc., shall be erected within 1000 Mts and Attachments of towers of any kind shall project above the Permissible Top Elevation 120.00 Mts indicated in Para 2. d. The use of all fired or electric fire weapons is mandatory within 3 KM of the Aerodrome Reference Point. e. The certificate is valid for a period of 5 years from the date of its issue.		

http://203.143.141.10:83/uocas/NOCLetterFormMain.aspx?nocid=SAFT/NORTH/055014/30228 6/17/2014

No. CL/2022

Page 2 of 3

Building/structure/structure is not constructed & completed within the period. The applicant will be required to obtain a fresh NOC from the Designated Officer of Airports Authority of India. The Sale of certificate of Building/Structure/Obstruction should be intimated to this office of AAI. Request for cancellation of NOC will not be entertained after the expiry of its validity period.

i. No light or combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.

ii. The applicant will not complain/claim compensation against aircraft noise, vibration, building etc. caused by aircraft operations at or in the vicinity of the airport.

iii. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 4 and appendix 4 of Civil Aviation Requirement Series 71 Part 1 Section 4 available on DGCA India website www.dgca.nic.in

iv. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of "to ensure the safe and regular aircraft operations" and shall not be used as document for any other purpose whatsoever including ownership of land etc.

v. This NOC has been issued in compliance with the Civil Aviation Rules, 1938 in 32/34(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Commercial Top Elevation 265.02 Mtr.


(Asst. General Manager)
Asst. General Manager (ATM-NDG)
For General Manager (ATM) AIS

Airports Authority of India

Copy to:

1. The Executive Director (ATM), AAI, Rajiv Gandhi Bhawan, Sardar Vallabhbhai Airport, New Delhi-110001

2. GM(NOC)/Airport Director (Bandra).

3. Guard File

4. Tatyasaheb Kore Industrial Development Authority, 1st floor, Commercial Complex, Sec-1, Phase-1, P-2, Greater Noida, Uttar Pradesh-201305

5. The Chief Executive Officer, OJAL, New Indian Bhawan, International Terminal-3, IGI Airport, New Delhi-110037

COPY OF SERVICE VETTING

JAMIA MILLIA ISLAMIA

(A Central University by an Act of Parliament)

Faculty of Engineering and Technology

Minister Mohammed Ali Jauhar Marg, New Delhi-110025

Tel. : 26595527, 26591717 Fax: 2310, 2315, 2316, Yeh Fax: 26591261

Department of Civil Engineering



Reference No: 2015/940

Dated: 24/06/2015

Proof checking of services drawings including External water Supply, External Sewerage System, External Drainage system and Rainwater Harvesting for 'Proposed Gaur Yamuna City Project' at Sector-19, VEIDA, Greater Noida, Gautam Budh Nagar, UP.

The services drawings submitted by Gawsons Realtach Pvt. Ltd for 'Proposed Gaur Yamuna City Project' at Sector-19, VEIDA, Greater Noida, Gautam Budh Nagar, UP, are approved. The design conforms to relevant CPHEEO Manuals & SP - 35:1987. The total site area of the is 250 acre.


DR. SIRAJUDDIN AHMED
(PROFESSOR)

Prof. SIRAJUDDIN AHMED
Dept. of Civil Engineering
Faculty of Engg. & Tech.
Jamia Millia Islamia
New Delhi-110025

E1

[illegible]

उ- अस्माकं को विधिः यो मासदी प्रयोग-एवं-प्राप्तः / से-१/ एन/ १९७७३१० डि-२२६६/२०७६, विधिः १९७७३१० डि-२२६६२१ अनुसूचितः जमान-मुक्तिः। अये अनुसूचितः न करतः। एवम् न राज्याः द्वारा प्रेषितः यो मासदी आये को तान् से अस्माकं को को, जमानः। विभिन्नेषु देशु विभिन्नाः २०२२ सन्ध्या न विभिन्नाः प्रत्येक-सन्ध्या को होती।

जुलूम कायम है कि अंगरेज विदेशी कपड़ोंका प्रचार करने पर कोई नुस्खे बख्शना न चाहते हैं कि अंगरेजों की अंगरेज विदेशी का आचार्य नुस्खे की प्रचार अंगरेजों का आचार्य नुस्खे की अंगरेज विदेशी का आचार्य नुस्खे की	विदेशी अंगरेज का आचार्य नुस्खे की अंगरेज विदेशी का आचार्य नुस्खे की अंगरेज विदेशी का आचार्य नुस्खे की अंगरेज विदेशी का आचार्य नुस्खे की अंगरेज विदेशी का आचार्य नुस्खे की
---	--

1104

अथर्वसंहिता

1997

Copyright © 2004 by John Wiley & Sons, Inc.

References

निर्दिष्ट संख्या परत (अवधि १०००००) २००० अक्षरों में लिखना। यदि (अक्षरों में लिखना)

सूचना प्रदायकता और निष्पक्षता

2000

COPY OF STRUCTURAL VETTING.**JAMIA MILLIA ISLAMIA**

(A Central University to the Govt of India)

Faculty of Engineering and Technology

Madani, Mohamed A/ Jaidar Marg, New Delhi-110025

Tel: 26093227/26093228/26093229/26093230/26093231/26093232

Department of Civil Engineering

Reference No. 2014/324

Dated: 28/07/2014

For checking of structural Design for Proposed Group Housing Project-
16th Down Street, Gaur Yamuna City, SECTOR-16, YEIDA, Greater
Noida, Gautam Budh Nagar (UP) – For Gaursons Realtech Pvt. Ltd.

THIS IS TO CERTIFY that the Structural Design and submission Drawing for Proposed Group
Housing Project-16th Down Street, Gaur Yamuna City, SECTOR-16, YEIDA,
Greater Noida, Gautam Budh Nagar (UP) with the following details.

S. No.	Block	Floors	Typical Block FAR	
			Sqmt	Sqft
1	Blocks-A, M, R, S, T, U & V	Basement + Podium/ Stilt + GF +24Floors	18525	198528
2	Blocks-B, C & D	Basement + Podium/ Stilt + GF +24Floors	18330	195714
3	Blocks-E, F, G, H, I, J, K & L	Basement + Podium/ Stilt + GF +24Floors	12585	135719
4	Blocks-H, I, J, K & L	Basement + Podium/ Stilt + GF +24Floors	18540	198198
5	Block-K	Basement + Podium/ Stilt + GF +24Floors	27613	297110
6	Block-L	Basement + Podium/ Stilt + GF +11Floors	18275	195570
		Total	102558	1103842

have been checked and found to be conforming to relevant Codes of practice as per the latest
Indian Standards. All the stipulated combination of loads (static and dynamic) in vertical and
lateral direction has been incorporated in the analysis and design. The design and drawings have
been checked and found to be satisfactory. Hence they are approved.


DR. KHALID MOIN
(Professor)

COPY OF N.O.C (FIRE AUTHORITY).

2003年12月



Address: _____ Phone: _____

1985

● 011077 ●

Abstract

三三三三三

विद्यार्थी (विद्यार्थी एवं विद्यार्थी)
विद्यार्थी एवं विद्यार्थी
विद्यार्थी एवं विद्यार्थी

निम्नलिखित विषयों पर प्रश्न पूछे जा सकते हैं -

Figure 10.10

[illegible]

समस्या मान की त्वर का निर्देशन एवं जागरूकता का प्रकाशन सम्पन्न करवाती है। तब ही काम शुरू हो सकेगा।

क्रमांक	गण, बालक	सर्वाे की संख्या	मूल कर्म प्राप्त वर्ष १९००	दिवसगत कर्म प्राप्त वर्ष १९००	संयोज कर्म १९००
1	एवम-१, बालक-१	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
2	एवम-१, बालक-२	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
3	एवम-१, बालक-३	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
4	एवम-१, बालक-४	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
5	एवम-१, बालक-५	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
6	एवम-२, बालक-१	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
7	एवम-२, बालक-२	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
8	एवम-२, बालक-३	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
9	एवम-२, बालक-४	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
10	एवम-२, बालक-५	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
11	एवम-३, बालक-१	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
12	एवम-३, बालक-२	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
13	एवम-३, बालक-३	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
14	एवम-३, बालक-४	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
15	एवम-३, बालक-५	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
16	एवम-४, बालक-१	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
17	एवम-४, बालक-२	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
18	एवम-४, बालक-३	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
19	एवम-४, बालक-४	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
20	एवम-४, बालक-५	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
21	एवम-५, बालक-१	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००
22	एवम-५, बालक-२	एवम-१००० व.ग.	१००,०००	१००,०००	१००,०००

[illegible]

~~Page 2~~


 दि. २५.०५.२०२०
 दि. २५.०५.२०२०

प्रश्न के उत्तरों के लिए - प्रत्येक पान के बाएं ओर सूचीबद्ध प्रश्नों के उत्तर दिए गए हैं।
प्रश्नों के उत्तर दिए गए हैं।

STATION DRUGS

1. पाठ्य सामग्री के समय सम्मिलन में तब ही सीआई 45 की संख्या के अनुसार विहित की गई है जो कि सम्मिलन के अनुसार है तथा प्रत्येक विहित की गई संख्या के अनुसार है।

१- सैटवक - भारतीय नवजात का सैटवक निम्नलिखित है:-

W-32777-1610 710

00-476 MPN 12.00 No.

संवि. प्रारंभ. मास. शासन. १८७७. नं०।

॥०=प्राप्तं सत्यं दिनाम्=३३५५ वि० प्रत्यादिता ॥

इसलिए अनुसूचित जाति, अनुसूचित जाति जागृता के अनुसार ही जो राष्ट्रीय एवं सरकारी युवा एवं अग्रणी युवा २॥ अग्रि विभाग किसी प्रकार का रक्षा/अग्रणी विभाग कार्य अनुमान नहीं होगा तथा अग्रणी/अग्रणी विभागों के अग्रि अंग २६ नोट ॥ अग्रि युवा कार्य विभाग युवा कार्य विभाग अग्रि अंग २६ नोट ॥

[illegible]

४-विष्णुकी शिष्टियाँ- भवन में विष्णुक की शिष्टियां हेतु प्रत्येक घरके में बालमणी ।।। पश्चिम दिशाओं एकाग्रित है। मानक के अनुसार है।

प्र. श्रीगणेश लुका पन्तवा- प्रत्यक्ष प्रतिलिपि मूल में एकलपित्री २००६ साल के अनुमान दिनांकित आंतरिक-सदस्य कथित जना
जोड़को है।

—पुष्पांक-सुपांक-प्रदान में 2,00,000 से जाल सेंटर-धना का प्रमाण है। सुपुष्पांक-समक से अनुसृत प्रमाण है।

2-भास्व-प्रवक्ता मुनिगं दिव के मध्य 1980 एल/वि/एच/कता के 02 अर्थ में मध्य हर्षा की कता आ एक अर्थ में कता कतिन पर्य मध्य ॥
अर्थ जेगी मध्य मध्य के अर्थ ॥ एल/वि/एच/कता के 02 अर्थ में मध्य हर्षा की कता आ एक अर्थ में कता कतिन पर्य मध्य ॥

3-इंटीर टैक-प्रमाणित पाठ्य सामग्री/अनुसंधान के 25000 शब्दों के अंतर्गत प्रत्येक सी. टी. आर. का नाम उसी एन.टी.आर. के समान होना चाहिए।

♦ **होशियारी**—बुरायागिरी प्रत्येक प्रकार के प्रयोगों पर तब होकर है। जहाँ भी लोग मनबलों के अनुसार बर्तनशील है।

क-आईआईएन- भारतीय सन में 190 एमएम का डायरेक्टर एनसीआईएन एन भारतीय सन का आईआईएन-2011 सन के अनुसार सन है।
क-आईआईएन- भारतीय सन में 190 एमएम का डायरेक्टर एनसीआईएन एन भारतीय सन का आईआईएन-2011 सन के अनुसार सन है।

१- जादुई टिकट सिद्धांत- प्रत्यक्ष अर्थ से सातह तक मं. अर्थात् ७० सिक्का मिलता है। एवं कर्मों का कर्मों से अनुपार

५-आध्यात्मिक शिक्षण एवम् एकांते निवृत्तः प्रकृतं स्वतः तस्मै तत् अतिरिक्तं शिक्षण एवम् अन्य-सामां निवृत्तः एवम्-आदि।

[illegible]

12- प्राथमिक क्रियात्मक प्रकल्प (सदर एकाईट्यूट)- प्रत्येक भाग में निर्धारित क्रियात्मक भाग शताब्दिक अवधारणा- 2430 के अनुसार

कॉन्फ़िडेंस: 3.1

11-संक्षेप इच्छेत्वा - प्रस्तावतः भवान् किं वसति? ये स्मृताः स्याद्विज्ञेयः (अविद्यमानः) मानकः ॥ अत्र

[illegible][illegible]

१४-६७९० विद्युत - अलगूँ १३५ के समस्त जालों में बिजली मीटिंग सुचारु रूप से चल रही है।

(१२-अतिरिक्त प्रश्न) प्रसिद्धाचार्य ने अतिरिक्त शीतलान्न चरमभावे में प्रसिद्धि हेतु अतिरिक्त रूप में २५ लाख रु. अतिरिक्त धन व्यय करने की योजना बनाई। प्रश्न : क्या यह अनुसार नियुक्त किया जाना आवश्यक है।

॥८॥ ईशोपनिषद् विद्याः समस्ताः प्रजापत्या तान् न उपगच्छन्त्यः अनामसो ब्रह्मविद्यायां साक्षात्प्राप्य ब्रह्म सन्ति ॥ उपनिषद् विद्याः समस्ताः प्रजापत्या तान् न उपगच्छन्त्यः अनामसो ब्रह्मविद्यायां साक्षात्प्राप्य ब्रह्म सन्ति ॥


 ಗೌರವ ಸಿರಿಗೃಹ
 ಸರ್ಕಾರಿ ಶಾಲೆ, ಮೈಸೂರು
 ೫೭೭೭೭೭೭೭

COPY OF CERTIFICATE OF IGBC (INDIAN GREEN BUILDING COUNCIL)



Confederation of Indian Industries



Indian Green Building Council (IGBC)

hereby certifies that

16 Park View GYC

Greater Noida

has achieved pre-certification under the IGBC Green Homes Rating Documentation has been submitted for this project, which demonstrates an intent to design and build a high performance residential building in accordance with IGBC Green Homes criteria

IGBC Green Homes Pre-certified Gold

March 2015

Sharukh Misra

Chairman, IGBC Green Homes Rating

Dr Prem C Jha

Chairman, IGBC

S. Raghuopathy

Executive Director, CII-Grading GBC

S. Agarwal

OTHER DOCUMENTS

Amendment No-13
Date: 19-04-2017
TO:

The General Manager (Planning)
 Yamuna Expressway Industrial Development Authority
 First Floor, Commercial Complex P-2, Sector Omega-1
 Gautam Budh Nagar,
 Greater Noida (UP)

19/04/17
 14/04/17


Sub- Application to erect a Proposed Group Housing Project – "16th Park View" at Sector-19, Yamuna Expressway (UP) of M/S Gaursons Realtech Private Limited; reg.

Respected Madam,

With reference to the above, as you are aware that the Company M/s Gaursons Realtech Pvt. Ltd. is developing a Gaur Yamuna City Township Project, at Pocket-3, Mizapuri site (LFD-3), Sector 16, YEIDA, Greater Noida.

The Company would like to develop its one of the proposed Group Housing Project "16th Park View" situated in the above Township Project. Kindly find enclosed the desired Appendixes including the Form for Application along with the building plans & documents, to erect the above Group Housing Project "16th Park View" for your kind consideration and perusal.

In view of the above, it is humbly requested to scrutinize the building plans and documents of the proposed Group Housing Project, in view of the prevailing Building Bye Laws and humbly requested to approve the same.

Hope for cooperation in the matter for which the company would be obliged.

Regards

For M/S Gaursons Realtech Pvt. Ltd.



(Authorized signatory)

Encl.- As Above.

Abstract

www.ck12.org

UNITED STATES DEPARTMENT OF AGRICULTURE

नृत्यलतः

550000 550000

THEORY OF SETS AND LOGIC

संस्कृत-सहितः १५५६

2012

1.0

[illegible]

गान्ध्या इत्यस्य नामानि विप्रसिद्धाणि अस्मिन्निदम्

Abstract

Figure 1

मैसर्स गौरवस्तन सिंघसदेव प्रा. लि० द्वारा पेशा सं-16/ भाग ५५/16 कोषों त्रुटि की शकता सिटी ईस्ट-16/ अगुना शकता सं. 16/ जागरणिक विकास प्राधिकरण गेजर ऑफिस फराफरा मीतनबुद्धगगर में प्रस्तावित 1000 हाजिरास शकता ई सिवईज्ज शकताविवी के अनुसार प्रोडिअन्ज्ज अवास्तित प्रमास पत्र शिपित दिव्य अने के सम्मत्त मे।



डा. वि. वि. १०१७ / २०१७ / १०१७११ / १०१७१११ / १०१७१११ / १०१७१११

[illegible]

उक्त प्रस्तावित कार्य को जल संवर्धन एवं सफाई के अन्तर्गत आभारित करने के लिये ईलाका के अधिकारी को सूचित किया जा रहा है।

प्रश्नकर्ता: कृपया को-पर्व में विभिन्न अवसरों पर प्रमाण पत्र का विवरण:- प्रश्नकर्ता: भयानक है इस प्रश्नस्थिति के समाधान के दिनांक: 22-04-2020 के द्वारा
प्रमाण पत्र अवसरों पर प्रमाण पत्र विवरण: प्रमाण पत्र: 1।

समस्त की परीक्षा : १५/०५/२०१५

[illegible]

क्रमांक	नाम-आवक	समा की संख्या		पुस्तक कवरे परिया वग		टिपिकल कवरे परिया वग मी		जैसा में २५।	
		पूर्व	समाप्त	पूर्व	समाप्त	पूर्व	समाप्त	पूर्व	समाप्त
1	नाम-1, आवक-1	एस+जी+20 सल	एस+जी	600.188	728.89	247.110	728.89	18.45	100.00
2	नाम-1, आवक-2	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
3	नाम-1, आवक-3	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
4	नाम-1, आवक-4	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
5	नाम-1, आवक-5	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
6	नाम-2, आवक-1	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
7	नाम-2, आवक-2	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
8	नाम-2, आवक-3	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
9	नाम-2, आवक-4	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
10	नाम-2, आवक-5	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
11	नाम-3, आवक-1	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
12	नाम-3, आवक-2	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
13	नाम-3, आवक-3	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
14	नाम-3, आवक-4	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
15	नाम-3, आवक-5	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
16	नाम-4, आवक-1	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
17	नाम-4, आवक-2	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
18	नाम-4, आवक-3	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
19	नाम-4, आवक-4	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
20	नाम-4, आवक-5	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
21	नाम-5, आवक-1	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
22	नाम-5, आवक-2	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
23	नाम-5, आवक-3	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
24	नाम-5, आवक-4	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00
25	नाम-5, आवक-5	एस+जी+28 सल	एस+जी	728.89	822.15	850.168	822.15	18.45	100.00



संज्ञा की परिभाषा- विद्या- रत्नाकरे ज्ञाने के अधिपते सम्राट्के तुल्यते आशयसे संज्ञके प्रयोगसे-२००५-वैशाख-१३-॥ ५५ ॥

[illegible]

(१०)-अनुमान-15.00 रु० (११)-प्राप्त-भुप-2.00 रु० (१२)-सौ-प्राप्त-भुप-8227-12.00 रु० (१३)-सर्व-प्राप्त-भुप-12.00 रु० (१४)-सर्व-प्राप्त-भुप-12.00 रु० (१५)-सर्व-प्राप्त-भुप-12.00 रु०

3- **सिक्किम राज्य**:- अद्यतन समय का उत्तरांचल राज्य का 08 स्टेशन प्रस्तावित है अद्यतन स्टेशन की सीमाएं 00:50 से 01:00 बजे तक हैं तथा नदियां हैं 02 मीटर से अधिक हैं। सिक्किम राज्य में अद्यतन समय का उत्तरांचल राज्य का 08 स्टेशन प्रस्तावित है अद्यतन स्टेशन की सीमाएं 00:50 से 01:00 बजे तक हैं तथा नदियां हैं 02 मीटर से अधिक हैं। सिक्किम राज्य में अद्यतन समय का उत्तरांचल राज्य का 08 स्टेशन प्रस्तावित है अद्यतन स्टेशन की सीमाएं 00:50 से 01:00 बजे तक हैं तथा नदियां हैं 02 मीटर से अधिक हैं।

४- श्रीमन्नाम्नः हस्तस्य प्रत्यक्षः भवनार्थं प्रस्तावितः मया = एतद्वर्षात् २०१० तमे वर्षे मे स्वपुत्रो विवाहितः भविष्यति अतएव आदिशामि ।

2-धारा-धूमिल, सुमेरा, रिक के पास 2840 एलुमीनियम अम्ल है 02 अटल गम-035 इतने के अम्ल का एक लवट डालने परसे इस 112 लवट जगो मे 100 एलुमीनियम अम्ल के 02 गम एलुमिनीयम-001 मलक के अनुसार अम्ल के जगो नामे बोलिया । पप मे 113 गम के जगो । अमल के जगो के ।

४-जीवपणतः प्रवर्तमाना जयंका अनाम का अर्थ है तब प्रवर्तमाना प्रवर्तमाना। अर्थात् तब अनाम प्रवर्तमाना है।

[illegible]

राष्ट्रीय विज्ञान दिवस - 2023

[illegible]

12. एन्ड्रयू गार्डिनर - मासुवा भात के गानवा गावरी मे एक्किवा गावमे, एकादशेसी। = एक्कर भगवा: 474 से-अनुगत मेळनाय।

[illegible][illegible]

सिपाहीशर्मा: पाठ-1 के प्रश्न 3.4.33 में उल्लेखित भूतनाम को पहली संधिपाठ होना।



[illegible]

जन्मसिद्धिः सुखसिद्धिः विद्यासिद्धिः अर्थसिद्धिः

THEORY

हमारे अजितमान अविजित विजयसुखपात्र का उपाय का सम्बन्ध में अनुसंधानार्थ।

संविधानसभा अधिवेशन: दिनांक-०६ फरवरी १९५०, विषय-संविधानसभा का निर्माण।

[illegible]

अभिज्ञान शिखर शिखराने तेच तोंड आपण आपणुआपण को छल्ले के सादर में श्रद्धावाचन।

JAMIA MILLIA ISLAMIA

UNIVERSITY OF DELHI

Shri. Mahesh Kumar Singh, Joint Secretary
 to the Government of India, New Delhi

Date: 10/11/2015

Page: 04 of 05

With checking of Revised Submission of PROPOSED GROUP HOUSING PROJECT Block: A,B,C,D,E,F,G,H,I,K,L,O,Q,R&S Low Rise Floor (Type-1) and Low Rise Floor (Type-2) at 10th Phase, Vasant Vihar, New Delhi (Project-1) at 10th Phase, Sector-13, NDA, GREATER NOIDA, U.P. by Jamia Millia Islamia Private Limited.

Re Revised Submission of PROPOSED GROUP HOUSING PROJECT Block: A,B,C,D,E,F,G,H,I,K,L,O,Q,R&S Low Rise Floor (Type-1) and Low Rise Floor (Type-2) at 10th Phase, Vasant Vihar, New Delhi (Project-1) at 10th Phase, Sector-13, NDA, GREATER NOIDA, U.P. by Jamia Millia Islamia Private Limited.

Details of the above blocks are as follows:

Block	Block	Total Floor	Ground Coverage (Sq.Mt.)	FAR (in Sq.Mt.)
1	Block-A	Basement + 3 rd + 26 Floors	250.00	10312.50
2	Block-B	Basement + 3 rd + 26 Floors	250.00	10312.50
3	Block-C	Basement + 3 rd + 26 Floors	250.00	10312.50
4	Block-D	Basement + 3 rd + 26 Floors	250.00	10312.50
5	Block-E	Basement + 3 rd + 26 Floors	250.00	10312.50
6	Block-F	Basement + 3 rd + 26 Floors	250.00	10312.50
7	Block-G	Basement + 3 rd + 26 Floors	250.00	10312.50
8	Block-H	Basement + 3 rd + 26 Floors	250.00	10312.50
9	Block-I	Basement + 3 rd + 26 Floors	250.00	10312.50
10	Block-J	Basement + 3 rd + 26 Floors	250.00	10312.50
11	Block-K	Basement + 3 rd + 26 Floors	250.00	10312.50
12	Block-L	Basement + 3 rd + 26 Floors	250.00	10312.50
13	Block-M	Basement + 3 rd + 26 Floors	250.00	10312.50
14	Block-N	Basement + 3 rd + 26 Floors	250.00	10312.50
15	Block-O	Basement + 3 rd + 26 Floors	250.00	10312.50
16	Block-P	Basement + 3 rd + 26 Floors	250.00	10312.50
17	Block-Q	Basement + 3 rd + 26 Floors	250.00	10312.50
18	Block-R	Basement + 3 rd + 26 Floors	250.00	10312.50
19	Block-S	Basement + 3 rd + 26 Floors	250.00	10312.50
20	Block-T	Basement + 3 rd + 26 Floors	250.00	10312.50
21	Block-U	Basement + 3 rd + 26 Floors	250.00	10312.50
22	Block-V	Basement + 3 rd + 26 Floors	250.00	10312.50
23	Block-W	Basement + 3 rd + 26 Floors	250.00	10312.50
24	Block-X	Basement + 3 rd + 26 Floors	250.00	10312.50
25	Block-Y	Basement + 3 rd + 26 Floors	250.00	10312.50
26	Block-Z	Basement + 3 rd + 26 Floors	250.00	10312.50
27	Block-AA	Basement + 3 rd + 26 Floors	250.00	10312.50
28	Block-AB	Basement + 3 rd + 26 Floors	250.00	10312.50
29	Block-AC	Basement + 3 rd + 26 Floors	250.00	10312.50
30	Block-AD	Basement + 3 rd + 26 Floors	250.00	10312.50
31	Block-AE	Basement + 3 rd + 26 Floors	250.00	10312.50
32	Block-AF	Basement + 3 rd + 26 Floors	250.00	10312.50
33	Block-AG	Basement + 3 rd + 26 Floors	250.00	10312.50
34	Block-AH	Basement + 3 rd + 26 Floors	250.00	10312.50
35	Block-AI	Basement + 3 rd + 26 Floors	250.00	10312.50
36	Block-AJ	Basement + 3 rd + 26 Floors	250.00	10312.50
37	Block-AK	Basement + 3 rd + 26 Floors	250.00	10312.50
38	Block-AL	Basement + 3 rd + 26 Floors	250.00	10312.50
39	Block-AM	Basement + 3 rd + 26 Floors	250.00	10312.50
40	Block-AN	Basement + 3 rd + 26 Floors	250.00	10312.50
41	Block-AO	Basement + 3 rd + 26 Floors	250.00	10312.50
42	Block-AP	Basement + 3 rd + 26 Floors	250.00	10312.50
43	Block-AQ	Basement + 3 rd + 26 Floors	250.00	10312.50
44	Block-AR	Basement + 3 rd + 26 Floors	250.00	10312.50
45	Block-AS	Basement + 3 rd + 26 Floors	250.00	10312.50
46	Block-AT	Basement + 3 rd + 26 Floors	250.00	10312.50
47	Block-AU	Basement + 3 rd + 26 Floors	250.00	10312.50
48	Block-AV	Basement + 3 rd + 26 Floors	250.00	10312.50
49	Block-AW	Basement + 3 rd + 26 Floors	250.00	10312.50
50	Block-AX	Basement + 3 rd + 26 Floors	250.00	10312.50
51	Block-AY	Basement + 3 rd + 26 Floors	250.00	10312.50
52	Block-AZ	Basement + 3 rd + 26 Floors	250.00	10312.50
53	Block-BA	Basement + 3 rd + 26 Floors	250.00	10312.50
54	Block-BB	Basement + 3 rd + 26 Floors	250.00	10312.50
55	Block-BC	Basement + 3 rd + 26 Floors	250.00	10312.50
56	Block-BD	Basement + 3 rd + 26 Floors	250.00	10312.50
57	Block-BE	Basement + 3 rd + 26 Floors	250.00	10312.50
58	Block-BF	Basement + 3 rd + 26 Floors	250.00	10312.50
59	Block-BG	Basement + 3 rd + 26 Floors	250.00	10312.50
60	Block-BH	Basement + 3 rd + 26 Floors	250.00	10312.50
61	Block-BI	Basement + 3 rd + 26 Floors	250.00	10312.50
62	Block-BJ	Basement + 3 rd + 26 Floors	250.00	10312.50
63	Block-BK	Basement + 3 rd + 26 Floors	250.00	10312.50
64	Block-BL	Basement + 3 rd + 26 Floors	250.00	10312.50
65	Block-BM	Basement + 3 rd + 26 Floors	250.00	10312.50
66	Block-BN	Basement + 3 rd + 26 Floors	250.00	10312.50
67	Block-BO	Basement + 3 rd + 26 Floors	250.00	10312.50
68	Block-BP	Basement + 3 rd + 26 Floors	250.00	10312.50
69	Block-BQ	Basement + 3 rd + 26 Floors	250.00	10312.50
70	Block-BR	Basement + 3 rd + 26 Floors	250.00	10312.50
71	Block-BS	Basement + 3 rd + 26 Floors	250.00	10312.50
72	Block-BT	Basement + 3 rd + 26 Floors	250.00	10312.50
73	Block-BU	Basement + 3 rd + 26 Floors	250.00	10312.50
74	Block-BV	Basement + 3 rd + 26 Floors	250.00	10312.50
75	Block-BW	Basement + 3 rd + 26 Floors	250.00	10312.50
76	Block-BX	Basement + 3 rd + 26 Floors	250.00	10312.50
77	Block-BY	Basement + 3 rd + 26 Floors	250.00	10312.50
78	Block-BZ	Basement + 3 rd + 26 Floors	250.00	10312.50
79	Block-CA	Basement + 3 rd + 26 Floors	250.00	10312.50
80	Block-CB	Basement + 3 rd + 26 Floors	250.00	10312.50
81	Block-CC	Basement + 3 rd + 26 Floors	250.00	10312.50
82	Block-CD	Basement + 3 rd + 26 Floors	250.00	10312.50
83	Block-CE	Basement + 3 rd + 26 Floors	250.00	10312.50
84	Block-CF	Basement + 3 rd + 26 Floors	250.00	10312.50
85	Block-CG	Basement + 3 rd + 26 Floors	250.00	10312.50
86	Block-CH	Basement + 3 rd + 26 Floors	250.00	10312.50
87	Block-CI	Basement + 3 rd + 26 Floors	250.00	10312.50
88	Block-CJ	Basement + 3 rd + 26 Floors	250.00	10312.50
89	Block-CK	Basement + 3 rd + 26 Floors	250.00	10312.50
90	Block-CL	Basement + 3 rd + 26 Floors	250.00	10312.50
91	Block-CM	Basement + 3 rd + 26 Floors	250.00	10312.50
92	Block-CN	Basement + 3 rd + 26 Floors	250.00	10312.50
93	Block-CO	Basement + 3 rd + 26 Floors	250.00	10312.50
94	Block-CP	Basement + 3 rd + 26 Floors	250.00	10312.50
95	Block-CQ	Basement + 3 rd + 26 Floors	250.00	10312.50
96	Block-CR	Basement + 3 rd + 26 Floors	250.00	10312.50
97	Block-CS	Basement + 3 rd + 26 Floors	250.00	10312.50
98	Block-CT	Basement + 3 rd + 26 Floors	250.00	10312.50
99	Block-CU	Basement + 3 rd + 26 Floors	250.00	10312.50
100	Block-CV	Basement + 3 rd + 26 Floors	250.00	10312.50
101	Block-CW	Basement + 3 rd + 26 Floors	250.00	10312.50
102	Block-CX	Basement + 3 rd + 26 Floors	250.00	10312.50
103	Block-CY	Basement + 3 rd + 26 Floors	250.00	10312.50
104	Block-CZ	Basement + 3 rd + 26 Floors	250.00	10312.50
105	Block-DA	Basement + 3 rd + 26 Floors	250.00	10312.50
106	Block-DB	Basement + 3 rd + 26 Floors	250.00	10312.50
107	Block-DC	Basement + 3 rd + 26 Floors	250.00	10312.50
108	Block-DD	Basement + 3 rd + 26 Floors	250.00	10312.50
109	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
110	Block-DF	Basement + 3 rd + 26 Floors	250.00	10312.50
111	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
112	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
113	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
114	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
115	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
116	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
117	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
118	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
119	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50
120	Block-DE	Basement + 3 rd + 26 Floors	250.00	10312.50

The above Group Housing Project with North View, East View, and Section (1) and Section (2) at 10th Phase, Sector-13, NDA, GREATER NOIDA, U.P. is hereby Revised Submission of Block: A,B,C,D,E,F,G,H,I,K,L,O,Q,R&S Low Rise Floor (Type-1) and Low Rise Floor (Type-2) have been checked and found to be conforming to relevant Codes of practice as per the latest Indian Standards. All the structural combination of loads (static and dynamic) in vertical and lateral direction, has been incorporated in the analysis and design. Above mentioned buildings have been checked and the provision in building are as follows: 15 Codes. The structural stability and earthquake resistance. Hence they are approved.

Dr. Rajul Mohan
 (Professor)

Dr. Rajul Mohan
 Professor
 Department of Civil Engineering
 Jamia Millia Islamia
 New Delhi-110025