

सुसूचित

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Dr. Bhim Rao Ambedkar Paryavaran Parisar
Vineet Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : up.seiaa@yahoo.com

Ref.No....1120/SEAC/401/2010/TA(J)/

Date...10..July, 2010

To,

Mr. Shravan Kumar Goel,
EA to CMD, Omaxe Ltd,
7, Local Shopping Centre, Kalkaji, New Delhi-110019.

Sub: Regarding the Environmental Clearance for Proposed Group Housing in Omaxe Eternity Township, Vrindavan, District-Mathura, U.P. of M/s Omaxe Ltd.

Dear Sir,

Please refer to your letter dated 27/03/2010 addressed to the State Level Expert Appraisal Authority, Directorate of Environment, U.P. Dr. Bim Rao Ambedkar Paryavaran Parisar, Vineet Khand-1, Gomti Nagar, Lucknow on the subject as above. The State Level Expert Appraisal Committee has considered your application and has been given to understand that:

1. The Environmental Clearance is sought for proposed Group Housing in Omaxe Eternity Township, Vrindavan, District-Mathura, U.P. of M/s Omaxe Ltd.
2. The total plot area is 57.84 acres and total built up area is 149638.71 sq. mt.
3. Fresh water requirement is 979.76 KLD that shall be sourced from Ground Water.
4. Total sewerage generation is 1177 KLD.
5. The project is covered under screen category : 8 "a"

Based on the recommendations of the State Level Expert Appraisal Committee (Meeting held on 29-06-2010) on the aforesaid project the State Level Environment Impact Assessment Authority (Meeting held on 08-07-2010) has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following conditions:

a. General Conditions :

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent authority shall be obtained in this regards.
5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.