



NOTE:-

100 Ø C.I. LINE

40 Ø G.I. DELIVERY LINE

250 Ø SEWER LINE 1:190

150 Ø SEWER LINE 1:100

100 Ø SEWER LINE 1:150

300 Ø STORM WATER DRAIN 1:500


TANK CAPACITY:-

ROOF AREA X 0.80 X 0.025

=4139.57 X 0.80 X 0.025 CU.M.=82.79 CU.M.

PROPOSED RAINWATER PIT = (2.5X3.5X5) X 2 nos.

= 87.50 CU.M.



PART SECTION OF RECHARGE STRUCTURE

SIGNING AUTHORITY

ARCHITECT'S SIGN

SUBMISSION DRAWING

PROJECT:-

PROPOSED SPORTS CITY FOR

M/s **IMPLEX INFRASTRUCTURE (P) LTD.**

AT PLOT NO. SC-1/B-4, SECTOR-150

NOIDA (U.P.)

DRG. TITLE:-

WATER SUPPLY PLAN

SCALE:-1:100

DRG. NO.:16

DLT.BY:-

DATE:-27/10/2015

ARCHITECTS:-

P. N. ANDLEY B.ARCH. A.I.I.A.

ANDLEYS ASSOCIATES PVT. LTD.

ARCHITECTS ENGINEERS PLANNERS

39 HOUSING SOCIETY N.D.S.E.-I NEW DELHI - 110049