

सम्बन्धीलय

संस्कृत निदेशक

फायर सर्विस

मुख्यालय उ0प्र0 लखनऊ।

फॉर्म:10/जे0डी0/फा0स0/लखनऊ-17(1)/५६

दिनांक: लखनऊ दिसम्बर 20 2018,

प्रारूप-घ

औपनिविक (provisional) अनापत्ति प्रमाण पत्र

यूआईडी संख्या यूपीएफएस/2018/394/जीबीएन/गौतमबुद्धनगर/153/जे0डी0

दिनांक: 25-11-2018

प्रश्नगत भवन को पूर्व में निर्गत अनापत्ति प्रमाण पत्र का विवरण: आर-10/जे0डी0/फा0स0/लखनऊ-17(गौतम0)/22 दिनांक: 02-02-2017 के द्वारा प्रोवीजनल अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किया गया है, तथा वर्तमान में भवन के तलों के क्षेत्रफल में आंशिक संशोधन किया जाना प्रस्तावित है।

प्रमाणित किया जाता है कि (भवन/प्रतिष्ठान का नाम) मैसर्स ऐस इन्फ्रासिटी ड्वलपर्स प्राइली, पता प्लाट नं. जी0एच0-01/ए0/बी0(अल्फा), सेक्टर-107 नौएडा, जनपद गौतमबुद्धनगर उ0प्र0, जिसमें संशोधन के उपरान्त वर्तमान में प्रस्तावित तलों की संख्या:-(टावर-ए0, स्टिल्ट+भूतल एवं 31 तल, जिसकी ऊचाई:-116.40 मीटर, जिसमें टावर ए0 के भूतल व प्रथम तल पर कॉर्मशियल भवन प्रस्तावित है), (टावर बी0-01 एवं बी0-02, भूतल+31 तल, जिनकी ऊचाई:-116.40 मीटर प्रत्येक टावर), (टावर-सी0, स्टिल्ट+भूतल एवं 30 तल, जिसकी ऊचाई:-116.40 मीटर), (कम्प्यूनिटी सेन्टर-भूतल एवं 02 तल, जिसकी ऊचाई:-11.50 मीटर) एवं बेसमेन्ट की संख्या:-02 है, तथा प्लाट एरिया:-20,000.00 वर्ग मी0, है। भवन का अधिभोग (भवन स्वामी/अधिभोगी अथवा कम्पनी का नाम) मैसर्स ऐस इन्फ्रासिटी ड्वलपर्स प्राइली, द्वारा किया जायेगा। इनके द्वारा एवं अग्नि निवारण एवं अग्नि सुरक्षा अधिनियम के समर्त प्राविधानों का समायोजन एन0बी0सी0/भवन निर्माण एवं विकास उपविधि एवं तत्सम्बन्धी भारतीय मानक व्यूरो के आई0एस0 मानकों की संस्तुतियों के अनुरूप किया गया है। इस भवन को संशोधित प्रोवीजनल अनापत्ति प्रमाण पत्र (एन0बी0सी0 की अधिभोग श्रेणी) आवासीय भवन श्रेणी ए0-04, के अन्तर्गत इस शर्त के साथ दिया जा रहा है कि प्रस्तावित भवन में सभी मानकों का अनुपालन किया जायेगा तथा भवन के निर्माण के पश्चात तथा भवन के अधिभोग से पूर्व अग्नि एवं जीव रक्षा प्रमाण पत्र (fire & Life safety certificate) प्राप्त किया जायेगा।

संलग्नक: मानवित्र।

नोट:— सम्पत्ति फायर सर्विस की ऑनलाईन प्रमाण पत्र निर्गमन प्रक्रिया कतिपय तकनीकी एवं भाषायी त्रुटियों के कारण बाधित है। फलस्वरूप प्रस्तुत प्रकरण पुलिस महानिदेशक फायर सर्विस के आदेश पत्र संख्या: एफएस-1502-2017 दिनांक: 04-12-2018 के क्रम में मैनुवली निरस्तारित किया गया है।

अग्निशमन अधिकारी 912

संस्कृत विविधालय फायर सर्विस प्राइली
उ0प्र0 लखनऊ

प्रतिलिपि:— निम्नांकित को शासनादेश संख्या: 1765/छ:-पु0-08-2017-905(34)/2016 गृह (पुलिस) अनुभाग-8 दिनांक: 16-02-2018 के क्रम में सूचनार्थ एवं आवश्यक कार्यवाही हेतु।


1—मुख्य वारस्तुविद नियोजक, नौएडा प्राधिकरण सेक्टर-6, जनपद गौतमबुद्धनगर।

2—उपनिदेशक, फायर सर्विस मेरठ/सहारनपुर परिषेत्र।

4—मुख्य अग्निशमन अधिकारी गौतमबुद्धनगर को उपरोक्तानुसार अनुपालनार्थ एवं 04 प्रतियों में इस आश्य से प्रेषित कि सम्बन्धित को उनकी प्रति अपने स्तर से समयबद्ध उपलब्ध कराने का कष्ट करें।

5—अग्निशमन अधिकारी फेज-प्रथम नौएडा गौतमबुद्धनगर को उपरोक्तानुसार अनुपालनार्थ एवं अग्निशमन करण हेतु।

6—मैसर्स ऐस इन्फ्रासिटी ड्वलपर्स प्राइली, पता प्लाट नं. जी0एच0-01/ए0/बी0(अल्फा), सेक्टर-107 नौएडा, जनपद गौतमबुद्धनगर उ0प्र0, को उक्त के सन्दर्भ में अनुपालनार्थ।



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No AAI/P/H/2017/100/2017/76/396-99
Aecon Infrastruc Developers pvt. ltd.
Plot no - 01/B, Sec-126 , Noida (u.p.)

Date: 27-02-2017

Valid Upto: 26-02-2022

7-9

No Objection Certificate for Height Clearance

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations.

2. This office has no objection to the construction of the proposed structure as per the following details:

NOC ID	SAFD/NORTH/B/022017/197659
Applicant Name*	Balraj Singh
Site Address*	Plot no GH-01/A/B (alpha) , Sec-107 , Noida (u.p.),Gautam Budh Nagar,Delhi,Delhi
Site Coordinates*	77 22 31.54-28 32 49.36, 77 22 32.36-28 32 52.19, 77 22 35.56-28 32 48.69, 77 22 38.39-28 32 45.59, 77 22 40.05-28 32 47.94,
Site Elevation in mtrs AMSL as submitted by Applicant*	200.99 M
Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	325.99 M

*As provided by applicant

3. This NOC is subject to the terms and conditions as given below:

a. Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The office in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994"

b. The Structure height (including any superstructure) shall be calculated by subtracting the Site elevation in AMLS from the Permissible Top Elevation in AMLS i.e. Maximum Structure Height = Permissible Top Elevation minus (-) Site Elevation.

c. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

d. No radio/TV Antenna, lighting arresters, staircase, Mumtze, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation of 325.99 M, as indicated in para 2.

Page 1/2

राजीव गांधी भवन


Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003

Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950

Phone: 24632950



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

e. Only use of oil fired or electric fired furnace is permissible, within 8 KM of the Aerodrome Reference Point.

f. The certificate is valid for a period of 5 years from the date of its issue. If the construction of structure/Chimney is not commenced within the period, a fresh NOC from the Designated Officer of Airports Authority of India shall be obtained. However, if construction work has commenced, one-time revalidation request, for a period not exceeding 8 years from the date of issue of NOC in respect of building/structure and for a period not exceeding 12 years from the date of issuance of NOC in respect of chimney, may be considered by AAI. The date of completion of the structure should be intimated to this office.

g. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights.

h. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

This NOC has been issued w.r.t. the Civil Airports. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction.

In case of any discrepancy/interpretation of NOC letter, English version shall be valid.

In case of any dispute w.r.t site elevation and/or AGL height, top elevation in AMSL shall prevail.

Chairman NOC Committee

Region Name: NORTH

Address: General Manager, Airports Authority of India, Regional Headquarter, Northern Region, Operational Offices, Gurgaon Road, New Delhi, 100037.

Email ID: noc_nr@aai.aero

Contact No: 011-25653551

A photograph of a document page. At the top, there is a handwritten signature in black ink. Below the signature, the date '17/12/2017' is written. Underneath the date, there is a rectangular stamp with a border. The text inside the stamp, from top to bottom, reads: 'Dy. General Manager (ITM) NOC', 'ITM Authority of India', 'Authority', and 'ITM Authority of India'. At the bottom of the stamp, the text 'Operational Offices, Gurgaon Road, New Delhi' is visible.

राजीव गांधी भवन

Rajiv Gandhi Bhawan


सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

Page 2/2

स्थान : २६८३०८५

Phone: 24632060

State Level Environment Impact Assessment Authority, Uttar Pradesh



Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : doeuplko@yahoo.com
Website : www.seiaaup.in

To,

Shri Sandip Kumar Pandit,
CEO,
M/s Ace Infracity Developers Pvt. Ltd,
Plot no- GH-01/A/B (Alpha),
Sector-107, Noida, G.B. Nagar.

Ref. No.....621...../Parya/SEAC/4458/2018

03/01/19
Date: December, 2018

Sub: Environmental Clearance for Revision & Expansion of Group Housing Project "County One O Seven" at Plot No.- GH-01/A/B (Alpha) Sector- 107, Noida, District- Gautam Budh Nagar, U.P. M/s Ace Infracity Developers Pvt. Ltd. Regarding.

Dear Sir,

Please refer to your application/letters 29-08-2018, 04-09-2018 & 11-12-2018 addressed to the Chairman/Secretary, State Level Environment Impact Assessment Authority (SEIAA) and Director, Directorate of Environment Govt. of UP on the subject as above. The State Level Expert Appraisal Committee considered the matter in its meetings held on dated 11/12/2018 and SEIAA in its meeting dated 18/12/2018.

The inspection report put up by the Secretariat in SEAC meeting dated 11/12/2018. The project proponent also submitted certified compliance report on 11/12/2018 issued by Regional Office, MoEF&CC for earlier environmental clearance. The proponent, through the documents submitted and the inspection report, informed the committee that:-

- 1- The environmental clearance is sought for Revision & Expansion of Group Housing Project "County One O Seven" at Plot No.- GH-01/A/B (Alpha) Sector- 107, Noida, District- Gautam Budh Nagar, U.P. M/s Ace Infracity Developers Pvt. Ltd.
- 2- The project was earlier granted Environment Clearance by MoEFCC vide letter no. 21-100/-1A-III dated 28th March, 2017 for plot area 20,000 and built up area 1,14,580.93 sq. mt.
- 3- Salient features of the project:

S. No.	DESCRIPTION	DETAILS
1.	Location	GH-01/A/B (Alpha), Sector-107, Noida, Gautam Budh Nagar, Uttar Pradesh
2.	Total Plot Area	20,000 m ²
3.	Total Built-Up Area	1,36,366.783 m ²
4.	Estimated Population	2342 persons (Residents + staff + visitors)
5.	Water Requirement	238 KLD (Fresh water = 133 KLD)
6.	Solid Waste	1062 kg/day
7.	Electricity load	2840 KVA; Agency: Uttar Pradesh Power Corporation
8.	Power back-up	4 DG Sets (4 * 750 kVA)
9.	Rain Water Harvesting	6 Pits
10.	Parking Required	919 ECS (Bye-laws)
	Parking Proposed	929 ECS

4- Area details of earlier and expansion project:

S. No.	Particulars	Value as per earlier EC (m ²)	Revision/Expansion (m ²)	Total Area (EC accorded +Expansion) (m ²)
1.	Total Plot Area	20,000.00	0.00	20,000.00
2.	Permissible Ground Coverage (@ 40% of Plot Area)	8,000.00	0.00	8,000.00
3.	Proposed Ground Coverage	4,087.57 (@20.43% of Plot Area)	1,999.185	6,086.755 (@ 30.43% of Plot Area)
4.	Total permissible F.A.R	65,000.00	5,000.00	70,000.00



	Permissible F.A.R for Group Housing	55,000.00 (@ 2.75 Of Plot Area)	10,000.00	65,000.00 (@ 3.25 Of Plot Area)
	Purchasable F.A.R for Group Housing	10,000.00 (@ 0.5 of Plot Area)	-5,000.00	5,000.00 (@ 0.25 of Plot Area)
5.	Additional Green Building Area (5% of Permissible F.A.R (3.5))	0.00	3,500.00	3,500.00
6.	Proposed F.A.R F.A.R Proposed for RESIDENTIAL F.A.R Proposed for COMMERCIAL	64,681.56 64,034.75 646.81	8,547.967 8,494.984 52.983	73,229.527 72,529.734 699.793
7.	Additional Permissible F.A.R (3.5)(@ 15% of permissible F.A.R)	9,750	750	10,500.00
8.	Additional Proposed F.A.R (3.5)(@ 15% of Proposed F.A.R)	9,630.144	688.971	10,319.115
9.	Total proposed Non-F.A.R Basement Area -1 Basement Area -2 Balcony Stilt Area	40,269.23 14935.809 14888.089 10445.332 0.000	10,509.870 177.785 700.855 8663.526 2,009.041	50,779.100 15,113.594 15,588.944 19,108.858 2,009.041
10.	Built up Area	1,14,580.928	21785.855	1,36,366.783
11.	Open area	15,912.43	-1999.185	13,913.245
12.	Required Green Area (@ 50% of Open Area)	7956.22	-999.598	6,956.622
13.	Proposed Green Area	8050.25 (@50.6% of Open Area)	-1047.039	7003.211 (@ 50.3 % of Open Area)
14.	Maximum Height of the Building	95.7 m (G+26th floor)	20.75 (+ 5 floors)	116.45 m (G+31st Floor)

5- Population details:

S. No.	Unit Type	D.U./FAR (m ²)	PPU	Total Population
1	Residential			
	Residents	230	4.5	1035
	Servant	403	2.25	907
	Total Residential Units			1942
2.	Club			200
3.	Floating Population			150
4.	Staff			50
	Total Population			2342

6- Water requirement details:

S. No.	Description	Total Occupancy	Rate of water demand (lpcd)	Total Water Requirement (KLD)
A.	Domestic Water			
1.	Residents	1035	86	89
2.	Servants	907	86	78
3.	Floating Population	150	15	2.25
4.	Club	200	45	9
5.	Staff	50	45	2.25
6.	Commercial			10
	Total domestic water demand			190 KLD
B.	Horticulture and Landscape development	7003.211	-	4 l/sqm 28
C.	Make up water for Swimming Pool			10
D.	Filter Backwater			10



Grand Total (A+B+C+D) = 238 KLD

7- Waste water details:

Domestic Water Requirement	190 KLD
Fresh (70% of domestic water required)	133 KLD
Flushing (30% of domestic water required)	57 KLD
Waste Water Generated (80% fresh + 100% flushing)	106+ 57 = 163 KLD
STP Capacity	200 KLD

8- Solid waste generation details:

S. No.	Category	kg per capita per day	Waste generated (kg/day)
1.	Domestic Waste		
	Residents (1942)	@ 0.5 kg/day	971
	Staff (50)	@ 0.25 kg/day	12.5
	Club (200)	@ 0.25 kg/day	50
	Floating population(150)	@ 0.15	22.5
2.	Landscape waste (1.73 acres)	@ 0.2 kg/acre/day	0.346
3.	STP sludge		5.75
	TOTAL SOLID WASTE GENERATED		1062.051 – say 1062 kg/day

9- Parking details:


S. No.	DESCRIPTION	Parking (ECS)		
PARKING PROPOSED:				
1.	Basement Parking 1.	13418.833 m ²	1 ECS per 30 m ²	447 ECS
2.	Basement Parking 2.	14465.952 m ²	1 ECS per 30 m ²	482
TOTAL Parking proposed (ECS)				929 ECS

10- The project proposal fall under category 8(a) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 11/12/2018 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held on 18/12/2018 decided to grant the Environmental Clearance for proposed project along with subject to the effective implementation of the following general & specific conditions:-

General Conditions:

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.
2. It shall be ensured that obtain the no objection certificate from the U P pollution control board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent Authority shall be obtained in this regards.
5. All trees felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent Authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. Obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. Obtain necessary clearances from the competent Authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under Jaw. Necessary clearances in this regards shall be obtained.



13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regards.
14. Suitable rainwater harvesting systems as per designs of groundwater department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, Instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.
20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
24. The Green building Concept suggested by Indian Green Building Council, which is a part of CII-Godrej GBC, shall be studied and followed as far as possible.
25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code 2005 shall be compulsorily ensured.
26. Ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. Explore options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water, ground water etc.
28. Ensure use of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of e-waste.
31. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. Prepare and present disaster management plan.
34. The project proponents shall ensure that no construction activity is undertaken without obtaining pre-environmental clearance.
35. A report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.
36. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
37. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
38. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.



39. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
40. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
41. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
42. High rise buildings should obtain clearance from aviation department or concerned authority.
43. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
44. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
45. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
46. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
47. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
48. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
49. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
50. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
51. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
52. Parking areas should be in accordance with the norms of MoEF, Government of India. Plans may be drawn up accordingly and submitted.
53. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
54. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
55. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
56. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
57. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
58. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
59. E-Waste Management should be done as per MoEF guidelines.
60. Electrical waste should be segregated & disposed suitably as not to impose Environmental Risk.
61. The use of suitably processed plastic waste in the construction of roads should be considered.
62. Displaced persons shall be suitably rehabilitated as per prescribed norms.
63. Dispensary for first aid shall be provided.
64. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests, adopting suitable measures.
65. Diesel generating set stacks should be monitored for CO and HC.
66. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
67. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
68. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
69. An energy audit should be annually carried out during the operational phase and submitted to the authority.



70. Project proponents shall endeavor to obtain ISO: 14001 certification. All general and specific conditions mentioned under this environmental clearance should be included in the environmental manual to be prepared for the certification purposes and compliance.
71. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within the month) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program can include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmers shall be specified. Revised ECR plan is to be submitted within 3 month. Failing which, the environmental Clearance shall be deemed to be cancelled.
72. Appropriate safety measures should be made for accidental fire.
73. Smoke meters should be installed as warning measures for accidental fires.
74. Plan for safe disposal of R.O reject is to be submitted.

Specific Conditions

1. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
2. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
3. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
4. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
5. The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
6. The project proponent shall ensure that waste water is properly treated in STP and maximum reused for gardening, flushing system etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.
7. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
8. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to water harvesting pits and carbon sequestration parks / designed ecosystems.
9. Minimum 1% of solar energy to be used alternatives on the road and common places for illumination to save conventional energy as per ECBC Code.
10. The project proponent shall submit within the next 3 month the data of ground water quality including fluoride parameter to the limit of minimum deduction level for all six monitoring stations.
11. 15% area of the total plot area shall be compulsorily made available for the green area development including the peripheral green area. Plantation of trees should be of indigenous species and may be as per the consultation of local district Forest Officer.
12. The waste water generated should be treated properly in scientific manner i.e. domestic waste water to be treated in STP and effluent such as RO rejects with high TDS and other chemical bearing effluent shall be treated separately.
13. Permission from local authority should be taken regarding discharge of excess water into the sewer line.
14. The height, Construction built up area of proposed construction shall be in accordance with the existing FAR norms of the competent authority & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
15. "Consent for Establishment" shall be obtained from UP Pollution Control Board.
16. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
17. Project proponent shall ensure completion of STP, MSW disposal facility, green area development prior to occupation of the buildings.



18. Municipal solid waste shall be disposed/managed as per Municipal Solid Waste (Management and Handling) Rules, 2016.
19. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as cylinder for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche and First Aid Room etc.
20. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
21. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
22. Corporate Environmental Responsibility (CER) shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. A copy of resolution of board of directors shall be submitted to the authority. A list of beneficiaries with their mobile nos./address should be submitted along with six monthly compliance reports.
23. No parking shall be allowed outside the project boundary.
24. Digging of basement shall be undertaken in view of structural safety of adjacent buildings under information/consultation with District Administration/Mining Department. All the topsoil excavated during construction activities should be stored for use in horticulture /landscape development within the project site. Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
25. Surface rain water has to be collected in kaccha pond for ground water recharging and irrigation of horticulture and peripheral plantation.
26. The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
27. Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
28. Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the UP Pollution Control Board.
29. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
30. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/UPPCB.
31. The green area design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential area. The open spaces inside the plot should be landscaped and covered with grass and shrubs. Green area Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
32. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
33. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Construction of pavements around trees should be able to facilitate suitable watering, aeration and nutrition to the tree.
34. Ready Mix Concrete and Sprinkler to be used for curing and quenching during construction phase.
35. Convenient shops, bank, canteen, post office and medicine shops etc. to be provided within complex.
36. Roof top water in rainy season is to be discharged into RWH pits for ground water recharging. Arrangement shall be made that waste water and storm water do not get mixed.
37. NOC from Ground Water Board is to be submitted for drilling of tube well for use of Water Supply.
38. All the internal drains are to be covered till the disposal point.
39. This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any.
40. Reflecting paint should be used on the roof top and sidewalls of the building tower for cooling effect.



No construction/operation is to be started without obtaining Prior Environmental Clearance. Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for G.B. Nagar. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site in not a part of any no- development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically deemed to be cancelled.

The project proponent has to mandatorily submit the compliance of specific conditions no- 1, 3, 4, 5 & 10 given in E.C. letter within 3 months, failing which the Clearance shall automatically deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.



(Ashish Tiwari)
Member Secretary, SEIAA

No..... /Parya/SEAC/4458/2018 Dated: As above

Copy with enclosure for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Advisor, IA Division, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi.
3. Additional Director, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. District Magistrate G.B. Nagar.
5. The Member Secretary, U.P. Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow.
6. Copy to Web Master/ guard file.

(Ashish Tiwari)
Member Secretary, SEIAA