



SECTION A-A			
	SIZE	EFF. DEPTH (IN)	BORE DEPTH
SPR	3.5440	7.500	70.000 (IN)

1) THE DESLTING CHAMBER AND RECHARGE WELL SHALL BE CHARACTERIZED, AT 800, TWO (2) METERS DEEP.

સૌર્ય ઊર્જા અપનાવો
વિજાલી-બચાવો

PROPOSED AREA STATEMENT

BASEMENT AREA STATEMENT

PROPOSED PARKING

PLUMBING LEGEND

WATER METER WITH CHAMBERCIRCULAR MANHOLE I

SW DRAINAGE	
-------------	--

DESILTING CHAIR

REGISTRATION FEE

EARTH QUAKE CERTIFICATE

1. CERTIFICATE THAT THE BUILDING PLANS SUBMITTED FOR APPROVAL SATISFY THE SAFETY REQUIREMENTS AS STIPULATED UNDER CLAUSE 18 OF BUILDING BY-LAWS, 1963 AND THE INFORMATION GIVEN IS THEREIN IS FACTUALLY CORRECT TO THE BEST OF OUR KNOWLEDGE AND UNDERSTANDING.

2. IT IS ALSO CERTIFIED THAT THE STRUCTURAL DESIGN INCLUDING SAFETY FROM NATURAL HAZARDS NO SOIL CONDITION HAS BEEN DULY INCORPORATED IN THE DESIGN OF THE BUILDING AND THESE PROVISION SHALL BE ADHERED TO DURING THE CONSTRUCTION.

SIGN OF OWNER & DATE
NAME IN BLOCK LETTERS
ADDRESS

STRUCTURAL
NAME IN BLOCK LETTER
ADDRESS

ARCHITECT
NAME IN BLOCK LETTERS
ADDRESS

NOTE :-
THIS DEVELOPMENT HAVE BEEN CONCEIVED
DESIGNED AND DRAFTED ON THE BASIS OF
THE FOLLOWING PARAMETERS:-
1. ALL USABLE OFFICE SPACES/RETAIL
SPACES (EIKE SHOPPING AREAS
ENTERTAINMENT AND ATRIUM) WILL BE
CENTRALLY AIR-CONDITIONED THEREFORE NO
PROVISION HAS BEEN MADE FOR NATURAL
VERIFICATION OF SPACES.

2. ALL TOILETS/KITCHENS WILL BE MECHANICALLY VENTILATED. CONDITIONED AIR FROM THE FLOOR WILL BE SUCKED INTO THE TOILETS/KITCHENS AND VENTED OUT THROUGH A VENT SHAFT.

3. ALL SPACES (OFFICE SPACES, RETAIL SPACES, SERVICE AREAS, PARKING BASEMENT ETC) WILL BE ARTIFICIALLY LIT. ANY NATURAL LIGHT WHICH IS AVAILABLE IN THE OFFICE SPACES IS ONLY INCIDENTAL AND NOT ESSENTIAL TO THE FUNCTIONING OF THE BUILDING.

4. 100% STANDBY GENERATING CAPACITY WILL BE PROVIDED FOR THE ENTIRE ELECTRICAL REQUIREMENT OF THE TOTAL SCHEME. THIS THEREFORE INCLUDES STANDBY GENERATION FOR ALL COMMON SERVICES, FIRE SERVICES, LIFTS ETC. ALSO THE ENTIRE ELECTRICAL LOAD FOR VENTILATION AIR-CONDITIONING, LIGHTS AND ALL OFFICE EQUIPMENT.

BASEMENT WILL BE ARTIFICIALLY VENTILATED.
THIS BUILDING WILL BE SPRINKLED AS PER
NBC NORMS.

NOTE

1. THE MULSA DURING THE CONSTRUCTION WILL BE REMOVED ON WEEKLY BASIS. IF THE SAME IS NOT DONE, IN THAT CASE THE LOCAL BODY SHALL REMOVE THE MULSA AND THE COST SHALL BE BORN BY THE OWNER OF THE PLOT. (6)

2. DURING CONSTRUCTION, IT IS MANDATORY ON PART OF THE OWNER TO PROPERLY SCREEN THE CONSTRUCTION SITE OFF THE MAIN ROAD BY MEANS OF ERECTION A SCREEN WALL NOT LESS THAN 2 METRE HEIGHT FROM GROUND LEVEL WHICH IS TO BE SUFFICIENT TO AVOID UNPLEASANT LOOK FROM HOISTED AT (7)

3. NOISE RELATED ACTIVITIES WILL NOT BE TAKEN FOR CONSTRUCTION AT NIGHT AFTER 10 P.M.

NAME OF OWNER & SITE NAME IN BLOCK LETTERS ADDRESS	ARCHITECT FIRM/DATE NAME IN BLOCK LETTERS ADDRESS	STRUCTURAL, ETC. NAME IN BLOCK LETTERS ADDRESS
--	---	--

SUBMISSION DRAWING

PROJECT :-
PROPOSED SECTOR SHOPPING
CUM OFFICE COMPLEX
AT SECTOR E-3,TAJ NAGRI
PHASE-II, FATEHABAD ROAD,
AGRA
MR. SURESH BIDDHULSIDDHUL CONSTRUCTIONS

DRAWING TITLE :-
SITE PLAN

178, NEW MADRASAPUR
MEHRAULI GURGAON ROAD, NEW DELHI-30
TEL. 25809974, 75, 76 FAX. 25808384
E MAIL - info@gridpic.com

ARCHITECT


RAJIV KHANNA

OWNER

For Shree Siddhi Siddhi Construction

 Partner

DRG.NO.	SB/A-01/16	N 
DATE	20-06-2015	
SCALE	1:200	

गामनित्र स्वीकृत

[illegible][illegible]

SUBMISSION DRAWING

PROJECT :-
PROPOSED SECTOR SHOPPING
CUM OFFICE COMPLEX
AT SECTOR E-3,TAJ NAGRI
PHASE-II, FATEHABAD ROAD,
AGRA
M/S. SURESH BIDDHU SIDDHU CONSTRUCTIONS

DRAWING TITLE :-
SITE PLAN

178, NEW MADRASAPUR
MEHRAULI GURGAON ROAD, NEW DELHI-30
TEL. 25809974, 75, 76 FAX. 25808384
E MAIL - info@gridpic.com

ARCHITECT


RAJIV KHANNA

OWNER

For Shree Siddhi Siddhi Construction

 Partner

DRG.NO.	SB/A-01/16	N 
DATE	20-06-2015	
SCALE	1:200	