


LEGEND : (Plumbing)

S.No.	SYMBOL	DESCRIPTION
1.	---	DOMESTIC WATER SUPPLY PIPE
2.	---	FLUSHING WATER SUPPLY PIPE
3.	---	SOLAR WATER SUPPLY PIPE
4.	---	BALL VALVE TYPE ISOLATING VALVE
5.	---	NON RETURN VALVE
6.	---	Y TYPE STRAINER
7.	---	PRESSURE REDUCING VALVE

NOTES : (Plumbing)

1) MATERIAL SUGGESTED :-

A) PUMP ROOM (INSIDE) - G1 (Class C) BY TEFLON TAPE

B) FOR BASEMENT / PUMP RISER - G. 1 (CLASS B) BY TEFLON TAPE

C) OVER HEAD TANK TO TERRACE LEVEL - G1 (Class B) BY TEFLON TAPE

D) FOR COLD WATER SUPPLY PIPE :-

a) FOR INSIDE TOILET (DOMESTIC) - CPVC (IS:811) WITH SOLVENT CEMENT JOINTS

b) FOR INSIDE TOILET (RECYCLE) - UPVC SCH 40 PIPES WITH SCH 80 FITTINGS BY SOLVENT CEMENT JOINT

c) FOR DUCT - UPVC SCH 80 PIPES WITH SCH 80 FITTINGS BY SOLVENT CEMENT JOINT

d) FOR TERRACE - UPVC SCH 80 PIPES WITH SCH 80 FITTINGS BY SOLVENT CEMENT JOINT

E) FOR HOT WATER SUPPLY PIPE :-

a) FOR INSIDE TOILET - CPVC (IS:811) WITH SOLVENT CEMENT JOINTS

b) FOR DUCT / TERRACE - CPVC (IS:811) WITH SOLVENT CEMENT JOINTS

F) PVP OUTLET PRESSURE SHOULD SET AT 10 METER PRESSURE.

R - 1

PRV POSITION MODIFIED.

rev. no. date revision

project

GROUP HOUSING "SAYA S CLASS"

AT PLOT NO.-10 (10/2) VAIBHAV KHAND,

INDIRAPURAM, GHAZIABAD (U.P.)

title

PLUMBING DRAWING

subsite

WATER SUPPLY SYSTEM (2B + S + 30)

drawing released for

☐ APPROVAL ☐ SUBMISSION
☐ ADVANCE COPY ☐ CONSTRUCTION

dtg. no.

drawn by

S.kumar

scale

designed by

Sanjay Goel

date

checked by

Anand Havella

client

services consultant

Consummate Engineering Services (P) Ltd.

Noida Office : B-47, Sector - 67, Noida - 201 301
 Tel : (0120) 205500 (10 Lines)
 Lko. Office : R-208, Rattus Plumbia, Gaurd Nagar, Lucknow
 Tel : (0522) 875945
 e-mail : mail@cesp.in, website : www.cesp.in