

AREA CHART FOR B-35									
SNO	BUILDING TYPE	TOTAL NUMBER OF BUILDINGS	TOTAL FAR AREA (sqm)	TOTAL FAR AREA (sqm)	DENSITY 4.5 PERSONS PER DU	TOTAL NO. OF DU PER TOWER	TOTAL NO. OF DUs FOR ALL BLOCKS	GROUND COVERAGE	NO OF FLOORS
			PER BLOCK	ALL BLOCKS				PER BLOCK (SQM)	TOTAL (SQM)
1	KM-15 TO KM-22	8	10993.05	87944.39	434.5	101	808	724.97	5779.74
2	KM-23	1	12751.28	12751.28	360	80	80	801.63	801.63
3	KM-24	1	10664.55	10664.55	360	80	80	873.15	873.15
TOTAL			34408.89	111360.23			968	2196.74	7280.5165

PROPOSED PARKING STATEMENT IN BASEMENT				
COV. AREA IN UPPER BASEMENT (A)				26860.70
COV. AREA IN LOWER BASEMENT (B)				26400.45
TOTAL COV.AREA IN BASEMENT (A+B)=C				53261.14
SERVICES AREA UPPER BASEMENT				1187.88
SERVICES AREA LOWER BASEMENT				727.63
BASEMENT AREA USED FOR SERVICES (D)				1915.52
AREA PROVIDED FOR PARKING = (C-D)				51345.62
TOTAL PARKING REQUIRED@1ECS PER 80SQ.MT				1392
TOTAL NO OF 4WHEELER CARS PARKING PROVIDED				1711.52
BASEMENT @ 30SQ.MT/ECS			SAY	1711

FLOOR WISE FAR AREA STATEMENT									
RESIDENTIAL TOWER									
			KM-15 TO KM-22	KM-23	KM-24				TOTAL
			G+16	G+19	G+19				
	F.A.R AREA ON GR. FLOOR		691.57	724.22	656.35				2072.15
	F.A.R AREA ON 1st FLOOR		643.84	635.21	554.45				1833.49
	F.A.R AREA ON 2nd FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 3rd FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 4th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 5th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 6th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 7th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 8th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 9th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 10th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 11th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 12th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 13th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 14th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 15th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 16th FLOOR		643.84	632.88	525.21				1801.93
	F.A.R AREA ON 17th FLOOR		0.00	632.88	525.21				1158.09
	F.A.R AREA ON 18th FLOOR		0.00	632.88	525.21				1158.09
	F.A.R AREA ON 19th FLOOR		0.00	632.88	525.21				1158.09
	F.A.R AREA ON TERRACE		0.00						
			10993.05	12751.28	10664.55				34408.89
	TOTAL FAR OF ALL TOWERS		87944.3912	12751.28	10664.55				111360.23

FLOOR WISE 15% FAR AREA STATEMENT									
RESIDENTIAL TOWER									
			KM-15 TO KM-22	KM-23	KM-24				TOTAL
			G+16	G+19	G+19				
	GR. FLOOR SERVICE AREA		18.05	19.30	25.94				63.30
	1st FLOOR SERVICE AREA		52.35	56.95	61.37				170.67
	2nd FLOOR SERVICE AREA		52.35	52.86	61.37				166.58
	3rd FLOOR SERVICE AREA		52.35	52.86	61.37				166.58
	4th FLOOR SERVICE AREA		52.35	52.86	61.37				166.58
	5th FLOOR SERVICE AREA		52.35	52.86	61.37				166.58
	6th FLOOR SERVICE AREA		52.35	52.86	61.37				166.58
	7th FLOOR SERVICE AREA		52.35	52.86	61.37				166.58

REQUIRED PARKING STATEMENT			
TOWER TYPE	COV.AREA	ECS/UNIT 1ECS/80SQ.MT.	ECS/BLOCK
KM-15	10993.05		137
KM-16	10993.05		137
KM-17	10993.05		137
KM-18	10993.05		137
KM-19	10993.05		137
KM-20	10993.05		137
KM-21	10993.05		137
KM-22	12751.28		159
KM-23	10664.55		133
TOTAL	111360.23		1392
REQUIRED PARKING AREA			
4 WHEELER PARKING @ 30SQM = 1392 X 30 = 41760			

UNIT TYPE SUMMARY TABLE			
TOWER TYPE	3 BED UNIT	4 BED	
KM-15	101		
KM-16	101		
KM-17	101		
KM-18	101		
KM-19	101		
KM-20	101		
KM-21	101		
KM-22	101		
KM-23		80	
KM-24	80		
TOTAL	888	88	

PROPOSED BASEMENT AREA STATEMENT		
PROPOSED AREA AT UPPER BASEMENT (A)		26860.70
PROPOSED AREA AT LOWER BASEMENT (B)		26400.45
TOTAL PROPOSED AREA BOTH BASEMENT (A+B=C)		53261.14

GROUND COVERAGE AREA STATEMENT		
1	GROUND COVERAGE AREA FOR TOWER	AREA (IN sqmt.) 7250.52
2	PERGOLA AREA ON SITE	946.90
3	FIRE ESCAPE FOR SITE	195.50
	TOTAL	8392.92

NON-FAR AREA STATEMENT		
1	BASEMENT NON-FAR AREA	AREA (IN sqmt.) 53261.14
2	PERGOLA AREA ON SITE	946.90


AREA STATEMENT
KOSMOS B-35 SITE PLAN PERGCLA

ADDITION AREA


Str. No.	Nos.	Breadth mm.	Length mm.	Area Sqmtr.
P1a	4	9435	4120	155.49
P1b	4	2100	8125	68.25
P2	4	2000	147510	98.60
P3	1	147510	2000	295.02
P4	1	2000	855	0.68
P5	1	2000	700	0.70
P6	1	64000	2000	128.00
P7	1	2000	885	0.89
P8	1	2000	880	0.88
P9	1	70400	2000	140.80
P10	1	6200	4500	24.80
P11	1	4500	7250	32.63
TOTAL AREA				946.90

KOSMOS B-35 SITE PLAN FIRE STAIRCASE

FS1	1	4250
FS1a	1	1720
FS1b	6	5110
FS1c	1	4410
FS3a	1	4260
FS3b	1	825
FS4	1	2850
FS5	1	4200
FS6	1	8555
FS6a	1	4130
FS7	1	4580



24 M WIDE ROAD



[illegible]

24 M WIDE ROAD

Plan for proposed Building is in per Bye Laws Submitted for approval please

Architect



मौनः । पर मानविषय सहायिणी की विनयः ।
 तब ५ वर्ष की अवधि तक वैष्णव गुरुदेव
 माता पादसेवे आदिभक्त उपलब्ध हो अवकाश प्राप्त हुए
 स्थापित करी लिए गे। पादसेवे आदिभक्त उपलब्ध
 पुनरावृत्ति न होने की वशा से मानविषय की वैष्णव
 पादसेवे के वशा निश्चय तक ही समाप्ति अवधि ।

AREA BY PLINE

PERGOLA AREA FOR SITE = 579.71 SQMT

FIRE STAIRCASE AREA FOR SITE = 332.68 SQMT

TYPICAL CULVERT DETAIL



Owners:

JAYPEE INFRA TECH LTD.
SECTOR - 128, NOIDA, (U.P.)

Architects & Town Planners

ARCOP ASSOCIATES PVT. LTD.
E-106, G.K. Enclave-1
N. Delhi-110 048
Ph.-011-26242050, 26242035

Architect's Signature:

Owners' Signature:

For Japane Information

Authorized Signatory

Job Title:

JAYPEE GREENS, SEC.-128
Vill.-Sultanpur, Noida (U.P.)

Drawing Title:

KOSMOS B-37
SITE PLAN

Job No.:

Date: MAY 2011

Drawing No. B37 SB/KM/01

Scale: N.T.S.

Dealt by: DEEPTI	Checked by: ARVIND JAIN.
---------------------	-----------------------------

Revision No.:

NOIDA AUTHORITY:

22/09/11

Associate Architect

Archib

Chief Architect

REQUIRED PARKING STATEMENT			
TOWER TYPE	TOW AREA	ES/UNIT	ES/ACREQ.
KM-28	KM-28	10133.84	1.29
KM-29	KM-29	10377.65	1.26
KM-30	KM-30	9626.61	1.14
KM-31	KM-31	9626.39	1.10
KM-32	KM-32	9906.34	1.18
KM-33	KM-33	9501.86	1.14
KM-34	KM-34	9501.86	1.14
KM-35	KM-35	9626.39	1.18
KM-36	KM-36	9626.39	1.18
KM-37	KM-37	9501.86	1.14
KM-38	KM-38	10377.65	1.29
KM-39	KM-39	10189.84	1.26
TOTAL		112439.30	1468
REQUIRED PARKING AREA			
1468/ES PARKING @ 300M = 1468 X 30 =			44040

PROPOSED PARKING STATEMENT IN BASEMENT		
COV. AREA IN UPPER BASEMENT (A)		32453.75
COV. AREA IN LOWER BASEMENT (B)		32750.16
TOTAL COV. AREA IN BASEMENT (A+B)=C		64703.91
SERVICES AREA UPPER BASEMENT		1645.40
SERVICES AREA LOWER BASEMENT		1758.93
BASEMENT AREA USED FOR SERVICES (D)		2904.33
AREA PROVIDED FOR PARKING = (C-D)		61799.58
TOTAL PARKING REQUIRED @ 1 ECS PER 80SQ.MT		1468
TOTAL NO. OF 4WHEELER CARS PARKING PROVIDED BASEMENT @ 30SQ.MT/ECS		2059.99
	SAF	2059.99
		ECS

AREA CHART (FOR CLUSTER B-36)							
BUILDING TYPE	FAR covd in Each Building (sqm)	NO. OF TOWERS	Total FAR Area (sqm)	Total No. Of D.U.'s	DENSITY(14.5) PERSONS PER D.U.	GROUND COVD. TOTAL BLOCK	NO OF FLOOR
KM-28,39 Apartments	103559.84	2	207159.69	202	909	730.96	G+16
KM-29,38 Apartments	103277.65	2	206555.29	202	909	717.96	G+16
KM-30,31,32,35,36 Apartments	9506.93	5	47534.67	570	3015	695.14	G+16
KM-33,34,37 Apartments	9909.88	3	38529.65	402	1809	725.41	G+16
TOTAL		12	117439.30	1476	6642	2869.46	8549.74

FLOOR WISE F.A.R AREA STATEMENT													
	KM-28	KM-29	KM-30	KM-31	KM-32	KM-33	KM-34	KM-35	KM-36	KM-37	KM-38	KM-39	AREA IN sq.mt.
GR. COVERAGE	730.96	717.96	695.14	695.14	695.14	725.41	695.14	695.14	695.14	725.41	717.96	730.96	8549.74
1st FLOOR F.A.R	670.10	719.18	654.63	654.63	654.63	645.28	654.63	654.63	654.63	645.28	719.18	670.10	7987.56
2nd FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7315.51
3rd FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
4th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
5th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
6th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
7th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
8th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
9th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
10th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
11th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
12th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
13th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
14th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
15th FLOOR F.A.R	645.98	640.56	589.59	589.59	589.59	590.81	589.59	589.59	589.59	590.81	640.56	645.98	7295.45
TERRACE F.A.R													
TOTAL	10359.84	10327.65	9506.93	9506.93	9506.93	9509.88	9509.88	9506.93	9506.93	9509.88	10327.65	10359.84	117439.30

UNIT TYPE SUMMARY TABLE			
TOWER TYPE	3 BED UNIT	2 BED UNIT	TOTAL
KM-28	101		
KM-29	101		
KM-30		134	134
KM-31		134	134
KM-32		134	134
KM-33		134	134
KM-34		134	134
KM-35		134	134
KM-36		134	134
KM-37		134	134
KM-38	101		
KM-39	101		
TOTAL	404	1072	1476

PROPOSED BASEMENT AREA STATEMENT	
PROPOSED AREA AT UPPER BASEMENT (A)	32453.75
PROPOSED AREA AT LOWER BASEMENT (B)	32250.16
TOTAL PROPOSED AREA BOTH BASEMENT (A+B=C)	64703.91

FLOOR WISE 15% of F.A.R AREA STATEMENT													
	KM-28	KM-29	KM-30	KM-31	KM-32	KM-33	KM-34	KM-35	KM-36	KM-37	KM-38	KM-39	AREA IN sq. mt.
GR FLOOR SERVICE AREA	18.85	7.88	9.02	9.02	9.02	20.91	20.91	9.02	9.02	20.91	7.88	18.86	161.32
1st FLOOR SERVICE AREA	39.92	40.87	61.85	61.85	61.85	64.05	64.05	61.85	61.85	64.05	40.87	39.92	662.96
2nd FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
3rd FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
4th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
5th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
6th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
7th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
8th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
9th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
10th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
11th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
12th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
13th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
14th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
15th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
16th FLOOR SERVICE AREA	39.92	40.87	54.32	54.32	54.32	56.52	56.52	54.32	54.32	56.52	40.87	39.92	602.73
MACHINE ROOM AREA	75.04	75.04	68.74	68.74	68.74	68.74	68.74	68.74	68.74	68.74	75.04	75.04	850.05
WATER TANK AREA	25.52	25.52	73.29	73.29	73.29	73.29	73.29	73.29	73.29	73.29	25.52	25.52	688.44
TOTAL	718.20	721.47	973.37	973.37	973.37	1018.26	1018.26	973.37	973.37	1018.26	721.47	718.20	10800.95

GROUND COVERAGE AREA STATEMENT		AREA (IN sqmt.)
1	PERGOLA AREA ON SITE	85449.74
2	FIRE ESCAPE FOR SITE	1026.05
3	TOTAL	9680.69

NON-FAR AREA STATEMENT		AREA (IN sqmt.)
1	BASEMENT NON-FAR AREA	64703.91
2	PERGOLA AREA ON SITE	1026.05
	TOTAL	65729.96

BUILTUP AREA STATEMENT		AREA (IN sqmt.)
1	TOTAL F.A.R AREA B-36	117439.30
2	15% OF FAR AREA FOR B-36	10800.95
3	NON-FAR AREA FOR B-36	64703.91
	TOTAL	192944.16

[illegible]

KEY PLAN



B-36



KEY PLAN



NOTE -

Architect's Signature

Owners Signature

For Jaypee Infratech Limited

Authorized Signatory

Architects & Town Planners
ARCOP ASSOCIATES PVT. LTD.
E-106, G.K. ENCLAVE Part-I
New Delhi-110 049
Ph: 011-26242050 Fax: 011-26238035

Clients

JAYPEE INFRA TECH LTD.

Drawing Title

SITE PLAN

Job Title

BUILDING SUBMISSION FOR
(KOSMOS B-36)
JAYPEE GREENS SECTOR
128, NOIDA, U.P.

Scale

1:500

Date

SEPT. 2011

Drawn by

ABHIYA

Checked by

ARVIND JAIN


Revision No.

JP-G/SB/36/SITE/100


Associate Architect

Architect

Chief Architect



PLAN




SECTION

RAIN WATER HARVESTING DETAIL



TYPICAL CULVERT DETAIL



TYPICAL RCC FOUNDATION DETAIL

SCALE - 1:200

AREA BY PLINE

PERGOLA AREA FOR SITE = 1026.05 SQMT
FIRE ESCAPE AREA FOR SITE = 104.9 SQMT

KEY PLAN



NOTE :-



Electrical Load : KW
Water Requirement : LPD

Architect's Signature

Owner's Signature

For Jaypee Infra Tech Ltd.
Architect's Signature

Architects & Town Planners
ARCOP ASSOCIATES PVT. LTD.
E-106, G.K. ENCLAVE Part-I
New Delhi-110 049
Ph. : 011-26242050

Clients

JAYPEE INFRA TECH LTD.

Drawing Title

KASPOS (B) for proposed Building for Jaypee Infra
SITE PLAN for approval

Job Title

BUILDING SUBMISSION FOR
KASPOS (E-38)
JAYPEE GREENS, SECTOR 128,
NOIDA, U.P.

Scale

1:400

Date

JULY 2011

Drawn by

JVC/118/SB/KM/01

Checked by

Revision No.


FAROOQ

NOIDA AUTHORITY

Associate Architect

Architect

Ch. of Architect



TYPICAL CULVERT DETAIL



PLAN



SECTION



RAIN WATER HARVESTING DETAIL

24 M WIDE ROAD

7.5 MT. WIDE ROAD

7.5 MT. WIDE ROAD

6.0 MT. WIDE FIRE TENDER ROAD

7.5 MT. WIDE ROAD

6.0 MT. WIDE FIRE TENDER ROAD

6.0 MT. WIDE FIRE TENDER ROAD

6.0 MT. WIDE FIRE TENDER ROAD

7.5 MT. WIDE ROAD

24 M WIDE ROAD

SITE PLAN

(2) JAYPEE INFRA TECH LTD. FOR PROPOSED BUILDING FOR JAYPEE INFRA
SITE PLAN FOR APPROVAL



NOTE:-

Electrical Load
Water Requirement LPH

Architect's Signature

Owner's Signature

For Jaypee Infrastructure Limited

Auditor (Self Signatory)

Architects & Town Planners

ARCO ASSOCIATES P4. Ltd.

E-108, G.K. ENCLAVE Park

New Delhi-110 049

Ph: 011-26242050 Fax: 011-26228035

Client's

JAYPEE INFRASTRUCTURE LTD.

Drawing Title

KASMO'S (B-38)
AREA CALCULATION
SHEETBUILDING SUBMISSION FOR
KASMO'S (B-38)
JAYPEE GREENS, SECTOR 128,
NOIDA - U.P.

Job Title

Job No.

Scale

Drawing No.

JPC/BS/SK/M/00

Checked by

Revision No.

FAR/000

A. AKORA

NOIDA AUTHORITY

Chief Architect

AINEA STATEMENT FOR KOSMOS- 1 TO 14						
BUILDING	NO. OF TOWER	RESIDENTIAL TOWER			DENSITY & PERSON PER D.U.	NO. OF FLOOR
		TOWER FAR	NO. OF FAR AREA	NO. OF DU		
KOSMOS- 01	1	1300.79	786.15	100	400	G+16
KOSMOS- 02	1	990.20	804.21	100	400	G+16
KOSMOS- 03	1	1070.53	804.44	100	400	G+16
KOSMOS- 04	1	990.20	804.21	100	400	G+16
KOSMOS- 05	1	1070.53	804.44	100	400	G+16
KOSMOS- 06	1	1070.53	804.44	100	400	G+16
KOSMOS- 07	1	1070.53	804.44	100	400	G+16
KOSMOS- 08	1	1070.53	804.44	100	400	G+16
KOSMOS- 09	1	1070.53	804.44	100	400	G+16
KOSMOS- 10	1	1070.53	804.44	100	400	G+16
KOSMOS- 11	1	1070.53	804.44	100	400	G+16
KOSMOS- 12	1	1070.53	804.44	100	400	G+16
KOSMOS- 13	1	1070.53	804.44	100	400	G+16
KOSMOS- 14	1	1070.53	804.44	100	400	G+16
TOTAL NO. 1 TO 14	14	13047.00	10247.00	1400	400	G+16