

PROJECT NAME & COMPANY : <b>SIDDHARTHAM</b> (GAURSONS INDIA PRIVATE LIMITED)													
BALANCE UNIT DETAIL													
SR.NO.	BLOCK NAME	FLOOR	TYPE	UNIT NO.	SALEABLE AREA / SUPER-BUILTUP AREA	CARPET AREA	BALCONY NO.	TOTAL BALCONY AREA	VERANDAH NO.	TOTAL VERANDAH AREA	INITIAL COST	UNIT COST	INTREST RATE
1	A	1st	Apartment	101 (A6)	98	57.17	0	0	2	14.72	0	0	9.5
2	A	1st	Apartment	102 (A5)	98	57.37	0	0	2	14.97	0	0	9.5
3	A	1st	Apartment	103 (A1)	98	57.34	0	0	2	14.97	0	0	9.5
4	A	1st	Apartment	104 (A2)	98	57.87	0	0	2	14.97	0	0	9.5
5	A	1st	Apartment	105 (A3)	98	58.32	0	0	2	14.97	0	0	9.5
6	A	1st	Apartment	106 (A4)	98	57.34	0	0	2	14.97	0	0	9.5
7	A	1st	Apartment	107 (A8)	98	57.35	0	0	2	15.10	0	0	9.5
8	A	1st	Apartment	108 (A7)	98	57.72	0	0	2	14.72	0	0	9.5
9	A	2nd	Apartment	201 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
10	A	2nd	Apartment	202 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
11	A	2nd	Apartment	203 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
12	A	2nd	Apartment	204 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
13	A	2nd	Apartment	205 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
14	A	2nd	Apartment	206 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
15	A	2nd	Apartment	207 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
16	A	2nd	Apartment	208 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
17	A	3rd	Apartment	301 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
18	A	3rd	Apartment	302 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
19	A	3rd	Apartment	303 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
20	A	3rd	Apartment	304 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
21	A	3rd	Apartment	305 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
22	A	3rd	Apartment	306 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
23	A	3rd	Apartment	307 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
24	A	3rd	Apartment	308 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
25	A	4th	Apartment	401 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
26	A	4th	Apartment	402 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
27	A	4th	Apartment	403 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
28	A	4th	Apartment	404 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
29	A	4th	Apartment	405 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
30	A	4th	Apartment	406 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
31	A	4th	Apartment	407 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
32	A	4th	Apartment	408 (A7)	98	57.72	2	14.72	0	0	0	0	9.5

33	A	5th	Apartment	501 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
34	A	5th	Apartment	502 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
35	A	5th	Apartment	503 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
36	A	5th	Apartment	504 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
37	A	5th	Apartment	505 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
38	A	5th	Apartment	506 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
39	A	5th	Apartment	507 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
40	A	5th	Apartment	508 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
41	A	6th	Apartment	601 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
42	A	6th	Apartment	602 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
43	A	6th	Apartment	603 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
44	A	6th	Apartment	604 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
45	A	6th	Apartment	605 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
46	A	6th	Apartment	606 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
47	A	6th	Apartment	607 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
48	A	6th	Apartment	608 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
49	A	7th	Apartment	701 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
50	A	7th	Apartment	702 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
51	A	7th	Apartment	703 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
52	A	7th	Apartment	704 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
53	A	7th	Apartment	705 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
54	A	7th	Apartment	706 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
55	A	7th	Apartment	707 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
56	A	7th	Apartment	708 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
57	A	8th	Apartment	801 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
58	A	8th	Apartment	802 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
59	A	8th	Apartment	803 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
60	A	8th	Apartment	804 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
61	A	8th	Apartment	805 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
62	A	8th	Apartment	806 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
63	A	8th	Apartment	807 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
64	A	8th	Apartment	808 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
65	A	9th	Apartment	901 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
66	A	9th	Apartment	902 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
67	A	9th	Apartment	903 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
68	A	9th	Apartment	904 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
69	A	9th	Apartment	905 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
70	A	9th	Apartment	906 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5

71	A	9th	Apartment	907 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
72	A	9th	Apartment	908 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
73	A	10th	Apartment	1001 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
74	A	10th	Apartment	1002 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
75	A	10th	Apartment	1003 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
76	A	10th	Apartment	1004 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
77	A	10th	Apartment	1005 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
78	A	10th	Apartment	1006 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
79	A	10th	Apartment	1007 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
80	A	10th	Apartment	1008 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
81	A	11th	Apartment	1101 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
82	A	11th	Apartment	1102 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
83	A	11th	Apartment	1103 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
84	A	11th	Apartment	1104 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
85	A	11th	Apartment	1105 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
86	A	11th	Apartment	1106 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
87	A	11th	Apartment	1107 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
88	A	11th	Apartment	1108 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
89	A	12th	Apartment	1201 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
90	A	12th	Apartment	1202 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
91	A	12th	Apartment	1203 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
92	A	12th	Apartment	1204 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
93	A	12th	Apartment	1205 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
94	A	12th	Apartment	1206 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
95	A	12th	Apartment	1207 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
96	A	12th	Apartment	1208 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
97	A	13th	Apartment	1401 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
98	A	13th	Apartment	1402 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
99	A	13th	Apartment	1403 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
100	A	13th	Apartment	1404 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
101	A	13th	Apartment	1405 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
102	A	13th	Apartment	1406 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
103	A	13th	Apartment	1407 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
104	A	13th	Apartment	1408 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
105	A	14th	Apartment	1501 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
106	A	14th	Apartment	1502 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
107	A	14th	Apartment	1503 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
108	A	14th	Apartment	1504 (A2)	98	57.87	2	14.97	0	0	0	0	9.5

109	A	14th	Apartment	1505 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
110	A	14th	Apartment	1506 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
111	A	14th	Apartment	1507 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
112	A	14th	Apartment	1508 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
113	A	15th	Apartment	1601 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
114	A	15th	Apartment	1602 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
115	A	15th	Apartment	1603 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
116	A	15th	Apartment	1604 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
117	A	15th	Apartment	1605 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
118	A	15th	Apartment	1606 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
119	A	15th	Apartment	1607 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
120	A	15th	Apartment	1608 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
121	A	16th	Apartment	1701 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
122	A	16th	Apartment	1702 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
123	A	16th	Apartment	1703 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
124	A	16th	Apartment	1704 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
125	A	16th	Apartment	1705 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
126	A	16th	Apartment	1706 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
127	A	16th	Apartment	1707 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
128	A	16th	Apartment	1708 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
129	A	17th	Apartment	1801 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
130	A	17th	Apartment	1802 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
131	A	17th	Apartment	1803 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
132	A	17th	Apartment	1804 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
133	A	17th	Apartment	1805 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
134	A	17th	Apartment	1806 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
135	A	17th	Apartment	1807 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
136	A	17th	Apartment	1808 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
137	A	18th	Apartment	1901 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
138	A	18th	Apartment	1902 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
139	A	18th	Apartment	1903 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
140	A	18th	Apartment	1904 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
141	A	18th	Apartment	1905 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
142	A	18th	Apartment	1906 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
143	A	18th	Apartment	1907 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
144	A	18th	Apartment	1908 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
145	A	19th	Apartment	2001 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
146	A	19th	Apartment	2002 (A5)	98	57.37	2	14.97	0	0	0	0	9.5

147	A	19th	Apartment	2003 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
148	A	19th	Apartment	2004 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
149	A	19th	Apartment	2005 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
150	A	19th	Apartment	2006 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
151	A	19th	Apartment	2007 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
152	A	19th	Apartment	2008 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
153	A	20th	Apartment	2101 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
154	A	20th	Apartment	2102 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
155	A	20th	Apartment	2103 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
156	A	20th	Apartment	2104 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
157	A	20th	Apartment	2105 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
158	A	20th	Apartment	2106 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
159	A	20th	Apartment	2107 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
160	A	20th	Apartment	2108 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
161	A	21st	Apartment	2201 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
162	A	21st	Apartment	2202 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
163	A	21st	Apartment	2203 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
164	A	21st	Apartment	2204 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
165	A	21st	Apartment	2205 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
166	A	21st	Apartment	2206 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
167	A	21st	Apartment	2207 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
168	A	21st	Apartment	2208 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
169	A	22nd	Apartment	2301 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
170	A	22nd	Apartment	2302 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
171	A	22nd	Apartment	2303 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
172	A	22nd	Apartment	2304 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
173	A	22nd	Apartment	2305 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
174	A	22nd	Apartment	2306 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
175	A	22nd	Apartment	2307 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
176	A	22nd	Apartment	2308 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
177	A	23rd	Apartment	2401 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
178	A	23rd	Apartment	2402 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
179	A	23rd	Apartment	2403 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
180	A	23rd	Apartment	2404 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
181	A	23rd	Apartment	2405 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
182	A	23rd	Apartment	2406 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
183	A	23rd	Apartment	2407 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
184	A	23rd	Apartment	2408 (A7)	98	57.72	2	14.72	0	0	0	0	9.5

185	A	24th	Apartment	2501 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
186	A	24th	Apartment	2502 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
187	A	24th	Apartment	2503 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
188	A	24th	Apartment	2504 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
189	A	24th	Apartment	2505 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
190	A	24th	Apartment	2506 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
191	A	24th	Apartment	2507 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
192	A	24th	Apartment	2508 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
193	A	25th	Apartment	2601 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
194	A	25th	Apartment	2602 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
195	A	25th	Apartment	2603 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
196	A	25th	Apartment	2604 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
197	A	25th	Apartment	2605 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
198	A	25th	Apartment	2606 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
199	A	25th	Apartment	2607 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
200	A	25th	Apartment	2608 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
201	A	26th	Apartment	2701 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
202	A	26th	Apartment	2702 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
203	A	26th	Apartment	2703 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
204	A	26th	Apartment	2704 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
205	A	26th	Apartment	2705 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
206	A	26th	Apartment	2706 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
207	A	26th	Apartment	2707 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
208	A	26th	Apartment	2708 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
209	A	27th	Apartment	2801 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
210	A	27th	Apartment	2802 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
211	A	27th	Apartment	2803 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
212	A	27th	Apartment	2804 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
213	A	27th	Apartment	2805 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
214	A	27th	Apartment	2806 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
215	A	27th	Apartment	2807 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
216	A	27th	Apartment	2808 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
217	A	28th	Apartment	2901 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
218	A	28th	Apartment	2902 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
219	A	28th	Apartment	2903 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
220	A	28th	Apartment	2904 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
221	A	28th	Apartment	2905 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
222	A	28th	Apartment	2906 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5

223	A	28th	Apartment	2907 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
224	A	28th	Apartment	2908 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
225	A	29th	Apartment	3001 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
226	A	29th	Apartment	3002 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
227	A	29th	Apartment	3003 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
228	A	29th	Apartment	3004 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
229	A	29th	Apartment	3005 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
230	A	29th	Apartment	3006 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
231	A	29th	Apartment	3007 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
232	A	29th	Apartment	3008 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
233	A	30th	Apartment	3101 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
234	A	30th	Apartment	3102 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
235	A	30th	Apartment	3103 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
236	A	30th	Apartment	3104 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
237	A	30th	Apartment	3105 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
238	A	30th	Apartment	3106 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
239	A	30th	Apartment	3107 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
240	A	30th	Apartment	3108 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
241	A	31st	Apartment	3201 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
242	A	31st	Apartment	3202 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
243	A	31st	Apartment	3203 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
244	A	31st	Apartment	3204 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
245	A	31st	Apartment	3205 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
246	A	31st	Apartment	3206 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
247	A	31st	Apartment	3207 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
248	A	31st	Apartment	3208 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
249	B	1st	Apartment	109 (A2)	98	57.87	0	0	2	14.97	0	0	9.5
250	B	1st	Apartment	110 (A1)	98	57.34	0	0	2	14.97	0	0	9.5
251	B	1st	Apartment	111 (A5)	98	57.37	0	0	2	14.97	0	0	9.5
252	B	1st	Apartment	112 (A6)	98	57.17	0	0	2	14.72	0	0	9.5
253	B	1st	Apartment	114 (A7)	98	57.72	0	0	2	14.72	0	0	9.5
254	B	1st	Apartment	115 (A8)	98	57.35	0	0	2	15.10	0	0	9.5
255	B	1st	Apartment	116 (A4)	98	57.34	0	0	2	14.97	0	0	9.5
256	B	1st	Apartment	117 (A3)	98	58.32	0	0	2	14.97	0	0	9.5
257	B	2nd	Apartment	209 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
258	B	2nd	Apartment	210 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
259	B	2nd	Apartment	211 (A5)	98	57.37	2	14.97	0	0	3743264	3743264	9.5
260	B	2nd	Apartment	212 (A6)	98	57.17	2	14.72	0	0	0	0	9.5

261	B	2nd	Apartment	214 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
262	B	2nd	Apartment	215 (A8)	98	57.35	2	15.10	0	0	3906725	3906725	3906725	9.5
263	B	2nd	Apartment	216 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
264	B	2nd	Apartment	217 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
265	B	3rd	Apartment	309 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
266	B	3rd	Apartment	310 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
267	B	3rd	Apartment	311 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
268	B	3rd	Apartment	312 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
269	B	3rd	Apartment	314 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
270	B	3rd	Apartment	315 (A8)	98	57.35	2	15.10	0	0	3723263	3723263	3723263	9.5
271	B	3rd	Apartment	316 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
272	B	3rd	Apartment	317 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
273	B	4th	Apartment	409 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
274	B	4th	Apartment	410 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
275	B	4th	Apartment	411 (A5)	98	57.37	2	14.97	0	0	3906725	3906725	3906725	9.5
276	B	4th	Apartment	412 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
277	B	4th	Apartment	414 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
278	B	4th	Apartment	415 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
279	B	4th	Apartment	416 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
280	B	4th	Apartment	417 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
281	B	5th	Apartment	509 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
282	B	5th	Apartment	510 (A1)	98	57.34	2	14.97	0	0	3652506	3652506	3652506	9.5
283	B	5th	Apartment	511 (A5)	98	57.37	2	14.97	0	0	3795000	3795000	3795000	9.5
284	B	5th	Apartment	512 (A6)	98	57.17	2	14.72	0	0	4090000	4090000	4090000	9.5
285	B	5th	Apartment	514 (A7)	98	57.72	2	14.72	0	0	4075430	4075430	4075430	9.5
286	B	5th	Apartment	515 (A8)	98	57.35	2	15.10	0	0	4075430	4075430	4075430	9.5
287	B	5th	Apartment	516 (A4)	98	57.34	2	14.97	0	0	4136715	4136715	4136715	9.5
288	B	5th	Apartment	517 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
289	B	6th	Apartment	609 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
290	B	6th	Apartment	610 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
291	B	6th	Apartment	611 (A5)	98	57.37	2	14.97	0	0	3817548	3817548	3817548	9.5
292	B	6th	Apartment	612 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
293	B	6th	Apartment	614 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
294	B	6th	Apartment	615 (A8)	98	57.35	2	15.10	0	0	4074807	4074807	4074807	9.5
295	B	6th	Apartment	616 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
296	B	6th	Apartment	617 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
297	B	7th	Apartment	709 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
298	B	7th	Apartment	710 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5

299	B	7th	Apartment	711 (A5)	98	57.37	2	14.97	0	0	3705256	3705256	9.5
300	B	7th	Apartment	712 (A6)	98	57.17	2	14.72	0	0	4030276	4030276	9.5
301	B	7th	Apartment	714 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
302	B	7th	Apartment	715 (A8)	98	57.35	2	15.10	0	0	4074506	4074506	9.5
303	B	7th	Apartment	716 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
304	B	7th	Apartment	717 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
305	B	8th	Apartment	809 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
306	B	8th	Apartment	810 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
307	B	8th	Apartment	811 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
308	B	8th	Apartment	812 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
309	B	8th	Apartment	814 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
310	B	8th	Apartment	815 (A8)	98	57.35	2	15.10	0	0	4059763	4059763	9.5
311	B	8th	Apartment	816 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
312	B	8th	Apartment	817 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
313	B	9th	Apartment	909 (A2)	98	57.87	2	14.97	0	0	3620725	3620725	9.5
314	B	9th	Apartment	910 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
315	B	9th	Apartment	911 (A5)	98	57.37	2	14.97	0	0	3555500	3555500	9.5
316	B	9th	Apartment	912 (A6)	98	57.17	2	14.72	0	0	4042725	4042725	9.5
317	B	9th	Apartment	914 (A7)	98	57.72	2	14.72	0	0	4000000	4000000	9.5
318	B	9th	Apartment	915 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
319	B	9th	Apartment	916 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
320	B	9th	Apartment	917 (A3)	98	58.32	2	14.97	0	0	3561750	3561750	9.5
321	B	10th	Apartment	1009 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
322	B	10th	Apartment	1010 (A1)	98	57.34	2	14.97	0	0	3670000	3670000	9.5
323	B	10th	Apartment	1011 (A5)	98	57.37	2	14.97	0	0	3749762	3749762	9.5
324	B	10th	Apartment	1012 (A6)	98	57.17	2	14.72	0	0	4119018	4119018	9.5
325	B	10th	Apartment	1014 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
326	B	10th	Apartment	1015 (A8)	98	57.35	2	15.10	0	0	3623000	3623000	9.5
327	B	10th	Apartment	1016 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
328	B	10th	Apartment	1017 (A3)	98	58.32	2	14.97	0	0	3695725	3695725	9.5
329	B	11th	Apartment	1109 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
330	B	11th	Apartment	1110 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
331	B	11th	Apartment	1111 (A5)	98	57.37	2	14.97	0	0	4117725	4117725	9.5
332	B	11th	Apartment	1112 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
333	B	11th	Apartment	1114 (A7)	98	57.72	2	14.72	0	0	4117725	4117725	9.5
334	B	11th	Apartment	1115 (A8)	98	57.35	2	15.10	0	0	3718988	3718988	9.5
335	B	11th	Apartment	1116 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
336	B	11th	Apartment	1117 (A3)	98	58.32	2	14.97	0	0	0	0	9.5

337	B	12th	Apartment	1209 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
338	B	12th	Apartment	1210 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
339	B	12th	Apartment	1211 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
340	B	12th	Apartment	1212 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
341	B	12th	Apartment	1214 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
342	B	12th	Apartment	1215 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
343	B	12th	Apartment	1216 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
344	B	12th	Apartment	1217 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
345	B	13th	Apartment	1409 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
346	B	13th	Apartment	1410 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
347	B	13th	Apartment	1411 (A5)	98	57.37	2	14.97	0	0	3492263	3492263	9.5
348	B	13th	Apartment	1412 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
349	B	13th	Apartment	1414 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
350	B	13th	Apartment	1415 (A8)	98	57.35	2	15.10	0	0	3535000	3535000	9.5
351	B	13th	Apartment	1416 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
352	B	13th	Apartment	1417 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
353	B	14th	Apartment	1509 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
354	B	14th	Apartment	1510 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
355	B	14th	Apartment	1511 (A5)	98	57.37	2	14.97	0	0	3651494	3651494	9.5
356	B	14th	Apartment	1512 (A6)	98	57.17	2	14.72	0	0	4081715	4081715	9.5
357	B	14th	Apartment	1514 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
358	B	14th	Apartment	1515 (A8)	98	57.35	2	15.10	0	0	4064975	4064975	9.5
359	B	14th	Apartment	1516 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
360	B	14th	Apartment	1517 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
361	B	15th	Apartment	1609 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
362	B	15th	Apartment	1610 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
363	B	15th	Apartment	1611 (A5)	98	57.37	2	14.97	0	0	3547006	3547006	9.5
364	B	15th	Apartment	1612 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
365	B	15th	Apartment	1614 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
366	B	15th	Apartment	1615 (A8)	98	57.35	2	15.10	0	0	3546875	3546875	9.5
367	B	15th	Apartment	1616 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
368	B	15th	Apartment	1617 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
369	B	16th	Apartment	1709 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
370	B	16th	Apartment	1710 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
371	B	16th	Apartment	1711 (A5)	98	57.37	2	14.97	0	0	3997975	3997975	9.5
372	B	16th	Apartment	1712 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
373	B	16th	Apartment	1714 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
374	B	16th	Apartment	1715 (A8)	98	57.35	2	15.10	0	0	0	0	9.5

375	B	16th	Apartment	1716 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
376	B	16th	Apartment	1717 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
377	B	17th	Apartment	1809 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
378	B	17th	Apartment	1810 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
379	B	17th	Apartment	1811 (A5)	98	57.37	2	14.97	0	0	3870865	3870865	9.5
380	B	17th	Apartment	1812 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
381	B	17th	Apartment	1814 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
382	B	17th	Apartment	1815 (A8)	98	57.35	2	15.10	0	0	3500000	3500000	9.5
383	B	17th	Apartment	1816 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
384	B	17th	Apartment	1817 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
385	B	18th	Apartment	1909 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
386	B	18th	Apartment	1910 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
387	B	18th	Apartment	1911 (A5)	98	57.37	2	14.97	0	0	3523744	3523744	9.5
388	B	18th	Apartment	1912 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
389	B	18th	Apartment	1914 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
390	B	18th	Apartment	1915 (A8)	98	57.35	2	15.10	0	0	3937225	3937225	9.5
391	B	18th	Apartment	1916 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
392	B	18th	Apartment	1917 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
393	B	19th	Apartment	2009 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
394	B	19th	Apartment	2010 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
395	B	19th	Apartment	2011 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
396	B	19th	Apartment	2012 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
397	B	19th	Apartment	2014 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
398	B	19th	Apartment	2015 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
399	B	19th	Apartment	2016 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
400	B	19th	Apartment	2017 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
401	B	20th	Apartment	2109 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
402	B	20th	Apartment	2110 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
403	B	20th	Apartment	2111 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
404	B	20th	Apartment	2112 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
405	B	20th	Apartment	2114 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
406	B	20th	Apartment	2115 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
407	B	20th	Apartment	2116 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
408	B	20th	Apartment	2117 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
409	B	21st	Apartment	2209 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
410	B	21st	Apartment	2210 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
411	B	21st	Apartment	2211 (A5)	98	57.37	2	14.97	0	0	3831725	3831725	9.5
412	B	21st	Apartment	2212 (A6)	98	57.17	2	14.72	0	0	0	0	9.5

413	B	21st	Apartment	2214 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
414	B	21st	Apartment	2215 (A8)	98	57.35	2	15.10	0	0	3374013	3374013	0	9.5
415	B	21st	Apartment	2216 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
416	B	21st	Apartment	2217 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
417	B	22nd	Apartment	2309 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
418	B	22nd	Apartment	2310 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
419	B	22nd	Apartment	2311 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
420	B	22nd	Apartment	2312 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
421	B	22nd	Apartment	2314 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
422	B	22nd	Apartment	2315 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
423	B	22nd	Apartment	2316 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
424	B	22nd	Apartment	2317 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
425	B	23rd	Apartment	2409 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
426	B	23rd	Apartment	2410 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
427	B	23rd	Apartment	2411 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
428	B	23rd	Apartment	2412 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
429	B	23rd	Apartment	2414 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
430	B	23rd	Apartment	2415 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
431	B	23rd	Apartment	2416 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
432	B	23rd	Apartment	2417 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
433	B	24th	Apartment	2509 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
434	B	24th	Apartment	2510 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
435	B	24th	Apartment	2511 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
436	B	24th	Apartment	2512 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
437	B	24th	Apartment	2514 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
438	B	24th	Apartment	2515 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
439	B	24th	Apartment	2516 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
440	B	24th	Apartment	2517 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
441	B	25th	Apartment	2609 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
442	B	25th	Apartment	2610 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5
443	B	25th	Apartment	2611 (A5)	98	57.37	2	14.97	0	0	0	0	0	9.5
444	B	25th	Apartment	2612 (A6)	98	57.17	2	14.72	0	0	0	0	0	9.5
445	B	25th	Apartment	2614 (A7)	98	57.72	2	14.72	0	0	0	0	0	9.5
446	B	25th	Apartment	2615 (A8)	98	57.35	2	15.10	0	0	0	0	0	9.5
447	B	25th	Apartment	2616 (A4)	98	57.34	2	14.97	0	0	0	0	0	9.5
448	B	25th	Apartment	2617 (A3)	98	58.32	2	14.97	0	0	0	0	0	9.5
449	B	26th	Apartment	2709 (A2)	98	57.87	2	14.97	0	0	0	0	0	9.5
450	B	26th	Apartment	2710 (A1)	98	57.34	2	14.97	0	0	0	0	0	9.5

451	B	26th	Apartment	2711 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
452	B	26th	Apartment	2712 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
453	B	26th	Apartment	2714 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
454	B	26th	Apartment	2715 (A8)	98	57.35	2	15.10	0	0	3284180	3284180	9.5
455	B	26th	Apartment	2716 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
456	B	26th	Apartment	2717 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
457	B	27th	Apartment	2809 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
458	B	27th	Apartment	2810 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
459	B	27th	Apartment	2811 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
460	B	27th	Apartment	2812 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
461	B	27th	Apartment	2814 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
462	B	27th	Apartment	2815 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
463	B	27th	Apartment	2816 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
464	B	27th	Apartment	2817 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
465	B	28th	Apartment	2909 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
466	B	28th	Apartment	2910 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
467	B	28th	Apartment	2911 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
468	B	28th	Apartment	2912 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
469	B	28th	Apartment	2914 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
470	B	28th	Apartment	2915 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
471	B	28th	Apartment	2916 (A4)	98	57.34	2	14.97	0	0	3231789	3231789	9.5
472	B	28th	Apartment	2917 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
473	B	29th	Apartment	3009 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
474	B	29th	Apartment	3010 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
475	B	29th	Apartment	3011 (A5)	98	57.37	2	14.97	0	0	3270000	3270000	9.5
476	B	29th	Apartment	3012 (A6)	98	57.17	2	14.72	0	0	3270000	3270000	9.5
477	B	29th	Apartment	3014 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
478	B	29th	Apartment	3015 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
479	B	29th	Apartment	3016 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
480	B	29th	Apartment	3017 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
481	B	30th	Apartment	3109 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
482	B	30th	Apartment	3110 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
483	B	30th	Apartment	3111 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
484	B	30th	Apartment	3112 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
485	B	30th	Apartment	3114 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
486	B	30th	Apartment	3115 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
487	B	30th	Apartment	3116 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
488	B	30th	Apartment	3117 (A3)	98	58.32	2	14.97	0	0	0	0	9.5

489	B	31st	Apartment	3209 (A2)	98	57.87	2	14.97	0	0	0	0	9.5
490	B	31st	Apartment	3210 (A1)	98	57.34	2	14.97	0	0	0	0	9.5
491	B	31st	Apartment	3211 (A5)	98	57.37	2	14.97	0	0	0	0	9.5
492	B	31st	Apartment	3212 (A6)	98	57.17	2	14.72	0	0	0	0	9.5
493	B	31st	Apartment	3214 (A7)	98	57.72	2	14.72	0	0	0	0	9.5
494	B	31st	Apartment	3215 (A8)	98	57.35	2	15.10	0	0	0	0	9.5
495	B	31st	Apartment	3216 (A4)	98	57.34	2	14.97	0	0	0	0	9.5
496	B	31st	Apartment	3217 (A3)	98	58.32	2	14.97	0	0	0	0	9.5
497	C	1st	Apartment	118 (A9)	110.10	59.80	0	0	2	19.55	0	0	9.5
498	C	1st	Apartment	119 (A8)	111	59.64	0	0	2	21.46	0	0	9.5
499	C	1st	Apartment	120 (A7)	110.10	59.74	0	0	2	19.34	0	0	9.5
500	C	1st	Apartment	121 (A1)	110.10	59.78	0	0	2	19.48	0	0	9.5
501	C	1st	Apartment	122 (A2)	110.10	59.78	0	0	2	19.48	0	0	9.5
502	C	1st	Apartment	123 (A3)	110.10	59.78	0	0	2	19.48	0	0	9.5
503	C	1st	Apartment	124 (A4)	110.10	59.78	0	0	2	19.48	0	0	9.5
504	C	1st	Apartment	125 (A5)	110.10	59.78	0	0	2	19.48	0	0	9.5
505	C	1st	Apartment	126 (A6)	110.10	59.78	0	0	2	19.48	0	0	9.5
506	C	1st	Apartment	127 (A12)	110.10	59.74	0	0	2	19.36	0	0	9.5
507	C	1st	Apartment	128 (A11)	111	59.64	0	0	2	21.36	0	0	9.5
508	C	1st	Apartment	129 (A10)	110.10	59.77	0	0	2	19.55	0	0	9.5
509	C	2nd	Apartment	218 (A9)	110.10	59.80	2	19.55	0	0	4375000	4375000	9.5
510	C	2nd	Apartment	219 (A8)	111	59.64	2	21.46	0	0	4331824	4331824	9.5
511	C	2nd	Apartment	220 (A7)	110.10	59.74	2	19.34	0	0	4328337	4328337	9.5
512	C	2nd	Apartment	221 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
513	C	2nd	Apartment	222 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
514	C	2nd	Apartment	223 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
515	C	2nd	Apartment	224 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
516	C	2nd	Apartment	225 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
517	C	2nd	Apartment	226 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
518	C	2nd	Apartment	227 (A12)	110.10	59.74	2	19.36	0	0	4300000	4300000	9.5
519	C	2nd	Apartment	228 (A11)	111	59.64	2	21.36	0	0	4473625	4473625	9.5
520	C	2nd	Apartment	229 (A10)	110.10	59.77	2	19.55	0	0	4265592	4265592	9.5
521	C	3rd	Apartment	318 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
522	C	3rd	Apartment	319 (A8)	111	59.64	2	21.46	0	0	4432025	4432025	9.5
523	C	3rd	Apartment	320 (A7)	110.10	59.74	2	19.34	0	0	4348394	4348394	9.5
524	C	3rd	Apartment	321 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
525	C	3rd	Apartment	322 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
526	C	3rd	Apartment	323 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5

527	C	3rd	Apartment	324 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
528	C	3rd	Apartment	325 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
529	C	3rd	Apartment	326 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
530	C	3rd	Apartment	327 (A12)	110.10	59.74	2	19.36	0	0	4350000	4350000	9.5
531	C	3rd	Apartment	328 (A11)	111	59.64	2	21.36	0	0	4406825	4406825	9.5
532	C	3rd	Apartment	329 (A10)	110.10	59.77	2	19.55	0	0	4406833	4406833	9.5
533	C	4th	Apartment	418 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
534	C	4th	Apartment	419 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
535	C	4th	Apartment	420 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
536	C	4th	Apartment	421 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
537	C	4th	Apartment	422 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
538	C	4th	Apartment	423 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
539	C	4th	Apartment	424 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
540	C	4th	Apartment	425 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
541	C	4th	Apartment	426 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
542	C	4th	Apartment	427 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
543	C	4th	Apartment	428 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
544	C	4th	Apartment	429 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
545	C	5th	Apartment	518 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
546	C	5th	Apartment	519 (A8)	111	59.64	2	21.46	0	0	4372275	4372275	9.5
547	C	5th	Apartment	520 (A7)	110.10	59.74	2	19.34	0	0	4700000	4700000	9.5
548	C	5th	Apartment	521 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
549	C	5th	Apartment	522 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
550	C	5th	Apartment	523 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
551	C	5th	Apartment	524 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
552	C	5th	Apartment	525 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
553	C	5th	Apartment	526 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
554	C	5th	Apartment	527 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
555	C	5th	Apartment	528 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
556	C	5th	Apartment	529 (A10)	110.10	59.77	2	19.55	0	0	4288825	4288825	9.5
557	C	6th	Apartment	618 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
558	C	6th	Apartment	619 (A8)	111	59.64	2	21.46	0	0	4312525	4312525	9.5
559	C	6th	Apartment	620 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
560	C	6th	Apartment	621 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
561	C	6th	Apartment	622 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
562	C	6th	Apartment	623 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
563	C	6th	Apartment	624 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
564	C	6th	Apartment	625 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5

565	C	6th	Apartment	626 (A6)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
566	C	6th	Apartment	627 (A12)	110.10	59.74	2	19.36	0	0	4338825	4338825	4338825	9.5
567	C	6th	Apartment	628 (A11)	111	59.64	2	21.36	0	0	0	0	0	9.5
568	C	6th	Apartment	629 (A10)	110.10	59.77	2	19.55	0	0	4700399	4700399	4700399	9.5
569	C	7th	Apartment	718 (A9)	110.10	59.80	2	19.55	0	0	0	0	0	9.5
570	C	7th	Apartment	719 (A8)	111	59.64	2	21.46	0	0	0	0	0	9.5
571	C	7th	Apartment	720 (A7)	110.10	59.74	2	19.34	0	0	0	0	0	9.5
572	C	7th	Apartment	721 (A1)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
573	C	7th	Apartment	722 (A2)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
574	C	7th	Apartment	723 (A3)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
575	C	7th	Apartment	724 (A4)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
576	C	7th	Apartment	725 (A5)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
577	C	7th	Apartment	726 (A6)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
578	C	7th	Apartment	727 (A12)	110.10	59.74	2	19.36	0	0	4230000	4230000	4230000	9.5
579	C	7th	Apartment	728 (A11)	111	59.64	2	21.36	0	0	0	0	0	9.5
580	C	7th	Apartment	729 (A10)	110.10	59.77	2	19.55	0	0	4289144	4289144	4289144	9.5
581	C	8th	Apartment	818 (A9)	110.10	59.80	2	19.55	0	0	0	0	0	9.5
582	C	8th	Apartment	819 (A8)	111	59.64	2	21.46	0	0	0	0	0	9.5
583	C	8th	Apartment	820 (A7)	110.10	59.74	2	19.34	0	0	0	0	0	9.5
584	C	8th	Apartment	821 (A1)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
585	C	8th	Apartment	822 (A2)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
586	C	8th	Apartment	823 (A3)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
587	C	8th	Apartment	824 (A4)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
588	C	8th	Apartment	825 (A5)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
589	C	8th	Apartment	826 (A6)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
590	C	8th	Apartment	827 (A12)	110.10	59.74	2	19.36	0	0	0	0	0	9.5
591	C	8th	Apartment	828 (A11)	111	59.64	2	21.36	0	0	0	0	0	9.5
592	C	8th	Apartment	829 (A10)	110.10	59.77	2	19.55	0	0	4305704	4305704	4305704	9.5
593	C	9th	Apartment	918 (A9)	110.10	59.80	2	19.55	0	0	4154083	4154083	4154083	9.5
594	C	9th	Apartment	919 (A8)	111	59.64	2	21.46	0	0	4252775	4252775	4252775	9.5
595	C	9th	Apartment	920 (A7)	110.10	59.74	2	19.34	0	0	4550000	4550000	4550000	9.5
596	C	9th	Apartment	921 (A1)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
597	C	9th	Apartment	922 (A2)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
598	C	9th	Apartment	923 (A3)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
599	C	9th	Apartment	924 (A4)	110.10	59.78	2	19.48	0	0	0	0	0	9.5
600	C	9th	Apartment	925 (A5)	110.10	59.78	2	19.48	0	0	3960000	3960000	3960000	9.5
601	C	9th	Apartment	926 (A6)	110.10	59.78	2	19.48	0	0	3960000	3960000	3960000	9.5
602	C	9th	Apartment	927 (A12)	110.10	59.74	2	19.36	0	0	4187145	4187145	4187145	9.5

603	C	9th	Apartment	928 (A11)	111	59.64	2	21.36	0	0	4202585	4202585	9.5
604	C	9th	Apartment	929 (A10)	110.10	59.77	2	19.55	0	0	4137204	4137204	9.5
605	C	10th	Apartment	1018 (A9)	110.10	59.80	2	19.55	0	0	4085000	4085000	9.5
606	C	10th	Apartment	1019 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
607	C	10th	Apartment	1020 (A7)	110.10	59.74	2	19.34	0	0	4161075	4161075	9.5
608	C	10th	Apartment	1021 (A1)	110.10	59.78	2	19.48	0	0	4161075	4161075	9.5
609	C	10th	Apartment	1022 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
610	C	10th	Apartment	1023 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
611	C	10th	Apartment	1024 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
612	C	10th	Apartment	1025 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
613	C	10th	Apartment	1026 (A6)	110.10	59.78	2	19.48	0	0	4078273	4078273	9.5
614	C	10th	Apartment	1027 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
615	C	10th	Apartment	1028 (A11)	111	59.64	2	21.36	0	0	4637565	4637565	9.5
616	C	10th	Apartment	1029 (A10)	110.10	59.77	2	19.55	0	0	3754083	3754083	9.5
617	C	11th	Apartment	1118 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
618	C	11th	Apartment	1119 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
619	C	11th	Apartment	1120 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
620	C	11th	Apartment	1121 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
621	C	11th	Apartment	1122 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
622	C	11th	Apartment	1123 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
623	C	11th	Apartment	1124 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
624	C	11th	Apartment	1125 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
625	C	11th	Apartment	1126 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
626	C	11th	Apartment	1127 (A12)	110.10	59.74	2	19.36	0	0	4125000	4125000	9.5
627	C	11th	Apartment	1128 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
628	C	11th	Apartment	1129 (A10)	110.10	59.77	2	19.55	0	0	4170325	4170325	9.5
629	C	12th	Apartment	1218 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
630	C	12th	Apartment	1219 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
631	C	12th	Apartment	1220 (A7)	110.10	59.74	2	19.34	0	0	4087842	4087842	9.5
632	C	12th	Apartment	1221 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
633	C	12th	Apartment	1222 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
634	C	12th	Apartment	1223 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
635	C	12th	Apartment	1224 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
636	C	12th	Apartment	1225 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
637	C	12th	Apartment	1226 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
638	C	12th	Apartment	1227 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
639	C	12th	Apartment	1228 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
640	C	12th	Apartment	1229 (A10)	110.10	59.77	2	19.55	0	0	4220325	4220325	9.5

641	C	13th	Apartment	1418 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
642	C	13th	Apartment	1419 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
643	C	13th	Apartment	1420 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
644	C	13th	Apartment	1421 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
645	C	13th	Apartment	1422 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
646	C	13th	Apartment	1423 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
647	C	13th	Apartment	1424 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
648	C	13th	Apartment	1425 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
649	C	13th	Apartment	1426 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
650	C	13th	Apartment	1427 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
651	C	13th	Apartment	1428 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
652	C	13th	Apartment	1429 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
653	C	14th	Apartment	1518 (A9)	110.10	59.80	2	19.55	0	0	4094715	4094715	9.5
654	C	14th	Apartment	1519 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
655	C	14th	Apartment	1520 (A7)	110.10	59.74	2	19.34	0	0	4476463	4476463	9.5
656	C	14th	Apartment	1521 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
657	C	14th	Apartment	1522 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
658	C	14th	Apartment	1523 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
659	C	14th	Apartment	1524 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
660	C	14th	Apartment	1525 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
661	C	14th	Apartment	1526 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
662	C	14th	Apartment	1527 (A12)	110.10	59.74	2	19.36	0	0	4476463	4476463	9.5
663	C	14th	Apartment	1528 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
664	C	14th	Apartment	1529 (A10)	110.10	59.77	2	19.55	0	0	4044833	4044833	9.5
665	C	15th	Apartment	1618 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
666	C	15th	Apartment	1619 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
667	C	15th	Apartment	1620 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
668	C	15th	Apartment	1621 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
669	C	15th	Apartment	1622 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
670	C	15th	Apartment	1623 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
671	C	15th	Apartment	1624 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
672	C	15th	Apartment	1625 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
673	C	15th	Apartment	1626 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
674	C	15th	Apartment	1627 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
675	C	15th	Apartment	1628 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
676	C	15th	Apartment	1629 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
677	C	16th	Apartment	1718 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
678	C	16th	Apartment	1719 (A8)	111	59.64	2	21.46	0	0	0	0	9.5

679	C	16th	Apartment	1720 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
680	C	16th	Apartment	1721 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
681	C	16th	Apartment	1722 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
682	C	16th	Apartment	1723 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
683	C	16th	Apartment	1724 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
684	C	16th	Apartment	1725 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
685	C	16th	Apartment	1726 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
686	C	16th	Apartment	1727 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
687	C	16th	Apartment	1728 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
688	C	16th	Apartment	1729 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
689	C	17th	Apartment	1818 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
690	C	17th	Apartment	1819 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
691	C	17th	Apartment	1820 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
692	C	17th	Apartment	1821 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
693	C	17th	Apartment	1822 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
694	C	17th	Apartment	1823 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
695	C	17th	Apartment	1824 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
696	C	17th	Apartment	1825 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
697	C	17th	Apartment	1826 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
698	C	17th	Apartment	1827 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
699	C	17th	Apartment	1828 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
700	C	17th	Apartment	1829 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
701	C	18th	Apartment	1918 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
702	C	18th	Apartment	1919 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
703	C	18th	Apartment	1920 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
704	C	18th	Apartment	1921 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
705	C	18th	Apartment	1922 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
706	C	18th	Apartment	1923 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
707	C	18th	Apartment	1924 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
708	C	18th	Apartment	1925 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
709	C	18th	Apartment	1926 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
710	C	18th	Apartment	1927 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
711	C	18th	Apartment	1928 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
712	C	18th	Apartment	1929 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
713	C	19th	Apartment	2018 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
714	C	19th	Apartment	2019 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
715	C	19th	Apartment	2020 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
716	C	19th	Apartment	2021 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5

717	C	19th	Apartment	2022 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
718	C	19th	Apartment	2023 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
719	C	19th	Apartment	2024 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
720	C	19th	Apartment	2025 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
721	C	19th	Apartment	2026 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
722	C	19th	Apartment	2027 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
723	C	19th	Apartment	2028 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
724	C	19th	Apartment	2029 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
725	C	20th	Apartment	2118 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
726	C	20th	Apartment	2119 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
727	C	20th	Apartment	2120 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
728	C	20th	Apartment	2121 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
729	C	20th	Apartment	2122 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
730	C	20th	Apartment	2123 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
731	C	20th	Apartment	2124 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
732	C	20th	Apartment	2125 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
733	C	20th	Apartment	2126 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
734	C	20th	Apartment	2127 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
735	C	20th	Apartment	2128 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
736	C	20th	Apartment	2129 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
737	C	21st	Apartment	2218 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
738	C	21st	Apartment	2219 (A8)	111	59.64	2	21.46	0	0	4139885	4139885	9.5
739	C	21st	Apartment	2220 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
740	C	21st	Apartment	2221 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
741	C	21st	Apartment	2222 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
742	C	21st	Apartment	2223 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
743	C	21st	Apartment	2224 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
744	C	21st	Apartment	2225 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
745	C	21st	Apartment	2226 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
746	C	21st	Apartment	2227 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
747	C	21st	Apartment	2228 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
748	C	21st	Apartment	2229 (A10)	110.10	59.77	2	19.55	0	0	3883963	3883963	9.5
749	C	22nd	Apartment	2318 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
750	C	22nd	Apartment	2319 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
751	C	22nd	Apartment	2320 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
752	C	22nd	Apartment	2321 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
753	C	22nd	Apartment	2322 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
754	C	22nd	Apartment	2323 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5

755	C	22nd	Apartment	2324 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
756	C	22nd	Apartment	2325 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
757	C	22nd	Apartment	2326 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
758	C	22nd	Apartment	2327 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
759	C	22nd	Apartment	2328 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
760	C	22nd	Apartment	2329 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
761	C	23rd	Apartment	2418 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
762	C	23rd	Apartment	2419 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
763	C	23rd	Apartment	2420 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
764	C	23rd	Apartment	2421 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
765	C	23rd	Apartment	2422 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
766	C	23rd	Apartment	2423 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
767	C	23rd	Apartment	2424 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
768	C	23rd	Apartment	2425 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
769	C	23rd	Apartment	2426 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
770	C	23rd	Apartment	2427 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
771	C	23rd	Apartment	2428 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
772	C	23rd	Apartment	2429 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
773	C	24th	Apartment	2518 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
774	C	24th	Apartment	2519 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
775	C	24th	Apartment	2520 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
776	C	24th	Apartment	2521 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
777	C	24th	Apartment	2522 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
778	C	24th	Apartment	2523 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
779	C	24th	Apartment	2524 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
780	C	24th	Apartment	2525 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
781	C	24th	Apartment	2526 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
782	C	24th	Apartment	2527 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
783	C	24th	Apartment	2528 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
784	C	24th	Apartment	2529 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
785	C	25th	Apartment	2618 (A9)	110.10	59.80	2	19.55	0	0	3864825	3864825	9.5
786	C	25th	Apartment	2619 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
787	C	25th	Apartment	2620 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
788	C	25th	Apartment	2621 (A1)	110.10	59.78	2	19.48	0	0	3678550	3678550	9.5
789	C	25th	Apartment	2622 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
790	C	25th	Apartment	2623 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
791	C	25th	Apartment	2624 (A4)	110.10	59.78	2	19.48	0	0	3805575	3805575	9.5
792	C	25th	Apartment	2625 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5

793	C	25th	Apartment	2626 (A6)	110.10	59.78	2	19.48	0	0	3772454	3772454	9.5
794	C	25th	Apartment	2627 (A12)	110.10	59.74	2	19.36	0	0	3765285	3765285	9.5
795	C	25th	Apartment	2628 (A11)	111	59.64	2	21.36	0	0	3794075	3794075	9.5
796	C	25th	Apartment	2629 (A10)	110.10	59.77	2	19.55	0	0	3725950	3725950	9.5
797	C	26th	Apartment	2718 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
798	C	26th	Apartment	2719 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
799	C	26th	Apartment	2720 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
800	C	26th	Apartment	2721 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
801	C	26th	Apartment	2722 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
802	C	26th	Apartment	2723 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
803	C	26th	Apartment	2724 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
804	C	26th	Apartment	2725 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
805	C	26th	Apartment	2726 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
806	C	26th	Apartment	2727 (A12)	110.10	59.74	2	19.36	0	0	3740462	3740462	9.5
807	C	26th	Apartment	2728 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
808	C	26th	Apartment	2729 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
809	C	27th	Apartment	2818 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
810	C	27th	Apartment	2819 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
811	C	27th	Apartment	2820 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
812	C	27th	Apartment	2821 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
813	C	27th	Apartment	2822 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
814	C	27th	Apartment	2823 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
815	C	27th	Apartment	2824 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
816	C	27th	Apartment	2825 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
817	C	27th	Apartment	2826 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
818	C	27th	Apartment	2827 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
819	C	27th	Apartment	2828 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
820	C	27th	Apartment	2829 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
821	C	28th	Apartment	2918 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
822	C	28th	Apartment	2919 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
823	C	28th	Apartment	2920 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
824	C	28th	Apartment	2921 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
825	C	28th	Apartment	2922 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
826	C	28th	Apartment	2923 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
827	C	28th	Apartment	2924 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
828	C	28th	Apartment	2925 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
829	C	28th	Apartment	2926 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
830	C	28th	Apartment	2927 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5

831	C	28th	Apartment	2928 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
832	C	28th	Apartment	2929 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
833	C	29th	Apartment	3018 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
834	C	29th	Apartment	3019 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
835	C	29th	Apartment	3020 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
836	C	29th	Apartment	3021 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
837	C	29th	Apartment	3022 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
838	C	29th	Apartment	3023 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
839	C	29th	Apartment	3024 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
840	C	29th	Apartment	3025 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
841	C	29th	Apartment	3026 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
842	C	29th	Apartment	3027 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
843	C	29th	Apartment	3028 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
844	C	29th	Apartment	3029 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
845	C	30th	Apartment	3118 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
846	C	30th	Apartment	3119 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
847	C	30th	Apartment	3120 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
848	C	30th	Apartment	3121 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
849	C	30th	Apartment	3122 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
850	C	30th	Apartment	3123 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
851	C	30th	Apartment	3124 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
852	C	30th	Apartment	3125 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
853	C	30th	Apartment	3126 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
854	C	30th	Apartment	3127 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
855	C	30th	Apartment	3128 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
856	C	30th	Apartment	3129 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
857	C	31st	Apartment	3218 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
858	C	31st	Apartment	3219 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
859	C	31st	Apartment	3220 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
860	C	31st	Apartment	3221 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
861	C	31st	Apartment	3222 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
862	C	31st	Apartment	3223 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
863	C	31st	Apartment	3224 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
864	C	31st	Apartment	3225 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
865	C	31st	Apartment	3226 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
866	C	31st	Apartment	3227 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
867	C	31st	Apartment	3228 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
868	C	31st	Apartment	3229 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5

869	D	1st	Apartment	130 (A9)	110.10	59.80	0	0	2	19.55	0	0	9.5
870	D	1st	Apartment	131 (A8)	111	59.64	0	0	2	21.46	0	0	9.5
871	D	1st	Apartment	132 (A7)	110.10	59.74	0	0	2	19.34	0	0	9.5
872	D	1st	Apartment	133 (A1)	110.10	59.78	0	0	2	19.48	0	0	9.5
873	D	1st	Apartment	134 (A2)	110.10	59.78	0	0	2	19.48	0	0	9.5
874	D	1st	Apartment	135 (A3)	110.10	59.78	0	0	2	19.48	0	0	9.5
875	D	1st	Apartment	136 (A4)	110.10	59.78	0	0	2	19.48	0	0	9.5
876	D	1st	Apartment	137 (A5)	110.10	59.78	0	0	2	19.48	0	0	9.5
877	D	1st	Apartment	138 (A6)	110.10	59.78	0	0	2	19.48	0	0	9.5
878	D	1st	Apartment	139 (A12)	110.10	59.74	0	0	2	19.36	0	0	9.5
879	D	1st	Apartment	140 (A11)	111	59.64	0	0	2	21.36	0	0	9.5
880	D	1st	Apartment	141 (A10)	110.10	59.77	0	0	2	19.55	0	0	9.5
881	D	2nd	Apartment	230 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
882	D	2nd	Apartment	231 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
883	D	2nd	Apartment	232 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
884	D	2nd	Apartment	233 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
885	D	2nd	Apartment	234 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
886	D	2nd	Apartment	235 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
887	D	2nd	Apartment	236 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
888	D	2nd	Apartment	237 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
889	D	2nd	Apartment	238 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
890	D	2nd	Apartment	239 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
891	D	2nd	Apartment	240 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
892	D	2nd	Apartment	241 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
893	D	3rd	Apartment	330 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
894	D	3rd	Apartment	331 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
895	D	3rd	Apartment	332 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
896	D	3rd	Apartment	333 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
897	D	3rd	Apartment	334 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
898	D	3rd	Apartment	335 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
899	D	3rd	Apartment	336 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
900	D	3rd	Apartment	337 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
901	D	3rd	Apartment	338 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
902	D	3rd	Apartment	339 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
903	D	3rd	Apartment	340 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
904	D	3rd	Apartment	341 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
905	D	4th	Apartment	430 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
906	D	4th	Apartment	431 (A8)	111	59.64	2	21.46	0	0	0	0	9.5

907	D	4th	Apartment	432 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
908	D	4th	Apartment	433 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
909	D	4th	Apartment	434 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
910	D	4th	Apartment	435 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
911	D	4th	Apartment	436 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
912	D	4th	Apartment	437 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
913	D	4th	Apartment	438 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
914	D	4th	Apartment	439 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
915	D	4th	Apartment	440 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
916	D	4th	Apartment	441 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
917	D	5th	Apartment	530 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
918	D	5th	Apartment	531 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
919	D	5th	Apartment	532 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
920	D	5th	Apartment	533 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
921	D	5th	Apartment	534 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
922	D	5th	Apartment	535 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
923	D	5th	Apartment	536 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
924	D	5th	Apartment	537 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
925	D	5th	Apartment	538 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
926	D	5th	Apartment	539 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
927	D	5th	Apartment	540 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
928	D	5th	Apartment	541 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
929	D	6th	Apartment	630 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
930	D	6th	Apartment	631 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
931	D	6th	Apartment	632 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
932	D	6th	Apartment	633 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
933	D	6th	Apartment	634 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
934	D	6th	Apartment	635 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
935	D	6th	Apartment	636 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
936	D	6th	Apartment	637 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
937	D	6th	Apartment	638 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
938	D	6th	Apartment	639 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
939	D	6th	Apartment	640 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
940	D	6th	Apartment	641 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
941	D	7th	Apartment	730 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
942	D	7th	Apartment	731 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
943	D	7th	Apartment	732 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
944	D	7th	Apartment	733 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5

945	D	7th	Apartment	734 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
946	D	7th	Apartment	735 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
947	D	7th	Apartment	736 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
948	D	7th	Apartment	737 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
949	D	7th	Apartment	738 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
950	D	7th	Apartment	739 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
951	D	7th	Apartment	740 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
952	D	7th	Apartment	741 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
953	D	8th	Apartment	830 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
954	D	8th	Apartment	831 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
955	D	8th	Apartment	832 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
956	D	8th	Apartment	833 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
957	D	8th	Apartment	834 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
958	D	8th	Apartment	835 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
959	D	8th	Apartment	836 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
960	D	8th	Apartment	837 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
961	D	8th	Apartment	838 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
962	D	8th	Apartment	839 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
963	D	8th	Apartment	840 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
964	D	8th	Apartment	841 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
965	D	9th	Apartment	930 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
966	D	9th	Apartment	931 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
967	D	9th	Apartment	932 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
968	D	9th	Apartment	933 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
969	D	9th	Apartment	934 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
970	D	9th	Apartment	935 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
971	D	9th	Apartment	936 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
972	D	9th	Apartment	937 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
973	D	9th	Apartment	938 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
974	D	9th	Apartment	939 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
975	D	9th	Apartment	940 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
976	D	9th	Apartment	941 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
977	D	10th	Apartment	1030 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
978	D	10th	Apartment	1031 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
979	D	10th	Apartment	1032 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
980	D	10th	Apartment	1033 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
981	D	10th	Apartment	1034 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
982	D	10th	Apartment	1035 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5

983	D	10th	Apartment	1036 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
984	D	10th	Apartment	1037 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
985	D	10th	Apartment	1038 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
986	D	10th	Apartment	1039 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
987	D	10th	Apartment	1040 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
988	D	10th	Apartment	1041 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
989	D	11th	Apartment	1130 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
990	D	11th	Apartment	1131 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
991	D	11th	Apartment	1132 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
992	D	11th	Apartment	1133 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
993	D	11th	Apartment	1134 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
994	D	11th	Apartment	1135 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
995	D	11th	Apartment	1136 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
996	D	11th	Apartment	1137 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
997	D	11th	Apartment	1138 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
998	D	11th	Apartment	1139 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
999	D	11th	Apartment	1140 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1000	D	11th	Apartment	1141 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1001	D	12th	Apartment	1230 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1002	D	12th	Apartment	1231 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1003	D	12th	Apartment	1232 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1004	D	12th	Apartment	1233 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1005	D	12th	Apartment	1234 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1006	D	12th	Apartment	1235 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1007	D	12th	Apartment	1236 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1008	D	12th	Apartment	1237 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1009	D	12th	Apartment	1238 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1010	D	12th	Apartment	1239 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1011	D	12th	Apartment	1240 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1012	D	12th	Apartment	1241 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1013	D	13th	Apartment	1430 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1014	D	13th	Apartment	1431 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1015	D	13th	Apartment	1432 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1016	D	13th	Apartment	1433 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1017	D	13th	Apartment	1434 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1018	D	13th	Apartment	1435 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1019	D	13th	Apartment	1436 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1020	D	13th	Apartment	1437 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5

1021	D	13th	Apartment	1438 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1022	D	13th	Apartment	1439 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1023	D	13th	Apartment	1440 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1024	D	13th	Apartment	1441 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1025	D	14th	Apartment	1530 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1026	D	14th	Apartment	1531 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1027	D	14th	Apartment	1532 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1028	D	14th	Apartment	1533 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1029	D	14th	Apartment	1534 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1030	D	14th	Apartment	1535 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1031	D	14th	Apartment	1536 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1032	D	14th	Apartment	1537 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1033	D	14th	Apartment	1538 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1034	D	14th	Apartment	1539 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1035	D	14th	Apartment	1540 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1036	D	14th	Apartment	1541 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1037	D	15th	Apartment	1630 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1038	D	15th	Apartment	1631 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1039	D	15th	Apartment	1632 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1040	D	15th	Apartment	1633 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1041	D	15th	Apartment	1634 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1042	D	15th	Apartment	1635 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1043	D	15th	Apartment	1636 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1044	D	15th	Apartment	1637 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1045	D	15th	Apartment	1638 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1046	D	15th	Apartment	1639 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1047	D	15th	Apartment	1640 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1048	D	15th	Apartment	1641 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1049	D	16th	Apartment	1730 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1050	D	16th	Apartment	1731 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1051	D	16th	Apartment	1732 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1052	D	16th	Apartment	1733 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1053	D	16th	Apartment	1734 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1054	D	16th	Apartment	1735 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1055	D	16th	Apartment	1736 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1056	D	16th	Apartment	1737 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1057	D	16th	Apartment	1738 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1058	D	16th	Apartment	1739 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5

1059	D	16th	Apartment	1740 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1060	D	16th	Apartment	1741 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1061	D	17th	Apartment	1830 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1062	D	17th	Apartment	1831 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1063	D	17th	Apartment	1832 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1064	D	17th	Apartment	1833 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1065	D	17th	Apartment	1834 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1066	D	17th	Apartment	1835 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1067	D	17th	Apartment	1836 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1068	D	17th	Apartment	1837 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1069	D	17th	Apartment	1838 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1070	D	17th	Apartment	1839 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1071	D	17th	Apartment	1840 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1072	D	17th	Apartment	1841 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1073	D	18th	Apartment	1930 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1074	D	18th	Apartment	1931 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1075	D	18th	Apartment	1932 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1076	D	18th	Apartment	1933 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1077	D	18th	Apartment	1934 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1078	D	18th	Apartment	1935 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1079	D	18th	Apartment	1936 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1080	D	18th	Apartment	1937 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1081	D	18th	Apartment	1938 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1082	D	18th	Apartment	1939 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1083	D	18th	Apartment	1940 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1084	D	18th	Apartment	1941 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1085	D	19th	Apartment	2030 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1086	D	19th	Apartment	2031 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1087	D	19th	Apartment	2032 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1088	D	19th	Apartment	2033 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1089	D	19th	Apartment	2034 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1090	D	19th	Apartment	2035 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1091	D	19th	Apartment	2036 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1092	D	19th	Apartment	2037 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1093	D	19th	Apartment	2038 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1094	D	19th	Apartment	2039 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1095	D	19th	Apartment	2040 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1096	D	19th	Apartment	2041 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5

1097	D	20th	Apartment	2130 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1098	D	20th	Apartment	2131 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1099	D	20th	Apartment	2132 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1100	D	20th	Apartment	2133 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1101	D	20th	Apartment	2134 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1102	D	20th	Apartment	2135 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1103	D	20th	Apartment	2136 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1104	D	20th	Apartment	2137 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1105	D	20th	Apartment	2138 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1106	D	20th	Apartment	2139 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1107	D	20th	Apartment	2140 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1108	D	20th	Apartment	2141 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1109	D	21st	Apartment	2230 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1110	D	21st	Apartment	2231 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1111	D	21st	Apartment	2232 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1112	D	21st	Apartment	2233 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1113	D	21st	Apartment	2234 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1114	D	21st	Apartment	2235 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1115	D	21st	Apartment	2236 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1116	D	21st	Apartment	2237 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1117	D	21st	Apartment	2238 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1118	D	21st	Apartment	2239 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1119	D	21st	Apartment	2240 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1120	D	21st	Apartment	2241 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1121	D	22nd	Apartment	2330 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1122	D	22nd	Apartment	2331 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1123	D	22nd	Apartment	2332 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1124	D	22nd	Apartment	2333 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1125	D	22nd	Apartment	2334 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1126	D	22nd	Apartment	2335 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1127	D	22nd	Apartment	2336 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1128	D	22nd	Apartment	2337 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1129	D	22nd	Apartment	2338 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1130	D	22nd	Apartment	2339 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1131	D	22nd	Apartment	2340 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1132	D	22nd	Apartment	2341 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1133	D	23rd	Apartment	2430 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1134	D	23rd	Apartment	2431 (A8)	111	59.64	2	21.46	0	0	0	0	9.5

1135	D	23rd	Apartment	2432 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1136	D	23rd	Apartment	2433 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1137	D	23rd	Apartment	2434 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1138	D	23rd	Apartment	2435 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1139	D	23rd	Apartment	2436 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1140	D	23rd	Apartment	2437 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1141	D	23rd	Apartment	2438 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1142	D	23rd	Apartment	2439 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1143	D	23rd	Apartment	2440 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1144	D	23rd	Apartment	2441 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1145	D	24th	Apartment	2530 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1146	D	24th	Apartment	2531 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1147	D	24th	Apartment	2532 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1148	D	24th	Apartment	2533 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1149	D	24th	Apartment	2534 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1150	D	24th	Apartment	2535 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1151	D	24th	Apartment	2536 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1152	D	24th	Apartment	2537 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1153	D	24th	Apartment	2538 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1154	D	24th	Apartment	2539 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1155	D	24th	Apartment	2540 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1156	D	24th	Apartment	2541 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1157	D	25th	Apartment	2630 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1158	D	25th	Apartment	2631 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1159	D	25th	Apartment	2632 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1160	D	25th	Apartment	2633 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1161	D	25th	Apartment	2634 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1162	D	25th	Apartment	2635 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1163	D	25th	Apartment	2636 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1164	D	25th	Apartment	2637 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1165	D	25th	Apartment	2638 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1166	D	25th	Apartment	2639 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1167	D	25th	Apartment	2640 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1168	D	25th	Apartment	2641 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1169	D	26th	Apartment	2730 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1170	D	26th	Apartment	2731 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1171	D	26th	Apartment	2732 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1172	D	26th	Apartment	2733 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5

1173	D	26th	Apartment	2734 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1174	D	26th	Apartment	2735 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1175	D	26th	Apartment	2736 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1176	D	26th	Apartment	2737 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1177	D	26th	Apartment	2738 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1178	D	26th	Apartment	2739 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1179	D	26th	Apartment	2740 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1180	D	26th	Apartment	2741 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1181	D	27th	Apartment	2830 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1182	D	27th	Apartment	2831 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1183	D	27th	Apartment	2832 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1184	D	27th	Apartment	2833 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1185	D	27th	Apartment	2834 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1186	D	27th	Apartment	2835 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1187	D	27th	Apartment	2836 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1188	D	27th	Apartment	2837 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1189	D	27th	Apartment	2838 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1190	D	27th	Apartment	2839 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1191	D	27th	Apartment	2840 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1192	D	27th	Apartment	2841 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1193	D	28th	Apartment	2930 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1194	D	28th	Apartment	2931 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1195	D	28th	Apartment	2932 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1196	D	28th	Apartment	2933 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1197	D	28th	Apartment	2934 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1198	D	28th	Apartment	2935 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1199	D	28th	Apartment	2936 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1200	D	28th	Apartment	2937 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1201	D	28th	Apartment	2938 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1202	D	28th	Apartment	2939 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1203	D	28th	Apartment	2940 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1204	D	28th	Apartment	2941 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1205	D	29th	Apartment	3030 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1206	D	29th	Apartment	3031 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1207	D	29th	Apartment	3032 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1208	D	29th	Apartment	3033 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1209	D	29th	Apartment	3034 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1210	D	29th	Apartment	3035 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5

1211	D	29th	Apartment	3036 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1212	D	29th	Apartment	3037 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1213	D	29th	Apartment	3038 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1214	D	29th	Apartment	3039 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1215	D	29th	Apartment	3040 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1216	D	29th	Apartment	3041 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1217	D	30th	Apartment	3130 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1218	D	30th	Apartment	3131 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1219	D	30th	Apartment	3132 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1220	D	30th	Apartment	3133 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1221	D	30th	Apartment	3134 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1222	D	30th	Apartment	3135 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1223	D	30th	Apartment	3136 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1224	D	30th	Apartment	3137 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1225	D	30th	Apartment	3138 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1226	D	30th	Apartment	3139 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1227	D	30th	Apartment	3140 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1228	D	30th	Apartment	3141 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1229	D	31st	Apartment	3230 (A9)	110.10	59.80	2	19.55	0	0	0	0	9.5
1230	D	31st	Apartment	3231 (A8)	111	59.64	2	21.46	0	0	0	0	9.5
1231	D	31st	Apartment	3232 (A7)	110.10	59.74	2	19.34	0	0	0	0	9.5
1232	D	31st	Apartment	3233 (A1)	110.10	59.78	2	19.48	0	0	0	0	9.5
1233	D	31st	Apartment	3234 (A2)	110.10	59.78	2	19.48	0	0	0	0	9.5
1234	D	31st	Apartment	3235 (A3)	110.10	59.78	2	19.48	0	0	0	0	9.5
1235	D	31st	Apartment	3236 (A4)	110.10	59.78	2	19.48	0	0	0	0	9.5
1236	D	31st	Apartment	3237 (A5)	110.10	59.78	2	19.48	0	0	0	0	9.5
1237	D	31st	Apartment	3238 (A6)	110.10	59.78	2	19.48	0	0	0	0	9.5
1238	D	31st	Apartment	3239 (A12)	110.10	59.74	2	19.36	0	0	0	0	9.5
1239	D	31st	Apartment	3240 (A11)	111	59.64	2	21.36	0	0	0	0	9.5
1240	D	31st	Apartment	3241 (A10)	110.10	59.77	2	19.55	0	0	0	0	9.5
1241	E	1st	Apartment	142 (A6)	110.10	59.81	0	0	2	20.20	0	0	9.5
1242	E	1st	Apartment	143 (A5)	110.10	59.81	0	0	2	20.20	0	0	9.5
1243	E	1st	Apartment	144 (A1)	110.10	59.81	0	0	2	20.20	0	0	9.5
1244	E	1st	Apartment	145 (A2)	110.10	59.81	0	0	2	20.20	0	0	9.5
1245	E	1st	Apartment	146 (A3)	110.10	59.81	0	0	2	20.20	0	0	9.5
1246	E	1st	Apartment	147 (A4)	110.10	59.81	0	0	2	20.20	0	0	9.5
1247	E	1st	Apartment	148 (A8)	110.10	59.81	0	0	2	20.20	0	0	9.5
1248	E	1st	Apartment	149 (A7)	110.10	59.81	0	0	2	20.20	0	0	9.5

1249	E	2nd	Apartment	242 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1250	E	2nd	Apartment	243 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1251	E	2nd	Apartment	244 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1252	E	2nd	Apartment	245 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1253	E	2nd	Apartment	246 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1254	E	2nd	Apartment	247 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1255	E	2nd	Apartment	248 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1256	E	2nd	Apartment	249 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1257	E	3rd	Apartment	342 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1258	E	3rd	Apartment	343 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1259	E	3rd	Apartment	344 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1260	E	3rd	Apartment	345 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1261	E	3rd	Apartment	346 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1262	E	3rd	Apartment	347 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1263	E	3rd	Apartment	348 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1264	E	3rd	Apartment	349 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1265	E	4th	Apartment	442 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1266	E	4th	Apartment	443 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1267	E	4th	Apartment	444 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1268	E	4th	Apartment	445 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1269	E	4th	Apartment	446 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1270	E	4th	Apartment	447 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1271	E	4th	Apartment	448 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1272	E	4th	Apartment	449 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1273	E	5th	Apartment	542 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1274	E	5th	Apartment	543 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1275	E	5th	Apartment	544 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1276	E	5th	Apartment	545 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1277	E	5th	Apartment	546 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1278	E	5th	Apartment	547 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1279	E	5th	Apartment	548 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1280	E	5th	Apartment	549 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1281	E	6th	Apartment	642 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1282	E	6th	Apartment	643 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1283	E	6th	Apartment	644 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1284	E	6th	Apartment	645 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1285	E	6th	Apartment	646 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1286	E	6th	Apartment	647 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5

1287	E	6th	Apartment	648 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1288	E	6th	Apartment	649 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1289	E	7th	Apartment	742 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1290	E	7th	Apartment	743 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1291	E	7th	Apartment	744 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1292	E	7th	Apartment	745 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1293	E	7th	Apartment	746 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1294	E	7th	Apartment	747 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1295	E	7th	Apartment	748 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1296	E	7th	Apartment	749 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1297	E	8th	Apartment	842 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1298	E	8th	Apartment	843 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1299	E	8th	Apartment	844 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1300	E	8th	Apartment	845 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1301	E	8th	Apartment	846 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1302	E	8th	Apartment	847 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1303	E	8th	Apartment	848 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1304	E	8th	Apartment	849 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1305	E	9th	Apartment	942 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1306	E	9th	Apartment	943 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1307	E	9th	Apartment	944 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1308	E	9th	Apartment	945 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1309	E	9th	Apartment	946 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1310	E	9th	Apartment	947 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1311	E	9th	Apartment	948 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1312	E	9th	Apartment	949 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1313	E	10th	Apartment	1042 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1314	E	10th	Apartment	1043 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1315	E	10th	Apartment	1044 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1316	E	10th	Apartment	1045 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1317	E	10th	Apartment	1046 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1318	E	10th	Apartment	1047 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1319	E	10th	Apartment	1048 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1320	E	10th	Apartment	1049 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1321	E	11th	Apartment	1142 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1322	E	11th	Apartment	1143 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1323	E	11th	Apartment	1144 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1324	E	11th	Apartment	1145 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5

1325	E	11th	Apartment	1146 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1326	E	11th	Apartment	1147 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1327	E	11th	Apartment	1148 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1328	E	11th	Apartment	1149 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1329	E	12th	Apartment	1242 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1330	E	12th	Apartment	1243 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1331	E	12th	Apartment	1244 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1332	E	12th	Apartment	1245 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1333	E	12th	Apartment	1246 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1334	E	12th	Apartment	1247 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1335	E	12th	Apartment	1248 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1336	E	12th	Apartment	1249 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1337	E	13th	Apartment	1442 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1338	E	13th	Apartment	1443 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1339	E	13th	Apartment	1444 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1340	E	13th	Apartment	1445 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1341	E	13th	Apartment	1446 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1342	E	13th	Apartment	1447 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1343	E	13th	Apartment	1448 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1344	E	13th	Apartment	1449 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1345	E	14th	Apartment	1542 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1346	E	14th	Apartment	1543 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1347	E	14th	Apartment	1544 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1348	E	14th	Apartment	1545 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1349	E	14th	Apartment	1546 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1350	E	14th	Apartment	1547 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1351	E	14th	Apartment	1548 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1352	E	14th	Apartment	1549 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1353	E	15th	Apartment	1642 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1354	E	15th	Apartment	1643 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1355	E	15th	Apartment	1644 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1356	E	15th	Apartment	1645 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1357	E	15th	Apartment	1646 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1358	E	15th	Apartment	1647 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1359	E	15th	Apartment	1648 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1360	E	15th	Apartment	1649 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1361	E	16th	Apartment	1742 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1362	E	16th	Apartment	1743 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5

1363	E	16th	Apartment	1744 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1364	E	16th	Apartment	1745 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1365	E	16th	Apartment	1746 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1366	E	16th	Apartment	1747 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1367	E	16th	Apartment	1748 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1368	E	16th	Apartment	1749 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1369	E	17th	Apartment	1842 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1370	E	17th	Apartment	1843 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1371	E	17th	Apartment	1844 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1372	E	17th	Apartment	1845 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1373	E	17th	Apartment	1846 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1374	E	17th	Apartment	1847 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1375	E	17th	Apartment	1848 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1376	E	17th	Apartment	1849 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1377	E	18th	Apartment	1942 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1378	E	18th	Apartment	1943 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1379	E	18th	Apartment	1944 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1380	E	18th	Apartment	1945 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1381	E	18th	Apartment	1946 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1382	E	18th	Apartment	1947 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1383	E	18th	Apartment	1948 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1384	E	18th	Apartment	1949 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1385	E	19th	Apartment	2042 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1386	E	19th	Apartment	2043 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1387	E	19th	Apartment	2044 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1388	E	19th	Apartment	2045 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1389	E	19th	Apartment	2046 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1390	E	19th	Apartment	2047 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1391	E	19th	Apartment	2048 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1392	E	19th	Apartment	2049 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1393	E	20th	Apartment	2142 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1394	E	20th	Apartment	2143 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1395	E	20th	Apartment	2144 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1396	E	20th	Apartment	2145 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1397	E	20th	Apartment	2146 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1398	E	20th	Apartment	2147 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1399	E	20th	Apartment	2148 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1400	E	20th	Apartment	2149 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5

1401	E	21st	Apartment	2242 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1402	E	21st	Apartment	2243 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1403	E	21st	Apartment	2244 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1404	E	21st	Apartment	2245 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1405	E	21st	Apartment	2246 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1406	E	21st	Apartment	2247 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1407	E	21st	Apartment	2248 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1408	E	21st	Apartment	2249 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1409	E	22nd	Apartment	2342 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1410	E	22nd	Apartment	2343 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1411	E	22nd	Apartment	2344 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1412	E	22nd	Apartment	2345 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1413	E	22nd	Apartment	2346 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1414	E	22nd	Apartment	2347 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1415	E	22nd	Apartment	2348 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1416	E	22nd	Apartment	2349 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1417	E	23rd	Apartment	2442 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1418	E	23rd	Apartment	2443 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1419	E	23rd	Apartment	2444 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1420	E	23rd	Apartment	2445 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1421	E	23rd	Apartment	2446 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1422	E	23rd	Apartment	2447 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1423	E	23rd	Apartment	2448 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1424	E	23rd	Apartment	2449 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1425	E	24th	Apartment	2542 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1426	E	24th	Apartment	2543 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1427	E	24th	Apartment	2544 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1428	E	24th	Apartment	2545 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1429	E	24th	Apartment	2546 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1430	E	24th	Apartment	2547 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1431	E	24th	Apartment	2548 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1432	E	24th	Apartment	2549 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1433	E	25th	Apartment	2642 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1434	E	25th	Apartment	2643 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1435	E	25th	Apartment	2644 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1436	E	25th	Apartment	2645 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1437	E	25th	Apartment	2646 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1438	E	25th	Apartment	2647 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5

1439	E	25th	Apartment	2648 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1440	E	25th	Apartment	2649 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1441	E	26th	Apartment	2742 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1442	E	26th	Apartment	2743 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1443	E	26th	Apartment	2744 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1444	E	26th	Apartment	2745 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1445	E	26th	Apartment	2746 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1446	E	26th	Apartment	2747 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1447	E	26th	Apartment	2748 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1448	E	26th	Apartment	2749 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1449	E	27th	Apartment	2842 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1450	E	27th	Apartment	2843 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1451	E	27th	Apartment	2844 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1452	E	27th	Apartment	2845 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1453	E	27th	Apartment	2846 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1454	E	27th	Apartment	2847 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1455	E	27th	Apartment	2848 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1456	E	27th	Apartment	2849 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1457	E	28th	Apartment	2942 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1458	E	28th	Apartment	2943 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1459	E	28th	Apartment	2944 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1460	E	28th	Apartment	2945 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1461	E	28th	Apartment	2946 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1462	E	28th	Apartment	2947 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1463	E	28th	Apartment	2948 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1464	E	28th	Apartment	2949 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1465	E	29th	Apartment	3042 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1466	E	29th	Apartment	3043 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1467	E	29th	Apartment	3044 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1468	E	29th	Apartment	3045 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1469	E	29th	Apartment	3046 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1470	E	29th	Apartment	3047 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1471	E	29th	Apartment	3048 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1472	E	29th	Apartment	3049 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1473	E	30th	Apartment	3142 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1474	E	30th	Apartment	3143 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1475	E	30th	Apartment	3144 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1476	E	30th	Apartment	3145 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5

1477	E	30th	Apartment	3146 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1478	E	30th	Apartment	3147 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1479	E	30th	Apartment	3148 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1480	E	30th	Apartment	3149 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1481	E	31st	Apartment	3242 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1482	E	31st	Apartment	3243 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1483	E	31st	Apartment	3244 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1484	E	31st	Apartment	3245 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1485	E	31st	Apartment	3246 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1486	E	31st	Apartment	3247 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1487	E	31st	Apartment	3248 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1488	E	31st	Apartment	3249 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1489	F	1st	Apartment	150 (A6)	110.10	59.81	0	0	2	20.20	0	0	9.5
1490	F	1st	Apartment	151 (A5)	110.10	59.81	0	0	2	20.20	0	0	9.5
1491	F	1st	Apartment	152 (A1)	110.10	59.81	0	0	2	20.20	0	0	9.5
1492	F	1st	Apartment	153 (A2)	110.10	59.81	0	0	2	20.20	0	0	9.5
1493	F	1st	Apartment	154 (A3)	110.10	59.81	0	0	2	20.20	0	0	9.5
1494	F	1st	Apartment	155 (A4)	110.10	59.81	0	0	2	20.20	0	0	9.5
1495	F	1st	Apartment	156 (A8)	110.10	59.81	0	0	2	20.20	0	0	9.5
1496	F	1st	Apartment	157 (A7)	110.10	59.81	0	0	2	20.20	0	0	9.5
1497	F	2nd	Apartment	250 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1498	F	2nd	Apartment	251 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1499	F	2nd	Apartment	252 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1500	F	2nd	Apartment	253 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1501	F	2nd	Apartment	254 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1502	F	2nd	Apartment	255 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1503	F	2nd	Apartment	256 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1504	F	2nd	Apartment	257 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1505	F	3rd	Apartment	350 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1506	F	3rd	Apartment	351 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1507	F	3rd	Apartment	352 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1508	F	3rd	Apartment	353 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1509	F	3rd	Apartment	354 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1510	F	3rd	Apartment	355 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1511	F	3rd	Apartment	356 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1512	F	3rd	Apartment	357 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1513	F	4th	Apartment	450 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1514	F	4th	Apartment	451 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5

1515	F	4th	Apartment	452 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1516	F	4th	Apartment	453 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1517	F	4th	Apartment	454 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1518	F	4th	Apartment	455 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1519	F	4th	Apartment	456 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1520	F	4th	Apartment	457 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1521	F	5th	Apartment	550 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1522	F	5th	Apartment	551 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1523	F	5th	Apartment	552 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1524	F	5th	Apartment	553 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1525	F	5th	Apartment	554 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1526	F	5th	Apartment	555 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1527	F	5th	Apartment	556 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1528	F	5th	Apartment	557 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1529	F	6th	Apartment	650 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1530	F	6th	Apartment	651 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1531	F	6th	Apartment	652 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1532	F	6th	Apartment	653 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1533	F	6th	Apartment	654 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1534	F	6th	Apartment	655 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1535	F	6th	Apartment	656 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1536	F	6th	Apartment	657 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1537	F	7th	Apartment	750 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1538	F	7th	Apartment	751 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1539	F	7th	Apartment	752 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1540	F	7th	Apartment	753 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1541	F	7th	Apartment	754 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1542	F	7th	Apartment	755 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1543	F	7th	Apartment	756 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1544	F	7th	Apartment	757 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1545	F	8th	Apartment	850 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1546	F	8th	Apartment	851 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1547	F	8th	Apartment	852 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1548	F	8th	Apartment	853 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1549	F	8th	Apartment	854 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1550	F	8th	Apartment	855 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1551	F	8th	Apartment	856 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1552	F	8th	Apartment	857 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5

1553	F	9th	Apartment	950 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1554	F	9th	Apartment	951 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1555	F	9th	Apartment	952 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1556	F	9th	Apartment	953 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1557	F	9th	Apartment	954 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1558	F	9th	Apartment	955 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1559	F	9th	Apartment	956 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1560	F	9th	Apartment	957 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1561	F	10th	Apartment	1050 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1562	F	10th	Apartment	1051 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1563	F	10th	Apartment	1052 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1564	F	10th	Apartment	1053 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1565	F	10th	Apartment	1054 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1566	F	10th	Apartment	1055 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1567	F	10th	Apartment	1056 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1568	F	10th	Apartment	1057 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1569	F	11th	Apartment	1150 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1570	F	11th	Apartment	1151 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1571	F	11th	Apartment	1152 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1572	F	11th	Apartment	1153 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1573	F	11th	Apartment	1154 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1574	F	11th	Apartment	1155 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1575	F	11th	Apartment	1156 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1576	F	11th	Apartment	1157 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1577	F	12th	Apartment	1250 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1578	F	12th	Apartment	1251 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1579	F	12th	Apartment	1252 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1580	F	12th	Apartment	1253 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1581	F	12th	Apartment	1254 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1582	F	12th	Apartment	1255 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1583	F	12th	Apartment	1256 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1584	F	12th	Apartment	1257 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1585	F	13th	Apartment	1450 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1586	F	13th	Apartment	1451 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1587	F	13th	Apartment	1452 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1588	F	13th	Apartment	1453 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1589	F	13th	Apartment	1454 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1590	F	13th	Apartment	1455 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5

1591	F	13th	Apartment	1456 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1592	F	13th	Apartment	1457 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1593	F	14th	Apartment	1550 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1594	F	14th	Apartment	1551 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1595	F	14th	Apartment	1552 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1596	F	14th	Apartment	1553 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1597	F	14th	Apartment	1554 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1598	F	14th	Apartment	1555 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1599	F	14th	Apartment	1556 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1600	F	14th	Apartment	1557 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1601	F	15th	Apartment	1650 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1602	F	15th	Apartment	1651 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1603	F	15th	Apartment	1652 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1604	F	15th	Apartment	1653 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1605	F	15th	Apartment	1654 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1606	F	15th	Apartment	1655 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1607	F	15th	Apartment	1656 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1608	F	15th	Apartment	1657 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1609	F	16th	Apartment	1750 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1610	F	16th	Apartment	1751 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1611	F	16th	Apartment	1752 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1612	F	16th	Apartment	1753 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1613	F	16th	Apartment	1754 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1614	F	16th	Apartment	1755 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1615	F	16th	Apartment	1756 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1616	F	16th	Apartment	1757 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1617	F	17th	Apartment	1850 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1618	F	17th	Apartment	1851 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1619	F	17th	Apartment	1852 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1620	F	17th	Apartment	1853 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1621	F	17th	Apartment	1854 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1622	F	17th	Apartment	1855 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1623	F	17th	Apartment	1856 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1624	F	17th	Apartment	1857 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1625	F	18th	Apartment	1950 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1626	F	18th	Apartment	1951 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1627	F	18th	Apartment	1952 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1628	F	18th	Apartment	1953 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5

1629	F	18th	Apartment	1954 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1630	F	18th	Apartment	1955 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1631	F	18th	Apartment	1956 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1632	F	18th	Apartment	1957 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1633	F	19th	Apartment	2050 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1634	F	19th	Apartment	2051 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1635	F	19th	Apartment	2052 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1636	F	19th	Apartment	2053 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1637	F	19th	Apartment	2054 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1638	F	19th	Apartment	2055 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1639	F	19th	Apartment	2056 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1640	F	19th	Apartment	2057 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1641	F	20th	Apartment	2150 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1642	F	20th	Apartment	2151 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1643	F	20th	Apartment	2152 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1644	F	20th	Apartment	2153 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1645	F	20th	Apartment	2154 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1646	F	20th	Apartment	2155 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1647	F	20th	Apartment	2156 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1648	F	20th	Apartment	2157 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1649	F	21st	Apartment	2250 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1650	F	21st	Apartment	2251 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1651	F	21st	Apartment	2252 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1652	F	21st	Apartment	2253 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1653	F	21st	Apartment	2254 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1654	F	21st	Apartment	2255 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1655	F	21st	Apartment	2256 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1656	F	21st	Apartment	2257 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1657	F	22nd	Apartment	2350 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1658	F	22nd	Apartment	2351 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1659	F	22nd	Apartment	2352 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1660	F	22nd	Apartment	2353 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1661	F	22nd	Apartment	2354 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1662	F	22nd	Apartment	2355 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1663	F	22nd	Apartment	2356 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1664	F	22nd	Apartment	2357 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1665	F	23rd	Apartment	2450 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1666	F	23rd	Apartment	2451 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5

1667	F	23rd	Apartment	2452 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1668	F	23rd	Apartment	2453 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1669	F	23rd	Apartment	2454 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1670	F	23rd	Apartment	2455 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1671	F	23rd	Apartment	2456 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1672	F	23rd	Apartment	2457 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1673	F	24th	Apartment	2550 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1674	F	24th	Apartment	2551 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1675	F	24th	Apartment	2552 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1676	F	24th	Apartment	2553 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1677	F	24th	Apartment	2554 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1678	F	24th	Apartment	2555 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1679	F	24th	Apartment	2556 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1680	F	24th	Apartment	2557 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1681	F	25th	Apartment	2650 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1682	F	25th	Apartment	2651 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1683	F	25th	Apartment	2652 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1684	F	25th	Apartment	2653 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1685	F	25th	Apartment	2654 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1686	F	25th	Apartment	2655 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1687	F	25th	Apartment	2656 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1688	F	25th	Apartment	2657 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1689	F	26th	Apartment	2750 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1690	F	26th	Apartment	2751 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1691	F	26th	Apartment	2752 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1692	F	26th	Apartment	2753 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1693	F	26th	Apartment	2754 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1694	F	26th	Apartment	2755 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1695	F	26th	Apartment	2756 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1696	F	26th	Apartment	2757 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1697	F	27th	Apartment	2850 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1698	F	27th	Apartment	2851 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1699	F	27th	Apartment	2852 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1700	F	27th	Apartment	2853 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1701	F	27th	Apartment	2854 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1702	F	27th	Apartment	2855 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1703	F	27th	Apartment	2856 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1704	F	27th	Apartment	2857 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5

1705	F	28th	Apartment	2950 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1706	F	28th	Apartment	2951 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1707	F	28th	Apartment	2952 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1708	F	28th	Apartment	2953 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1709	F	28th	Apartment	2954 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1710	F	28th	Apartment	2955 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1711	F	28th	Apartment	2956 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1712	F	28th	Apartment	2957 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1713	F	29th	Apartment	3050 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1714	F	29th	Apartment	3051 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1715	F	29th	Apartment	3052 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1716	F	29th	Apartment	3053 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1717	F	29th	Apartment	3054 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1718	F	29th	Apartment	3055 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1719	F	29th	Apartment	3056 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1720	F	29th	Apartment	3057 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1721	F	30th	Apartment	3150 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1722	F	30th	Apartment	3151 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1723	F	30th	Apartment	3152 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1724	F	30th	Apartment	3153 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1725	F	30th	Apartment	3154 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1726	F	30th	Apartment	3155 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1727	F	30th	Apartment	3156 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1728	F	30th	Apartment	3157 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1729	F	31st	Apartment	3250 (A6)	110.10	59.81	2	20.20	0	0	0	0	9.5
1730	F	31st	Apartment	3251 (A5)	110.10	59.81	2	20.20	0	0	0	0	9.5
1731	F	31st	Apartment	3252 (A1)	110.10	59.81	2	20.20	0	0	0	0	9.5
1732	F	31st	Apartment	3253 (A2)	110.10	59.81	2	20.20	0	0	0	0	9.5
1733	F	31st	Apartment	3254 (A3)	110.10	59.81	2	20.20	0	0	0	0	9.5
1734	F	31st	Apartment	3255 (A4)	110.10	59.81	2	20.20	0	0	0	0	9.5
1735	F	31st	Apartment	3256 (A8)	110.10	59.81	2	20.20	0	0	0	0	9.5
1736	F	31st	Apartment	3257 (A7)	110.10	59.81	2	20.20	0	0	0	0	9.5
1737	G	1st	Apartment	158 (A6)	87.80	48.53	0	0	2	13.95	0	0	9.5
1738	G	1st	Apartment	159 (A5)	87.80	49.52	0	0	2	13.95	0	0	9.5
1739	G	1st	Apartment	160 (A1)	88.73	49.23	0	0	2	15.95	0	0	9.5
1740	G	1st	Apartment	161 (A2)	88.73	48.48	0	0	2	15.03	0	0	9.5
1741	G	1st	Apartment	162 (A3)	88.73	48.41	0	0	2	15.03	0	0	9.5
1742	G	1st	Apartment	163 (A4)	88.73	48.40	0	0	2	15.95	0	0	9.5

1743	G	1st	Apartment	164 (A8)	87.80	48.52	0	0	2	13.95	0	0	9.5
1744	G	1st	Apartment	165 (A7)	87.80	48.57	0	0	2	13.95	0	0	9.5
1745	G	2nd	Apartment	258 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1746	G	2nd	Apartment	259 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1747	G	2nd	Apartment	260 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1748	G	2nd	Apartment	261 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1749	G	2nd	Apartment	262 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1750	G	2nd	Apartment	263 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1751	G	2nd	Apartment	264 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1752	G	2nd	Apartment	265 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1753	G	3rd	Apartment	358 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1754	G	3rd	Apartment	359 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1755	G	3rd	Apartment	360 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1756	G	3rd	Apartment	361 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1757	G	3rd	Apartment	362 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1758	G	3rd	Apartment	363 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1759	G	3rd	Apartment	364 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1760	G	3rd	Apartment	365 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1761	G	4th	Apartment	458 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1762	G	4th	Apartment	459 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1763	G	4th	Apartment	460 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1764	G	4th	Apartment	461 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1765	G	4th	Apartment	462 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1766	G	4th	Apartment	463 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1767	G	4th	Apartment	464 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1768	G	4th	Apartment	465 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1769	G	5th	Apartment	558 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1770	G	5th	Apartment	559 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1771	G	5th	Apartment	560 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1772	G	5th	Apartment	561 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1773	G	5th	Apartment	562 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1774	G	5th	Apartment	563 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1775	G	5th	Apartment	564 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1776	G	5th	Apartment	565 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1777	G	6th	Apartment	658 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1778	G	6th	Apartment	659 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1779	G	6th	Apartment	660 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1780	G	6th	Apartment	661 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5

1781	G	6th	Apartment	662 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1782	G	6th	Apartment	663 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1783	G	6th	Apartment	664 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1784	G	6th	Apartment	665 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1785	G	7th	Apartment	758 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1786	G	7th	Apartment	759 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1787	G	7th	Apartment	760 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1788	G	7th	Apartment	761 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1789	G	7th	Apartment	762 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1790	G	7th	Apartment	763 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1791	G	7th	Apartment	764 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1792	G	7th	Apartment	765 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1793	G	8th	Apartment	858 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1794	G	8th	Apartment	859 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1795	G	8th	Apartment	860 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1796	G	8th	Apartment	861 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1797	G	8th	Apartment	862 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1798	G	8th	Apartment	863 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1799	G	8th	Apartment	864 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1800	G	8th	Apartment	865 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1801	G	9th	Apartment	958 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1802	G	9th	Apartment	959 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1803	G	9th	Apartment	960 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1804	G	9th	Apartment	961 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1805	G	9th	Apartment	962 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1806	G	9th	Apartment	963 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1807	G	9th	Apartment	964 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1808	G	9th	Apartment	965 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1809	G	10th	Apartment	1058 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1810	G	10th	Apartment	1059 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1811	G	10th	Apartment	1060 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1812	G	10th	Apartment	1061 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1813	G	10th	Apartment	1062 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1814	G	10th	Apartment	1063 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1815	G	10th	Apartment	1064 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1816	G	10th	Apartment	1065 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1817	G	11th	Apartment	1158 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1818	G	11th	Apartment	1159 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5

1819	G	11th	Apartment	1160 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1820	G	11th	Apartment	1161 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1821	G	11th	Apartment	1162 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1822	G	11th	Apartment	1163 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1823	G	11th	Apartment	1164 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1824	G	11th	Apartment	1165 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1825	G	12th	Apartment	1258 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1826	G	12th	Apartment	1259 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1827	G	12th	Apartment	1260 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1828	G	12th	Apartment	1261 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1829	G	12th	Apartment	1262 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1830	G	12th	Apartment	1263 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1831	G	12th	Apartment	1264 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1832	G	12th	Apartment	1265 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1833	G	13th	Apartment	1458 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1834	G	13th	Apartment	1459 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1835	G	13th	Apartment	1460 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1836	G	13th	Apartment	1461 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1837	G	13th	Apartment	1462 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1838	G	13th	Apartment	1463 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1839	G	13th	Apartment	1464 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1840	G	13th	Apartment	1465 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1841	G	14th	Apartment	1558 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1842	G	14th	Apartment	1559 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1843	G	14th	Apartment	1560 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1844	G	14th	Apartment	1561 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1845	G	14th	Apartment	1562 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1846	G	14th	Apartment	1563 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1847	G	14th	Apartment	1564 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1848	G	14th	Apartment	1565 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1849	G	15th	Apartment	1658 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1850	G	15th	Apartment	1659 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1851	G	15th	Apartment	1660 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1852	G	15th	Apartment	1661 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1853	G	15th	Apartment	1662 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1854	G	15th	Apartment	1663 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1855	G	15th	Apartment	1664 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1856	G	15th	Apartment	1665 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5

1857	G	16th	Apartment	1758 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1858	G	16th	Apartment	1759 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1859	G	16th	Apartment	1760 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1860	G	16th	Apartment	1761 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1861	G	16th	Apartment	1762 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1862	G	16th	Apartment	1763 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1863	G	16th	Apartment	1764 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1864	G	16th	Apartment	1765 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1865	G	17th	Apartment	1858 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1866	G	17th	Apartment	1859 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1867	G	17th	Apartment	1860 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1868	G	17th	Apartment	1861 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1869	G	17th	Apartment	1862 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1870	G	17th	Apartment	1863 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1871	G	17th	Apartment	1864 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1872	G	17th	Apartment	1865 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1873	G	18th	Apartment	1958 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1874	G	18th	Apartment	1959 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1875	G	18th	Apartment	1960 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1876	G	18th	Apartment	1961 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1877	G	18th	Apartment	1962 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1878	G	18th	Apartment	1963 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1879	G	18th	Apartment	1964 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1880	G	18th	Apartment	1965 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1881	G	19th	Apartment	2058 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1882	G	19th	Apartment	2059 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1883	G	19th	Apartment	2060 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1884	G	19th	Apartment	2061 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1885	G	19th	Apartment	2062 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1886	G	19th	Apartment	2063 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1887	G	19th	Apartment	2064 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1888	G	19th	Apartment	2065 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1889	G	20th	Apartment	2158 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1890	G	20th	Apartment	2159 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1891	G	20th	Apartment	2160 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1892	G	20th	Apartment	2161 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1893	G	20th	Apartment	2162 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1894	G	20th	Apartment	2163 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5

1895	G	20th	Apartment	2164 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1896	G	20th	Apartment	2165 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1897	G	21st	Apartment	2258 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1898	G	21st	Apartment	2259 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1899	G	21st	Apartment	2260 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1900	G	21st	Apartment	2261 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1901	G	21st	Apartment	2262 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1902	G	21st	Apartment	2263 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1903	G	21st	Apartment	2264 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1904	G	21st	Apartment	2265 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1905	G	22nd	Apartment	2358 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1906	G	22nd	Apartment	2359 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1907	G	22nd	Apartment	2360 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1908	G	22nd	Apartment	2361 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1909	G	22nd	Apartment	2362 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1910	G	22nd	Apartment	2363 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1911	G	22nd	Apartment	2364 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1912	G	22nd	Apartment	2365 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1913	G	23rd	Apartment	2458 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1914	G	23rd	Apartment	2459 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1915	G	23rd	Apartment	2460 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1916	G	23rd	Apartment	2461 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1917	G	23rd	Apartment	2462 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1918	G	23rd	Apartment	2463 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1919	G	23rd	Apartment	2464 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1920	G	23rd	Apartment	2465 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1921	G	24th	Apartment	2558 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1922	G	24th	Apartment	2559 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1923	G	24th	Apartment	2560 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1924	G	24th	Apartment	2561 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1925	G	24th	Apartment	2562 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1926	G	24th	Apartment	2563 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1927	G	24th	Apartment	2564 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1928	G	24th	Apartment	2565 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1929	G	25th	Apartment	2658 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1930	G	25th	Apartment	2659 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1931	G	25th	Apartment	2660 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1932	G	25th	Apartment	2661 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5

1933	G	25th	Apartment	2662 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1934	G	25th	Apartment	2663 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1935	G	25th	Apartment	2664 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1936	G	25th	Apartment	2665 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1937	G	26th	Apartment	2758 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1938	G	26th	Apartment	2759 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1939	G	26th	Apartment	2760 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1940	G	26th	Apartment	2761 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1941	G	26th	Apartment	2762 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1942	G	26th	Apartment	2763 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1943	G	26th	Apartment	2764 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1944	G	26th	Apartment	2765 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1945	G	27th	Apartment	2858 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1946	G	27th	Apartment	2859 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1947	G	27th	Apartment	2860 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1948	G	27th	Apartment	2861 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1949	G	27th	Apartment	2862 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1950	G	27th	Apartment	2863 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1951	G	27th	Apartment	2864 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1952	G	27th	Apartment	2865 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1953	G	28th	Apartment	2958 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1954	G	28th	Apartment	2959 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1955	G	28th	Apartment	2960 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1956	G	28th	Apartment	2961 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1957	G	28th	Apartment	2962 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1958	G	28th	Apartment	2963 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1959	G	28th	Apartment	2964 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1960	G	28th	Apartment	2965 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1961	G	29th	Apartment	3058 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1962	G	29th	Apartment	3059 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1963	G	29th	Apartment	3060 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1964	G	29th	Apartment	3061 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1965	G	29th	Apartment	3062 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1966	G	29th	Apartment	3063 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1967	G	29th	Apartment	3064 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1968	G	29th	Apartment	3065 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1969	G	30th	Apartment	3158 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1970	G	30th	Apartment	3159 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5

1971	G	30th	Apartment	3160 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1972	G	30th	Apartment	3161 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1973	G	30th	Apartment	3162 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1974	G	30th	Apartment	3163 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1975	G	30th	Apartment	3164 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1976	G	30th	Apartment	3165 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1977	G	31st	Apartment	3258 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1978	G	31st	Apartment	3259 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1979	G	31st	Apartment	3260 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1980	G	31st	Apartment	3261 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1981	G	31st	Apartment	3262 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1982	G	31st	Apartment	3263 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1983	G	31st	Apartment	3264 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
1984	G	31st	Apartment	3265 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
1985	H	1st	Apartment	166 (A6)	87.80	48.53	0	0	2	13.95	0	0	9.5
1986	H	1st	Apartment	167 (A5)	87.80	49.52	0	0	2	13.95	0	0	9.5
1987	H	1st	Apartment	168 (A1)	88.73	49.23	0	0	2	15.95	0	0	9.5
1988	H	1st	Apartment	169 (A2)	88.73	48.48	0	0	2	15.03	0	0	9.5
1989	H	1st	Apartment	170 (A3)	88.73	48.41	0	0	2	15.03	0	0	9.5
1990	H	1st	Apartment	171 (A4)	88.73	48.40	0	0	2	15.95	0	0	9.5
1991	H	1st	Apartment	172 (A8)	87.80	48.52	0	0	2	13.95	0	0	9.5
1992	H	1st	Apartment	173 (A7)	87.80	48.57	0	0	2	13.95	0	0	9.5
1993	H	2nd	Apartment	266 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
1994	H	2nd	Apartment	267 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
1995	H	2nd	Apartment	268 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
1996	H	2nd	Apartment	269 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
1997	H	2nd	Apartment	270 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
1998	H	2nd	Apartment	271 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
1999	H	2nd	Apartment	272 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2000	H	2nd	Apartment	273 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2001	H	3rd	Apartment	366 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2002	H	3rd	Apartment	367 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2003	H	3rd	Apartment	368 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2004	H	3rd	Apartment	369 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2005	H	3rd	Apartment	370 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2006	H	3rd	Apartment	371 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2007	H	3rd	Apartment	372 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2008	H	3rd	Apartment	373 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5

2009	H	4th	Apartment	466 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2010	H	4th	Apartment	467 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2011	H	4th	Apartment	468 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2012	H	4th	Apartment	469 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2013	H	4th	Apartment	470 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2014	H	4th	Apartment	471 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2015	H	4th	Apartment	472 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2016	H	4th	Apartment	473 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2017	H	5th	Apartment	566 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2018	H	5th	Apartment	567 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2019	H	5th	Apartment	568 (A1)	88.73	49.23	2	15.95	0	0	3519475	3519475	9.5
2020	H	5th	Apartment	569 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2021	H	5th	Apartment	570 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2022	H	5th	Apartment	571 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2023	H	5th	Apartment	572 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2024	H	5th	Apartment	573 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2025	H	6th	Apartment	666 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2026	H	6th	Apartment	667 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2027	H	6th	Apartment	668 (A1)	88.73	49.23	2	15.95	0	0	2639398	2639398	9.5
2028	H	6th	Apartment	669 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2029	H	6th	Apartment	670 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2030	H	6th	Apartment	671 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2031	H	6th	Apartment	672 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2032	H	6th	Apartment	673 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2033	H	7th	Apartment	766 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2034	H	7th	Apartment	767 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2035	H	7th	Apartment	768 (A1)	88.73	49.23	2	15.95	0	0	2639398	2639398	9.5
2036	H	7th	Apartment	769 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2037	H	7th	Apartment	770 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2038	H	7th	Apartment	771 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2039	H	7th	Apartment	772 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2040	H	7th	Apartment	773 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2041	H	8th	Apartment	866 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2042	H	8th	Apartment	867 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2043	H	8th	Apartment	868 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2044	H	8th	Apartment	869 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2045	H	8th	Apartment	870 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2046	H	8th	Apartment	871 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5

2047	H	8th	Apartment	872 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2048	H	8th	Apartment	873 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2049	H	9th	Apartment	966 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2050	H	9th	Apartment	967 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2051	H	9th	Apartment	968 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2052	H	9th	Apartment	969 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2053	H	9th	Apartment	970 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2054	H	9th	Apartment	971 (A4)	88.73	48.40	2	15.95	0	0	3328475	3328475	9.5
2055	H	9th	Apartment	972 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2056	H	9th	Apartment	973 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2057	H	10th	Apartment	1066 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2058	H	10th	Apartment	1067 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2059	H	10th	Apartment	1068 (A1)	88.73	49.23	2	15.95	0	0	3423975	3423975	9.5
2060	H	10th	Apartment	1069 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2061	H	10th	Apartment	1070 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2062	H	10th	Apartment	1071 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2063	H	10th	Apartment	1072 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2064	H	10th	Apartment	1073 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2065	H	11th	Apartment	1166 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2066	H	11th	Apartment	1167 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2067	H	11th	Apartment	1168 (A1)	88.73	49.23	2	15.95	0	0	3758225	3758225	9.5
2068	H	11th	Apartment	1169 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2069	H	11th	Apartment	1170 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2070	H	11th	Apartment	1171 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2071	H	11th	Apartment	1172 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2072	H	11th	Apartment	1173 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2073	H	12th	Apartment	1266 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2074	H	12th	Apartment	1267 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2075	H	12th	Apartment	1268 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2076	H	12th	Apartment	1269 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2077	H	12th	Apartment	1270 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2078	H	12th	Apartment	1271 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2079	H	12th	Apartment	1272 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2080	H	12th	Apartment	1273 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2081	H	13th	Apartment	1466 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2082	H	13th	Apartment	1467 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2083	H	13th	Apartment	1468 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2084	H	13th	Apartment	1469 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5

2085	H	13th	Apartment	1470 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2086	H	13th	Apartment	1471 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2087	H	13th	Apartment	1472 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2088	H	13th	Apartment	1473 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2089	H	14th	Apartment	1566 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2090	H	14th	Apartment	1567 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2091	H	14th	Apartment	1568 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2092	H	14th	Apartment	1569 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2093	H	14th	Apartment	1570 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2094	H	14th	Apartment	1571 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2095	H	14th	Apartment	1572 (A8)	87.80	48.52	2	13.95	0	0	3148362	3148362	9.5
2096	H	14th	Apartment	1573 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2097	H	15th	Apartment	1666 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2098	H	15th	Apartment	1667 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2099	H	15th	Apartment	1668 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2100	H	15th	Apartment	1669 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2101	H	15th	Apartment	1670 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2102	H	15th	Apartment	1671 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2103	H	15th	Apartment	1672 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2104	H	15th	Apartment	1673 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2105	H	16th	Apartment	1766 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2106	H	16th	Apartment	1767 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2107	H	16th	Apartment	1768 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2108	H	16th	Apartment	1769 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2109	H	16th	Apartment	1770 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2110	H	16th	Apartment	1771 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2111	H	16th	Apartment	1772 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2112	H	16th	Apartment	1773 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2113	H	17th	Apartment	1866 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2114	H	17th	Apartment	1867 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2115	H	17th	Apartment	1868 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2116	H	17th	Apartment	1869 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2117	H	17th	Apartment	1870 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2118	H	17th	Apartment	1871 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2119	H	17th	Apartment	1872 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2120	H	17th	Apartment	1873 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2121	H	18th	Apartment	1966 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2122	H	18th	Apartment	1967 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5

2123	H	18th	Apartment	1968 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2124	H	18th	Apartment	1969 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2125	H	18th	Apartment	1970 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2126	H	18th	Apartment	1971 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2127	H	18th	Apartment	1972 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2128	H	18th	Apartment	1973 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2129	H	19th	Apartment	2066 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2130	H	19th	Apartment	2067 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2131	H	19th	Apartment	2068 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2132	H	19th	Apartment	2069 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2133	H	19th	Apartment	2070 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2134	H	19th	Apartment	2071 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2135	H	19th	Apartment	2072 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2136	H	19th	Apartment	2073 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2137	H	20th	Apartment	2166 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2138	H	20th	Apartment	2167 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2139	H	20th	Apartment	2168 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2140	H	20th	Apartment	2169 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2141	H	20th	Apartment	2170 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2142	H	20th	Apartment	2171 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2143	H	20th	Apartment	2172 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2144	H	20th	Apartment	2173 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2145	H	21st	Apartment	2266 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2146	H	21st	Apartment	2267 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2147	H	21st	Apartment	2268 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2148	H	21st	Apartment	2269 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2149	H	21st	Apartment	2270 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2150	H	21st	Apartment	2271 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2151	H	21st	Apartment	2272 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2152	H	21st	Apartment	2273 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2153	H	22nd	Apartment	2366 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2154	H	22nd	Apartment	2367 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2155	H	22nd	Apartment	2368 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2156	H	22nd	Apartment	2369 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2157	H	22nd	Apartment	2370 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2158	H	22nd	Apartment	2371 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2159	H	22nd	Apartment	2372 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2160	H	22nd	Apartment	2373 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5

2161	H	23rd	Apartment	2466 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2162	H	23rd	Apartment	2467 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2163	H	23rd	Apartment	2468 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2164	H	23rd	Apartment	2469 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2165	H	23rd	Apartment	2470 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2166	H	23rd	Apartment	2471 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2167	H	23rd	Apartment	2472 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2168	H	23rd	Apartment	2473 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2169	H	24th	Apartment	2566 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2170	H	24th	Apartment	2567 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2171	H	24th	Apartment	2568 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2172	H	24th	Apartment	2569 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2173	H	24th	Apartment	2570 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2174	H	24th	Apartment	2571 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2175	H	24th	Apartment	2572 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2176	H	24th	Apartment	2573 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2177	H	25th	Apartment	2666 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2178	H	25th	Apartment	2667 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2179	H	25th	Apartment	2668 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2180	H	25th	Apartment	2669 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2181	H	25th	Apartment	2670 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2182	H	25th	Apartment	2671 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2183	H	25th	Apartment	2672 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2184	H	25th	Apartment	2673 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2185	H	26th	Apartment	2766 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2186	H	26th	Apartment	2767 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2187	H	26th	Apartment	2768 (A1)	88.73	49.23	2	15.95	0	0	3035000	3035000	9.5
2188	H	26th	Apartment	2769 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2189	H	26th	Apartment	2770 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2190	H	26th	Apartment	2771 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2191	H	26th	Apartment	2772 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2192	H	26th	Apartment	2773 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2193	H	27th	Apartment	2866 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2194	H	27th	Apartment	2867 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2195	H	27th	Apartment	2868 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2196	H	27th	Apartment	2869 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2197	H	27th	Apartment	2870 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2198	H	27th	Apartment	2871 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5

2199	H	27th	Apartment	2872 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2200	H	27th	Apartment	2873 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2201	H	28th	Apartment	2966 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2202	H	28th	Apartment	2967 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2203	H	28th	Apartment	2968 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2204	H	28th	Apartment	2969 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2205	H	28th	Apartment	2970 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2206	H	28th	Apartment	2971 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2207	H	28th	Apartment	2972 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2208	H	28th	Apartment	2973 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2209	H	29th	Apartment	3066 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2210	H	29th	Apartment	3067 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2211	H	29th	Apartment	3068 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2212	H	29th	Apartment	3069 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2213	H	29th	Apartment	3070 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2214	H	29th	Apartment	3071 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2215	H	29th	Apartment	3072 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2216	H	29th	Apartment	3073 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2217	H	30th	Apartment	3166 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2218	H	30th	Apartment	3167 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2219	H	30th	Apartment	3168 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2220	H	30th	Apartment	3169 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2221	H	30th	Apartment	3170 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2222	H	30th	Apartment	3171 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2223	H	30th	Apartment	3172 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2224	H	30th	Apartment	3173 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2225	H	31st	Apartment	3266 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2226	H	31st	Apartment	3267 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2227	H	31st	Apartment	3268 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2228	H	31st	Apartment	3269 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2229	H	31st	Apartment	3270 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2230	H	31st	Apartment	3271 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2231	H	31st	Apartment	3272 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2232	H	31st	Apartment	3273 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2233	I	1st	Apartment	174 (A6)	87.80	48.53	0	0	2	13.95	0	0	9.5
2234	I	1st	Apartment	175 (A5)	87.80	49.52	0	0	2	13.95	0	0	9.5
2235	I	1st	Apartment	176 (A1)	88.73	49.23	0	0	2	15.95	0	0	9.5
2236	I	1st	Apartment	177 (A2)	88.73	48.48	0	0	2	15.03	0	0	9.5

2237	I	1st	Apartment	178 (A3)	88.73	48.41	0	0	2	15.03	0	0	9.5
2238	I	1st	Apartment	179 (A4)	88.73	48.40	0	0	2	15.95	0	0	9.5
2239	I	1st	Apartment	180 (A8)	87.80	48.52	0	0	2	13.95	0	0	9.5
2240	I	1st	Apartment	181 (A7)	87.80	48.57	0	0	2	13.95	0	0	9.5
2241	I	2nd	Apartment	274 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2242	I	2nd	Apartment	275 (A5)	87.80	49.52	2	13.95	0	0	3284536	3284536	9.5
2243	I	2nd	Apartment	276 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2244	I	2nd	Apartment	277 (A2)	88.73	48.48	2	15.03	0	0	3759744	3759744	9.5
2245	I	2nd	Apartment	278 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2246	I	2nd	Apartment	279 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2247	I	2nd	Apartment	280 (A8)	87.80	48.52	2	13.95	0	0	3144525	3144525	9.5
2248	I	2nd	Apartment	281 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2249	I	3rd	Apartment	374 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2250	I	3rd	Apartment	375 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2251	I	3rd	Apartment	376 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2252	I	3rd	Apartment	377 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2253	I	3rd	Apartment	378 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2254	I	3rd	Apartment	379 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2255	I	3rd	Apartment	380 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2256	I	3rd	Apartment	381 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2257	I	4th	Apartment	474 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2258	I	4th	Apartment	475 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2259	I	4th	Apartment	476 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2260	I	4th	Apartment	477 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2261	I	4th	Apartment	478 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2262	I	4th	Apartment	479 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2263	I	4th	Apartment	480 (A8)	87.80	48.52	2	13.95	0	0	3694525	3694525	9.5
2264	I	4th	Apartment	481 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2265	I	5th	Apartment	574 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2266	I	5th	Apartment	575 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2267	I	5th	Apartment	576 (A1)	88.73	49.23	2	15.95	0	0	3444475	3444475	9.5
2268	I	5th	Apartment	577 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2269	I	5th	Apartment	578 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2270	I	5th	Apartment	579 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2271	I	5th	Apartment	580 (A8)	87.80	48.52	2	13.95	0	0	3300000	3300000	9.5
2272	I	5th	Apartment	581 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2273	I	6th	Apartment	674 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2274	I	6th	Apartment	675 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5

2275	I	6th	Apartment	676 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2276	I	6th	Apartment	677 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2277	I	6th	Apartment	678 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2278	I	6th	Apartment	679 (A4)	88.73	48.40	2	15.95	0	0	3711875	3711875	9.5
2279	I	6th	Apartment	680 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2280	I	6th	Apartment	681 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2281	I	7th	Apartment	774 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2282	I	7th	Apartment	775 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2283	I	7th	Apartment	776 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2284	I	7th	Apartment	777 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2285	I	7th	Apartment	778 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2286	I	7th	Apartment	779 (A4)	88.73	48.40	2	15.95	0	0	3404365	3404365	9.5
2287	I	7th	Apartment	780 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2288	I	7th	Apartment	781 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2289	I	8th	Apartment	874 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2290	I	8th	Apartment	875 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2291	I	8th	Apartment	876 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2292	I	8th	Apartment	877 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2293	I	8th	Apartment	878 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2294	I	8th	Apartment	879 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2295	I	8th	Apartment	880 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2296	I	8th	Apartment	881 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2297	I	9th	Apartment	974 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2298	I	9th	Apartment	975 (A5)	87.80	49.52	2	13.95	0	0	3142786	3142786	9.5
2299	I	9th	Apartment	976 (A1)	88.73	49.23	2	15.95	0	0	3282244	3282244	9.5
2300	I	9th	Apartment	977 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2301	I	9th	Apartment	978 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2302	I	9th	Apartment	979 (A4)	88.73	48.40	2	15.95	0	0	3295591	3295591	9.5
2303	I	9th	Apartment	980 (A8)	87.80	48.52	2	13.95	0	0	3472775	3472775	9.5
2304	I	9th	Apartment	981 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2305	I	10th	Apartment	1074 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2306	I	10th	Apartment	1075 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2307	I	10th	Apartment	1076 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2308	I	10th	Apartment	1077 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2309	I	10th	Apartment	1078 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2310	I	10th	Apartment	1079 (A4)	88.73	48.40	2	15.95	0	0	3635000	3635000	9.5
2311	I	10th	Apartment	1080 (A8)	87.80	48.52	2	13.95	0	0	3552775	3552775	9.5
2312	I	10th	Apartment	1081 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5

2313	I	11th	Apartment	1174 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2314	I	11th	Apartment	1175 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2315	I	11th	Apartment	1176 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2316	I	11th	Apartment	1177 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2317	I	11th	Apartment	1178 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2318	I	11th	Apartment	1179 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2319	I	11th	Apartment	1180 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2320	I	11th	Apartment	1181 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2321	I	12th	Apartment	1274 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2322	I	12th	Apartment	1275 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2323	I	12th	Apartment	1276 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2324	I	12th	Apartment	1277 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2325	I	12th	Apartment	1278 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2326	I	12th	Apartment	1279 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2327	I	12th	Apartment	1280 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2328	I	12th	Apartment	1281 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2329	I	13th	Apartment	1474 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2330	I	13th	Apartment	1475 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2331	I	13th	Apartment	1476 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2332	I	13th	Apartment	1477 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2333	I	13th	Apartment	1478 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2334	I	13th	Apartment	1479 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2335	I	13th	Apartment	1480 (A8)	87.80	48.52	2	13.95	0	0	3095395	3095395	9.5
2336	I	13th	Apartment	1481 (A7)	87.80	48.57	2	13.95	0	0	3450000	3450000	9.5
2337	I	14th	Apartment	1574 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2338	I	14th	Apartment	1575 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2339	I	14th	Apartment	1576 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2340	I	14th	Apartment	1577 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2341	I	14th	Apartment	1578 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2342	I	14th	Apartment	1579 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2343	I	14th	Apartment	1580 (A8)	87.80	48.52	2	13.95	0	0	3148362	3148362	9.5
2344	I	14th	Apartment	1581 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2345	I	15th	Apartment	1674 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2346	I	15th	Apartment	1675 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2347	I	15th	Apartment	1676 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2348	I	15th	Apartment	1677 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2349	I	15th	Apartment	1678 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2350	I	15th	Apartment	1679 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5

2351	I	15th	Apartment	1680 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2352	I	15th	Apartment	1681 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2353	I	16th	Apartment	1774 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2354	I	16th	Apartment	1775 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2355	I	16th	Apartment	1776 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2356	I	16th	Apartment	1777 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2357	I	16th	Apartment	1778 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2358	I	16th	Apartment	1779 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2359	I	16th	Apartment	1780 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2360	I	16th	Apartment	1781 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2361	I	17th	Apartment	1874 (A6)	87.80	48.53	2	13.95	0	0	3432000	3432000	9.5
2362	I	17th	Apartment	1875 (A5)	87.80	49.52	2	13.95	0	0	3060000	3060000	9.5
2363	I	17th	Apartment	1876 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2364	I	17th	Apartment	1877 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2365	I	17th	Apartment	1878 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2366	I	17th	Apartment	1879 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2367	I	17th	Apartment	1880 (A8)	87.80	48.52	2	13.95	0	0	3380000	3380000	9.5
2368	I	17th	Apartment	1881 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2369	I	18th	Apartment	1974 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2370	I	18th	Apartment	1975 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2371	I	18th	Apartment	1976 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2372	I	18th	Apartment	1977 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2373	I	18th	Apartment	1978 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2374	I	18th	Apartment	1979 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2375	I	18th	Apartment	1980 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2376	I	18th	Apartment	1981 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2377	I	19th	Apartment	2074 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2378	I	19th	Apartment	2075 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2379	I	19th	Apartment	2076 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2380	I	19th	Apartment	2077 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2381	I	19th	Apartment	2078 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2382	I	19th	Apartment	2079 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2383	I	19th	Apartment	2080 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2384	I	19th	Apartment	2081 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2385	I	20th	Apartment	2174 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2386	I	20th	Apartment	2175 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2387	I	20th	Apartment	2176 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2388	I	20th	Apartment	2177 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5

2389	I	20th	Apartment	2178 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2390	I	20th	Apartment	2179 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2391	I	20th	Apartment	2180 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2392	I	20th	Apartment	2181 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2393	I	21st	Apartment	2274 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2394	I	21st	Apartment	2275 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2395	I	21st	Apartment	2276 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2396	I	21st	Apartment	2277 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2397	I	21st	Apartment	2278 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2398	I	21st	Apartment	2279 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2399	I	21st	Apartment	2280 (A8)	87.80	48.52	2	13.95	0	0	3310950	3310950	9.5
2400	I	21st	Apartment	2281 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2401	I	22nd	Apartment	2374 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2402	I	22nd	Apartment	2375 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2403	I	22nd	Apartment	2376 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2404	I	22nd	Apartment	2377 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2405	I	22nd	Apartment	2378 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2406	I	22nd	Apartment	2379 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2407	I	22nd	Apartment	2380 (A8)	87.80	48.52	2	13.95	0	0	3033025	3033025	9.5
2408	I	22nd	Apartment	2381 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2409	I	23rd	Apartment	2474 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2410	I	23rd	Apartment	2475 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2411	I	23rd	Apartment	2476 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2412	I	23rd	Apartment	2477 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2413	I	23rd	Apartment	2478 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2414	I	23rd	Apartment	2479 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2415	I	23rd	Apartment	2480 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2416	I	23rd	Apartment	2481 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2417	I	24th	Apartment	2574 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2418	I	24th	Apartment	2575 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2419	I	24th	Apartment	2576 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2420	I	24th	Apartment	2577 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2421	I	24th	Apartment	2578 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2422	I	24th	Apartment	2579 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2423	I	24th	Apartment	2580 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2424	I	24th	Apartment	2581 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2425	I	25th	Apartment	2674 (A6)	87.80	48.53	2	13.95	0	0	3196639	3196639	9.5
2426	I	25th	Apartment	2675 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5

2427	I	25th	Apartment	2676 (A1)	88.73	49.23	2	15.95	0	0	3343341	3343341	9.5
2428	I	25th	Apartment	2677 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2429	I	25th	Apartment	2678 (A3)	88.73	48.41	2	15.03	0	0	3005980	3005980	9.5
2430	I	25th	Apartment	2679 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2431	I	25th	Apartment	2680 (A8)	87.80	48.52	2	13.95	0	0	2872525	2872525	9.5
2432	I	25th	Apartment	2681 (A7)	87.80	48.57	2	13.95	0	0	2925318	2925318	9.5
2433	I	26th	Apartment	2774 (A6)	87.80	48.53	2	13.95	0	0	2938525	2938525	9.5
2434	I	26th	Apartment	2775 (A5)	87.80	49.52	2	13.95	0	0	2912112	2912112	9.5
2435	I	26th	Apartment	2776 (A1)	88.73	49.23	2	15.95	0	0	2986075	2986075	9.5
2436	I	26th	Apartment	2777 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2437	I	26th	Apartment	2778 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2438	I	26th	Apartment	2779 (A4)	88.73	48.40	2	15.95	0	0	2986075	2986075	9.5
2439	I	26th	Apartment	2780 (A8)	87.80	48.52	2	13.95	0	0	3242862	3242862	9.5
2440	I	26th	Apartment	2781 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2441	I	27th	Apartment	2874 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2442	I	27th	Apartment	2875 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2443	I	27th	Apartment	2876 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2444	I	27th	Apartment	2877 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2445	I	27th	Apartment	2878 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2446	I	27th	Apartment	2879 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2447	I	27th	Apartment	2880 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2448	I	27th	Apartment	2881 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2449	I	28th	Apartment	2974 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2450	I	28th	Apartment	2975 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2451	I	28th	Apartment	2976 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2452	I	28th	Apartment	2977 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2453	I	28th	Apartment	2978 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2454	I	28th	Apartment	2979 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2455	I	28th	Apartment	2980 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2456	I	28th	Apartment	2981 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2457	I	29th	Apartment	3074 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2458	I	29th	Apartment	3075 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2459	I	29th	Apartment	3076 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2460	I	29th	Apartment	3077 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2461	I	29th	Apartment	3078 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2462	I	29th	Apartment	3079 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2463	I	29th	Apartment	3080 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2464	I	29th	Apartment	3081 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5

2465	I	30th	Apartment	3174 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2466	I	30th	Apartment	3175 (A5)	87.80	49.52	2	13.95	0	0	0	0	9.5
2467	I	30th	Apartment	3176 (A1)	88.73	49.23	2	15.95	0	0	0	0	9.5
2468	I	30th	Apartment	3177 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2469	I	30th	Apartment	3178 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2470	I	30th	Apartment	3179 (A4)	88.73	48.40	2	15.95	0	0	0	0	9.5
2471	I	30th	Apartment	3180 (A8)	87.80	48.52	2	13.95	0	0	0	0	9.5
2472	I	30th	Apartment	3181 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5
2473	I	31st	Apartment	3274 (A6)	87.80	48.53	2	13.95	0	0	0	0	9.5
2474	I	31st	Apartment	3277 (A2)	88.73	48.48	2	15.03	0	0	0	0	9.5
2475	I	31st	Apartment	3278 (A3)	88.73	48.41	2	15.03	0	0	0	0	9.5
2476	I	31st	Apartment	3281 (A7)	87.80	48.57	2	13.95	0	0	0	0	9.5