



उत्तर प्रदेश UTTAR PRADESH

16AE 059532

शपथपत्र

समक्ष:-सचिव/प्रभारी अधिकारी मेरठ विकास प्राधिकरण मेरठ
शपथपत्र ओर से अनुराग अग्रवाल पुत्र श्री हरिओम अग्रवाल निवासी 184 बी,
आबूलैन मेरठ कैन्ट पार्टनर मैसर्स एनी इन्फ्रा स्ट्रक्चर एल एल पी :-

1. यह कि मैं शपथपूर्वक कथन करता हूँ कि मेरा नाम व पिता का नाम व पता उपरोक्त सही है तथा बवजह होने शपथकर्ता शपथपत्र के सभी तथ्यों से पूर्णतया परिचित हूँ।
2. यह कि मैं शपथपूर्वक कथन करता हूँ कि फर्म द्वारा ग्राम सालारपुर जलालपुर जिला मेरठ में जे0पी0 रेजीडेन्सी के नाम से एक कालोनी विकसित की जा रही है।
3. यह कि मैं शपथपूर्वक कथन करता हूँ कि उक्त कालोनी का तलपट मानचित्र मेरठ विकास प्राधिकरण मेरठ से मानचित्र संख्या MAP20180322164355480/2019 स्वीकृत है।
4. यह कि मैं शपथपूर्वक कथन करता हूँ कि शपथकर्ता को कालोनी में पानी की सप्लाई के लिए वाटर पम्प लगाना है।
5. यह कि मैं शपथपूर्वक कथन करता हूँ कि कालोनी में पानी की सम्पलाई के लिए शपथकर्ता अपनी भूमि में लगे टयूबवैल का प्रयोग करेंगे और टयूबवैल के द्वारा ही कालोनी की पानी की टंकी में पानी की सप्लाई करायेगे।
6. यह कि मैं शपथपूर्वक कथन करता हूँ कि उपरोक्त कथन 1 से 5 मेरे निजी ज्ञान एवं विश्वास में सब सत्य है कुछ भी झूठ या छिपाया नहीं गया है। अतः ईश्वर मेरी मदद करे।।

दिनांक 07.10.2020

प्रमाणित स्थान मेरठ।।

ATTESTED

हस्ताक्षर शपथकर्ता

Anurag Agrawal



UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :05/03/2019 To 31/12/2020

Ref No. - 41421/UPPCB/Meerut(UPPCBRO)/CTE/MEERUT/2018 Dated:- 05/03/2019

To ,

Shri ANURAG AGARWAL
M/s ANNE INFRASTRUCTURELLP
khasara no-279, po rajpura mawana road meerut, MEERUT, 250001
MEERUT

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your application form no 3846277 dated - 13/12/2018 .After examining the application with respect to pollution angle, Consent to Establish is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

| Main Raw Material Details | | |
|---------------------------|------------------------|-----------------------|
| Name of Raw Material | Raw Material Unit Name | Raw Material Quantity |
| RESIDENTIAL LAND | Numbers/Year | 115 |

C- Product with capacity :

| Product Detail | |
|-----------------|------------------|
| Name of Product | Product Quantity |
| PLOTS | 115 |

D- By-Product if any with capacity :

| By Product Detail | | | |
|--------------------|--------------|--------------------------|--------------------------|
| Name of By Product | Unit Name | Licence Product Capacity | Install Product Capacity |
| NA | Numbers/Year | 0 | 0 |

E: Water Requirement (in KLD) and its Source :

| Source of Water Details | | |
|--------------------------------|------------------|-----------------|
| Source Type | Name of Source | Quantity (KL/D) |
| Ground Water (within premises) | SUBMERSIBLE PUMP | 100.0 |

F. Quantity of effluent (In KLD) :

| Effluent Details | |
|--------------------|-----------------|
| Source Consumption | Quantity (KL/D) |
| Industrial | 0.0 |
| Domestic | 75.0 |

G- Fuel used in the equipment/machinery Name and Quantity (per day) :

| Fuel Consumption Details | | |
|--------------------------|----------------------|---------|
| Fuel | Consumption(tpd/kld) | Use |
| Diesel | 0.2 | D G SET |

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 31/12/2020 to the Board.
- Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
- It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.
- Bank details.

| Bank Fee Details | | | | |
|------------------|-------------|----------------------------|------|--------|
| Bank Name | Branch Name | Draft No./Money Receipt No | Date | Rupees |

Specific Conditions:

- Unit shall comply the provisions of Solid Waste Rules 2016.
- Solid Waste materials shall be disposed in proper manner so that water sources may not polluted
- Unit shall install the rooftop rain water harvesting system.
- Unit shall develop green belt at least in the 33% of the total area.
- Unit shall provide sufficient parking space inside the site. No parking shall be done on the road outside the site.
- Unit shall install Acoustic Enclosure on the proposed 100KVA DG Set .
- Ensure the Compliance of Directions by the Board time to time.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 05/04/2019 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

RO,UPPCB,MEERUT

Dated:- 05/03/2019

Copy To -

