

S.NO.	DOOR WINDOW SCHEDULE		
	DOORS	SIZE	
D	SINGLE PANEL DOOR	900 X 2100	
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400	
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400	
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400	
RS 1	rolling shutter	2000 X 2400	
RS 2	rolling shutter	1200 X 2400	
RS 3	rolling shutter	1000 X 2400	
PD	SINGLE PANEL PVC DOOR	800 X 2100	
D2	DOUBLE PANEL DOOR	1200 X 2100	
D3	DOUBLE PANEL DOOR	2000 X 2100	

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM) GROUND FLOOR SUPER BUILT UP AREA - 1217.4 SQM
- FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

This is not a Good for construction dwg . The drawing here only depicts in clarity, all the architectural elements of the

- 1. A GFC set to be made while execution as per actuals. 2. CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

REV.	DESCRIPTION	DATE	ISUD.	CHKD.
R1				
R2				

REVISION INDEX

DRAWING TITLE :-

SITE PLAN

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	19.03.2024	STAMP:
DRN	NANCY	
CHKD	HARSHIT	
SCALE		
ISSUED BY		

DRAWING NO :- 01/TM/ARCH/GN_B | SHEET NO :- 1/6

PROJECT :-


COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP

CONSULTANT :



TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



S.NO.	DOOR WINDOW SCHEDULE		
	DOORS	SIZE	
D	SINGLE PANEL DOOR	900 X 2100	
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400	
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400	
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400	
RS 1	rolling shutter	2000 X 2400	
RS 2	rolling shutter	1200 X 2400	
RS 3	ROLLING SHUTTER	1000 X 2400	
PD	SINGLE PANEL PVC DOOR	800 X 2100	
D2	DOUBLE PANEL DOOR	1200 X 2100	
D3	DOUBLE PANEL DOOR	2000 X 2100	

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
- GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM FIRST FLOOR SUPER BUILT UP AREA - 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM CAR PARKING REQUIRED - (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

This is not a Good for construction dwg . The drawing here only depicts in clarity, all the architectural elements of the

- 1. A GFC set to be made while execution as per actuals. 2. CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

R3				
R2				
R1				
REV.	DESCRIPTION	DATE	ISUD.	CHKD.
REVISION INDEX				

DRAWING TITLE :-

GROUND FLOOR PLAN

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	19.03.2024	STAMP:
DRN	NANCY	
CHKD		
SCALE		
ISSUED BY		

DRAWING NO :- 02/TM/ARCH/GN_B | SHEET NO :- 2/6


PROJECT :-

COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP

CONSULTANT:

TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



S.NO.	DOOR WINDOW SCHEDULE		
	DOORS	SIZE	
D	SINGLE PANEL DOOR	900 X 2100	
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400	
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400	
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400	
RS 1	rolling shutter	2000 X 2400	
RS 2	ROLLING SHUTTER	1200 X 2400	
RS 3	ROLLING SHUTTER	1000 X 2400	
PD	SINGLE PANEL PVC DOOR	800 X 2100	
D2	DOUBLE PANEL DOOR	1200 X 2100	
D3	DOUBLE PANEL DOOR	2000 X 2100	

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
- GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM
 FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 =140.7
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

NOTE

This is not a Good for construction dwg. The drawing here only depicts in clarity, all the architectural elements of the

- A GFC set to be made while execution as per actuals.
 CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND
- ma
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SHALL ALSO BE PROVIDED FOR SUPPORT OF SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

REV.	DESCRIPTION	DATE	ISUD.	CHKD.
R1				
R2				
กง				

REVISION INDEX

DRAWING TITLE :-

1ST AND 2ND FLOOR TYPICAL PLAN

CLIENT :-

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	21.11.2023	STAMP:
DRN	NANCY	
CHKD	HARSHIT	
SCALE		
ISSUED BY	TECHMECH INTERNATIONAL PVT. LTD	

DRAWING NO :- 03/TM/ARCH/GN_B | SHEET NO :- 3/6

PROJECT :-


COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP

CONSULTANT :



TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



S.NO.	DOOR WINDOW SCHEDULE		
	DOORS	SIZE	
D	SINGLE PANEL DOOR	900 X 2100	
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400	
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400	
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400	
RS 1	ROLLING SHUTTER	2000 X 2400	
RS 2	ROLLING SHUTTER	1200 X 2400	
RS 3	ROLLING SHUTTER	1000 X 2400	
PD	SINGLE PANEL PVC DOOR	800 X 2100	
D2	DOUBLE PANEL DOOR	1200 X 2100	
D3	DOUBLE PANEL DOOR	2000 X 2100	

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM) GROUND FLOOR SUPER BUILT UP AREA - 1217.4 SQM
- FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

This is not a Good for construction dwg . The drawing here only depicts in clarity, all the architectural elements of the building.

- 1. A GFC set to be made while execution as per actuals. 2. CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG
- BEFORE TAKING EXECUTION IN HAND
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

REVISION INDEX				
REV.	DESCRIPTION	DATE	ISUD.	CHKD.
R1				
R2				
H3				

DRAWING TITLE :-

ROOF PLAN

BULANDSHAHR DEVELOPMENT AUTHORITY DATE STAMP:

	21.11.2023	OTAWN .
DRN	NANCY	
CHKD	HARSHIT	
SCALE		
ISSUED BY	TECHMECH INTERNATIONAL	

DRAWING NO :- 04/TM/ARCH/GN_B | SHEET NO :- 4/6

PROJECT :-


COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP

CONSULTANT :-



TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



FRONT ELEVATION

S.NO.	DOOR WINDOW	/ SCHEDULE
	DOORS	SIZE
D	SINGLE PANEL DOOR	900 X 2100
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400
RS 1	rolling shutter	2000 X 2400
RS 2	rolling shutter	1200 X 2400
RS 3	rolling shutter	1000 X 2400
PD	SINGLE PANEL PVC DOOR	800 X 2100
D2	DOUBLE PANEL DOOR	1200 X 2100
D3	DOUBLE PANEL DOOR	2000 X 2100

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
- GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM
 FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
 SQM
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

NO

This is not a Good for construction dwg. The drawing here only depicts in clarity, all the architectural elements of the building.

- A GFC set to be made while execution as per actuals.
 CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND
- 7. ma
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SHALL ALSO BE PROVIDED FOR SUPPORT OF SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

- 1					
	R3				
	R2				
	R1				
	REV.	DESCRIPTION	DATE	ISUD.	CHKD.
		REVISIO	ON INDEX		

DRAWING TITLE :-

FRONT ELEVATION

CLIENT :-

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	21.11.2023	STAM	P:	
DRN	NANCY			
CHKD	HARSHIT			
SCALE				
ISSUED BY	TECHMECH INTERNATIONAL PVT. LTD			
I			I	

DRAWING NO :- 05/TM/ARCH/GN_B | SHEET NO :- 5/6

PROJECT :-


COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP


CONSULTANT :-

TECHMECH

TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664





S.NO.	DOOR WINDOW	SCHEDULE
	DOORS	SIZE
D	SINGLE PANEL DOOR	900 X 2100
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400
RS 1	ROLLING SHUTTER	2000 X 2400
RS 2	ROLLING SHUTTER	1200 X 2400
RS 3	ROLLING SHUTTER	1000 X 2400
PD	SINGLE PANEL PVC DOOR	800 X 2100
D2	DOUBLE PANEL DOOR	1200 X 2100
D3	DOUBLE PANEL DOOR	2000 X 2100

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
- GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM FIRST FLOOR SUPER BUILT UP AREA - 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

This is not a Good for construction dwg . The drawing here only depicts in clarity , all the architectural elements of the

- 1. A GFC set to be made while execution as per actuals. 2. CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND

- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

R1				
REV.	DESCRIPTION	DATE	ISUD.	CHKD.

DRAWING TITLE :-

SECTION AA & BB

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	21.11.2023	STAM	P:	
DRN	NANCY			
CHKD	HARSHIT			
SCALE				
ISSUED BY	TECHMECH INTERNATIONAL PVT. LTD			
<u> </u>	·			

DRAWING NO :- 06/TM/ARCH/GN_B | SHEET NO :- 6/6

PROJECT :-


COMMERCIAL BUILDING AT GANGA NAGAR , BULANSHAHR , UP

CONSULTANT :



TECHMECH INTERNATIONAL PVT. LTD.

Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



S.NO.	DOOR WINDOW	SCHEDULE
	DOORS	SIZE
D	SINGLE PANEL DOOR	900 X 2100
GFD 1	DOUBLE PANEL GLASS DOOR	2000 X 2400
GFD 2	DOUBLE PANEL GLASS DOOR	1200 X 2400
GFD 3	DOUBLE PANEL GLASS DOOR	1000 X 2400
RS 1	rolling shutter	2000 X 2400
RS 2	rolling shutter	1200 X 2400
RS 3	ROLLING SHUTTER	1000 X 2400
PD	SINGLE PANEL PVC DOOR	800 X 2100
D2	DOUBLE PANEL DOOR	1200 X 2100
D3	DOUBLE PANEL DOOR	2000 X 2100

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
 GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM
- FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
- TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7
 SQM
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53 CARS
 AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

NOTES

This is not a Good for construction dwg. The drawing here only depicts in clarity, all the architectural elements of the building.

- A GFC set to be made while execution as per actuals.
 CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG
- 7. ma
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SHALL ALSO BE PROVIDED FOR SUPPORT OF SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

REV.	DESCRIPTION	DATE	ISUD.	CHKD.
R1				
R2				
ทง				

REVISION INDEX

DRAWING TITLE :-

SUPERIMPOSED PLAN

CLIENT :-

BULANDSHAHR DEVELOPMENT AUTHORITY

DATE	21.11.2023	STAMP:
DRN	NANCY	
CHKD	HARSHIT	
SCALE		
ISSUED BY		

DRAWING NO :- A/TM/ARCH/GN_B SHEET NO :- A/B

PROJECT :-

COMMERCIAL BUILDING AT


GANGA NAGAR , BULANSHAHR , UP

CONSULTANT :-





TECHMECH INTERNATIONAL PVT. LTD.


Corp Office: "S.M. Kuteer" 92, Civil Lines, Meerut-250001 Cell- 8826913664



	SCHEDULE OF PIPE INSERTS		
SYMBOL	DESCRIPTION	DIA.OF PIPE	LVL.IN B.O.P
Α	FIRE BRIGADE INLET CONNECTION	150Ø	(-)300
В	FIRE BRIGADE DRAW OUTLET CONNECTION	150Ø	(-)300
С	INLET CONNECTION FROM TUBE WELL/MUNICIPAL	80Ø	(-)300
D	WATER LEVEL INDICATOR (TOP LEVEL)	25Ø	(-)300
E	WATER LEVEL INDICATOR (BOTTOM LEVEL)	25Ø	(-)2100
F	WATER LEVEL CONTROLLER	50Ø	(-)300
G	DRAIN PIPE FROM TANKS	75Ø	(-)2200
н	SUCTION PIPE FROM FIRE TANK	200Ø	(-)2100
1	TEST LINE FOR FIRE PUMPS TO FIRE TANK	150Ø	(-)300
J	VENT PIPE	100Ø	(-)50
К	OVER FLOW PIPE	80Ø	(-)100
L	SUCTION PIPE TO DOMESTIC WATER TRANSFER PUMP	65Ø	(-)2100
М	SPARE PIPE	150Ø	(-)2100
N	SPARE PIPE	80Ø	(-)2100







S.NO.	DOOR WINDOW	SCHEDULE
	DOORS	SIZE
RS	ROLLING SHUTTER	2000 X2400
RS1	ROLLING SHUTTER	2400 X2400
RS2	rolling shutter	1500 X2400
D	SINGLE PANEL DOOR	800 X 2100
D1	SINGLE PANEL DOOR	1000 X 2100
D2	SINGLE PANEL DOOR	1200 X 2100
D2.1	DOUBLE PANEL DOOR	1200 X 2100
PD	SINGLE PANEL PVC DOOR	700 X 2100

- LAND AREA AS PER WORK ORDER = 2922.18 SQMTR
- PERMISSIBLE GROUND COVERAGE 50% (1461.09 SQM)
- PROPOSED GROUND COVERAGE- 42.5% (1242.5 SQM)
- GROUND FLOOR SUPER BUILT UP AREA 1217.4 SQM
- FIRST FLOOR SUPER BUILT UP AREA 1233.5 SQM
- SECOND FLOOR SUPER BUILT UP AREA 1233.5 SQM
 TOTAL AREA 3684.5 SQM
- FAR USED 1.26 (PERMISSIBLE 1.5 FAR)
- HT OF THE BUILDING-12600 MM
- AREA EXEMPTED @ STAIRCASE + SERVICE AREA 46.9 SQM X 3 = 140.7 SQM
- SERVICE BLOCK (FIRE PUMP RM + ELEC RM) = 49 SQM
- TOTAL BUILT UP AFTER EXEMPTION- 3543.8 SQM
- CAR PARKING REQUIRED (3543.8 SQM /100) X 1.5 = 53
- AREA REQUIRED FOR PARKING = 53 X 13.75 = 728.75 SQM
- AREA GIVEN FOR PARKING= 760 SQM

NOTE

This is not a Good for construction dwg. The drawing here only depicts in clarity, all the architectural elements of the building.

- A GFC set to be made while execution as per actuals.
 CONTRACTOR TO CHECK AND VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
- 3. FIGURED DIMENSIONS SHALL BE FOLLOWED.
- 4. ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED
- 5. FOR ALL STRUCTURP AL ELEMENTS LIKE BEAMS COLUMNS, PB, LINTEL, ETC. REFER STRUCTURAL DRAWING IN -RESPECTIVE OF WHAT. EVER SHOWN/NOT SHOWN IN ARCH DRAWING.
- 6. THE EXECUTIVE AUTHORITY SHALL CHECK THIS DRG BEFORE TAKING EXECUTION IN HAND
- ma
- 8. ANY DISCREPANCIES IN DWG. IF FOUND SHALL BE BROUGHT IN THE VIEW OF ARCHITECT.
- 9. SUITABLE LOCATION WITH CAPACITY OF ALL THE OVERHEAD SERVICE TANK TO BE MARKED ON ROOF PLAN . RAISED PLATFORM WITH WATERPROOFING SHALL ALSO BE PROVIDED FOR SUPPORT OF SERVICE TANK.
- 10. ELECTRIC PANEL AND FIRE PUMP ROOM TO BE DETAILED AS PER DETAILS GIVEN BY MEP CONSULTANT

R1 Building adjusted for setback 13.07.23 constraints.	/ /	
Incorporated		
R2 Revision for building Services 22.07.23	/ /	
R3		

REVISION INDEX

DRAWING TITLE:- SERVICE BLOCK DETAILS

CLIENT :-

DATE	21.11.2023	STAMF) :	
DRN	SURAJ			
CHKD	AJAY KUMAR			
SCALE				
ISSUED BY	EUPHORIANT LLP			
			0	

DRAWING NO :- B/EU/ARCH/GN_B SHEET NO :-B/B

PROJECT :- GANGA NAGAR, SHOPPING COMPLEX, BDA

CONSULTANT :-

TECHMECH INTERNATIONAL PVT. LTD.

MEP Consultant:-

M.S ASSOCIATES
MEP CONSULTANT ENGINEERS

B-400, Gali No.-10, Veerbazar Road Near Krishna Dramsala, Gaurav Nagar, Prem Nagar Part-II, Nangloi, New Delhi-110086