



NOTES : (Plumbing)

1. **COLD WATER SUPPLY PIPE MATERIAL**
 - a) FOR INSIDE TOILET - CPVC (SDR-11) WITH SOLVENT CEMENT JOINTS
 - b) FOR DUCT / TERRACE - UPVC SCH 80 PIPES WITH SCH 80 FITTINGS BY SOLVENT CEMENT JOINT
2. **HOT WATER SUPPLY PIPE MATERIAL**
 - a) FOR INSIDE TOILET - CPVC (SDR-11) WITH SOLVENT CEMENT JOINTS
 - b) FOR DUCT / TERRACE - CPVC (SDR-11) WITH SOLVENT CEMENT JOINTS
3. THE WATER SUPPLY PIPE DIAMETER MENTION ON THE DRAWING IS NOMINAL BORE / ID.
4. **SOIL / WASTE / VENT / RAIN WATER PIPE MATERIAL**
 - a) UPTO 65 MM DIA PIPE - UPVC (6 KG/SQ.CM.) AS PER IS - 4085 (SUITABLE FOR SOLVENT CEMENT JOINT)
 - b) 75/ 90/ 110/ 160 MM DIA PIPE - UPVC (TYPE B) AS PER IS - 13592 & IS - 14735 (SUITABLE FOR RUBBER RING JOINT)

PROJECT DREAMVILLE T-15



DRAINAGE LAYOUT



WATER SUPPLY LAYOUT

PLUMBING DRAWING DRAINAGE & WATER SUPPLY LAYOUT