

LON	MBING LEGEND		
①	110 (OD) uPVC SOIL VERTICAL & VENT PIPE		
2	110 (OD) uPVC WASTE VERTICAL & VENT PIPE		
3	75 (OD) uPVC ANTI SYPHONAGE PIPE		
4	COLD WATER SUPPLY PIPE FOR GUEST FLOOR (HYDROPUNMETIC SYSTEM)		
(4a)	COLD WATER SUPPLY PIPE FROM PUMP ROOM BASEMENT TO GUEST FLOOR		
<b>4</b> b	COLD WATER SUPPLY PIPE FOR SOLAR PANEL FI O.H.TANK		
(4c)	COLD WATER SUPPLY PIPE TO O.H.TANK		
(5)	FLUSHING WATER SUPPLY PIPE FOR GUEST FLOO FROM O.H. TANK		
<u>(5a)</u>	FLUSHING WATER SUPPLY PIPE TO O.H. TANK		
(5b)	FLUSHING WATER SUPPLY PIPE FOR TOILET FRO O.H. TANK		
6	HOT WATER SUPPLY PIPE FROM BOILER FOR GUEST FLOOR		
<u>6a</u>	HOT WATER SUPPLY PIPE FROM BOILER ROOM BASEMENT TO SERVICE FLOOR		
<b>®</b>	HOT WATER SUPPLY PIPE FROM SOLAR PANEL TO BOILER ROOM		
7	HOT WATER RETURN PIPE TO BOILER FOR GUEST FLOOR		
79	HOT WATER RETURN PIPE TO BOILER ROOM SERVICE FLOOR TO BASEMENT		
8	TOILET EXHAUST DUCT SIZE = 200 X 200MM		
9	CHILLED WATER SUPPLY/ RETURN PIPE		
10	160 OD uPVC RAIN WATER PIPE FROM TERRACE		
14	SOFT WATER SUPPLY PIPE		
<b>O</b> F	WITH S.S GRATING		
<b>●</b> FI	FLOOR DRAIN (110X63mm) WITH S.S GRATING		
WB.	TO FT 40 (OD) uPVC PIPE		
FD T	O FT 63 (OD) uPVC PIPE		
FTT	O V.STACK 110 (OD) uPVC PIPE		
IMC.	TO V.STACK 110 (OD) uPVC PIPE		

00			00/00/0
NO. OF PRINTS		ISSUED TO	DATE
S.N.	DATE	DETAILS	
DEV	/ISIONS	3	

OFFICE ORIZED OF THE COMMERCIAL PROJECT PLOT NO. 22 SECTOR IT, KP-III GREATER NOIDA

GENRE OF DESIGN

MEP CONSULTANTS

C TO C Services Consultants Pvt. Ltd.

F-67 - (Basement) Green Park Main.

No. Debal: 11016 (DDIA)

Tel: 41618888, 41618866

Fault: occusifed Geocombinats.com

TENDER DRAWING

12th FLOOR PLAN\_ HOTEL BLOCK (PLUMBING LAYOUT)

Scale 1:75 @ A1 Date 18.05.2015 Rev. N RO Drawing No

CTOC.SEPL.1481.PL.16