



GENERAL ARRANGEMENT DRAWING

- 1) Kindly confirm provision of under ground tank / over head water tank for water supply distribution along with their locations.
- 2) Kindly provide us external municipal sewerage & drainage manhole locations along with their invert levels.
- 3) Kindly confirm municipal water supply availability (if any).
- 4) We have proposed seperate STP for Phase 1 villas. Kindly confirm.
- 5) The electrical scheme and voltage level shown in the drawing are indicative and the exact details will be finalized as per total buildup area of scheme. Kindly provide for our detail working.

LEGEND :		
S. No.	SYMBOL	DESCRIPTION
1.	M.H.	MANHOLE
2.	SEWER LINE	SEWER LINE
3.	C.P.	CATCH PIT
4.	UNDER GROUND PIPE DRAIN	UNDER GROUND PIPE DRAIN
5.	RECYCLED WATER SUPPLY LINE FOR FLUSHING	RECYCLED WATER SUPPLY LINE FOR FLUSHING
6.	DOMESTIC WATER SUPPLY LINE	DOMESTIC WATER SUPPLY LINE
7.	RAIN WATER HARVESTING PIT	RAIN WATER HARVESTING PIT
8.	L.V. MANHOLE	L.V. MANHOLE
9.	1500 L.V. PIPE	1500 L.V. PIPE
10.	1000 L.V. PIPE	1000 L.V. PIPE
11.	400 L.V. PIPE	400 L.V. PIPE

LEGEND :-		
S. No.	SYMBOL	DESCRIPTION
1.	TWO POLE STRUCTURE	TWO POLE STRUCTURE
2.	11 METER HIGH STEEL TUBULAR POLE WITH COMBINED 11/33 KV HT, OVERHEAD A.C.S.R. CONDUCTORS & L.T. OVERHEAD ABC TYPE INSULATED CONDUCTOR & 1 x 60 WATT LED STREET LIGHT FIXTURE	11 METER HIGH STEEL TUBULAR POLE WITH COMBINED 11/33 KV HT, OVERHEAD A.C.S.R. CONDUCTORS & L.T. OVERHEAD ABC TYPE INSULATED CONDUCTOR & 1 x 60 WATT LED STREET LIGHT FIXTURE
3.	9.5 METER HIGH STEEL TUBULAR POLE WITH L.T. OVERHEAD ABC TYPE INSULATED CONDUCTOR & 1 x 60 WATT LED STREET LIGHT FIXTURE	9.5 METER HIGH STEEL TUBULAR POLE WITH L.T. OVERHEAD ABC TYPE INSULATED CONDUCTOR & 1 x 60 WATT LED STREET LIGHT FIXTURE
4.	7.5 METER HIGH POLE WITH 1 x 60 WATT LED SINGLE LIGHT FIXTURE	7.5 METER HIGH POLE WITH 1 x 60 WATT LED SINGLE LIGHT FIXTURE
5.	OVERHEAD A.C.S.R. CONDUCTOR (FOR 11/33 KV HT SUPPLY)	OVERHEAD A.C.S.R. CONDUCTOR (FOR 11/33 KV HT SUPPLY)
6.	11/33 KV / 0.4 KV POLE MOUNTED OUTDOOR TRANSFORMER WITH DOUBLE POLE STRUCTURE, TPMO, DO FUSES, L.T. FEEDER PANEL & APFC PANEL	11/33 KV / 0.4 KV POLE MOUNTED OUTDOOR TRANSFORMER WITH DOUBLE POLE STRUCTURE, TPMO, DO FUSES, L.T. FEEDER PANEL & APFC PANEL
7.		

rev. no.	date	revision
R0	30.05.2019	Issued as an advance copy for approval
rev. no.	date	revision

project
**PROPOSED HOUSING AT DOHRA
FOR- AMILTUS BUILDERS PVT.LTD**

title
LAYOUT PLAN
subtitle
SERVICES CO-ORDINATION PLAN

drawing released for
☐ SUBMISSION
☐ APPROVAL
☒ ADVANCE COPY
☐ CONSTRUCTION

drg. no.
AL / 19B13 / ES - 01
scale
1 : 350
date
30.05.2019
drawn by
Prem Saini
designed by
Badri Vishal
checked by
Anand Havella

architects
DESIGN VIEWS
(A GROUP OF BUILDING DESIGN & CONSTRUCTION MANAGEMENT)
1st FLOOR DESIGN COMPLEX, PILIBHIT ROAD, BAREILLY
PH. 0581-2540554, 2545066, designview@yahoo.co.in
services consultant
Consummate Engineering Services (P) Ltd.
Noida Office : B - 67, Sector - 67, Noida - 201 301
Lko. Office : R 006, Rohas Plumeria, Gomti Nagar, Lucknow
Tel : (0120) 2303500 (30 Lines)
e mail : mail@cespl.in, website : www.cespl.in