

GENERAL NOTES:-

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. ALL MATERIALS SHALL BE OF GOOD QUALITY AND AS PER SPECIFICATION.
3. THE WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST PRACTICES AND STANDARDS.
4. THE WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST PRACTICES AND STANDARDS.
5. THE WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST PRACTICES AND STANDARDS.
6. THE WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST PRACTICES AND STANDARDS.

1. ALUMINUM THERMOCOOLING CONNECT	1. 207-7480
2. ALUMINUM THERMOCOOLING DISC	1. 207-7480
3. ALUMINUM THERMOCOOLING DISC	1. 207-7480
4. ALUMINUM THERMOCOOLING DISC	1. 207-7480
5. ALUMINUM THERMOCOOLING DISC	1. 207-7480
6. ALUMINUM THERMOCOOLING DISC	1. 207-7480
7. ALUMINUM THERMOCOOLING DISC	1. 207-7480
8. ALUMINUM THERMOCOOLING DISC	1. 207-7480
9. ALUMINUM THERMOCOOLING DISC	1. 207-7480
10. ALUMINUM THERMOCOOLING DISC	1. 207-7480
11. ALUMINUM THERMOCOOLING DISC	1. 207-7480
12. ALUMINUM THERMOCOOLING DISC	1. 207-7480
13. ALUMINUM THERMOCOOLING DISC	1. 207-7480
14. ALUMINUM THERMOCOOLING DISC	1. 207-7480
15. ALUMINUM THERMOCOOLING DISC	1. 207-7480
16. ALUMINUM THERMOCOOLING DISC	1. 207-7480
17. ALUMINUM THERMOCOOLING DISC	1. 207-7480
18. ALUMINUM THERMOCOOLING DISC	1. 207-7480
19. ALUMINUM THERMOCOOLING DISC	1. 207-7480
20. ALUMINUM THERMOCOOLING DISC	1. 207-7480

ADDRESS-1 (A) (A) -

☐ A-1
☐ A-2
☐ A-3
☐ A-4

THE TOWN OF MANTON

[illegible]

1.1.1.1.1.1	1.1.1.1.1.1.1	1.1.1.1.1.1.1.1
-------------	---------------	-----------------

10-26-2014	710 G-030TurbCo2TRCT	DATA
------------	----------------------	------

--	--

28.05.2014	revisado comando: 1.00 correcto
------------	------------------------------------

Rev.	Date	Comments
Revisions		

VMS CONSULTANTS PVT. LTD.

LANDSCAPE CONSULTANT

STATUS: SYSTEMS/CLONING/DOWNSIDE

UPPER BASEMENT FLOOR PLAN

Project	MANGLA WINDFARM	3
---------	-----------------	---

Date MAY 20 2016

CH 927.8: U.S.A.

IN ANY EVENT, THE CONTRACTOR SHALL BE RESPONSIBLE FOR
OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE
LOCAL, STATE AND FEDERAL AGENCIES.

Findings

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112