### **EDEN AT 1 SPECIFICATION SHEET**

### STRUCTURE:

• Structure designed with the highest seismic considerations for the zone as stipulated by the BIS code and for better safety.

### **FOUNDATION:**

Reinforced concrete footings & columns.

**ALL BEDROOMS:** 

• Flooring / Skirting : Vitrified tiles (Master bedroom-Wooden flooring)

• Wall Finishes : Acrylic emulsion on POP punning

Ceiling : Oil bound distemper.

LIVING / DINING ROOM:

• Flooring / Skirting : Superior quality vitrified tiles

• Wall Finishes : Acrylic emulsion on POP punning

Ceiling : Oil bound distemper.

**TOILETS:** 

Flooring : Antiskid ceramic tiles

• Wall Finishes : Ceramic wall tiles upto dado level (approx. 2400 mm)

• Ceiling Finishes : Oil-bound distemper with false ceiling

Counter : Granite/Marble

• Sanitary Ware : Premium quality range & Wall Hung W.C

STAIRCASE(MAIN & FIRE:

FlooringRailingsKota Stone / Indian StonePainted M.S. Railings

• Wall Finishes : Oil bound distemper on plaster.

KITCHEN:

• Flooring / Skirting : Antiskid ceramic tiles

Wall Finishes
Ceiling
Acrylic emulsion paint in the balance area
Oil bound distemper with part false ceiling.

# UTILITY ROOM/TOILET

Flooring/Skirting - Tiles of Standard Make

Wall & Ceiling-Oil Bound Paint on POP Punning

Toilet/Sanitary-Tile on the wall upto dado level with CP Fitting & Chinaware

## **CP. FITTING AND ACCESSORIES:**

• Grohe/Kohler/Roca /Jaguar or equivalent Toilet fittings / single leverfitting in all toilets. Provision for geyser installation.

LIFT LOBBY:

• Flooring : Granite / Marble / Tiles

• Wall Finishes : Granite / Marble upto 2100 mm on lift side wall jamb and

acrylic emulsion Paint in balance area.

Ceiling : Oil bound distemper.

**COMMON PASSAGE:** 

Flooring
Wall Finishes
Ceiling Finishes
Granite /Indian Marble Wall
Acrylic emulsion paint
Oil bound distemper.

# PODIUM FLOOR ENTRANCE LOBBY & AT STILT FLOOR

Flooring/Skirting: Tiles/Granite/Marble.

Wall Finishes: Acrylic emulsion paint

Ceiling: Part Gypsum false ceiling with Acrylic Emulsion paint in entry

Skirting/dado: Same as flooring

DOORS:

• Main Entrance Door : Engineered laminated frame with laminated door shutters

Internal Doors : Engineered laminated frame with laminated door shutters

• Hardware : Locks, Handles and knobs (Mortise and Cylindrical

locks) from reputed makes and brands. High quality

steel/brass hardware.

## WINDOWS AND EXTERNAL GLAZING:

• Powder coated aluminum frame or UPVC frame windows with clear glass.

#### **EXTERNAL WALL FINISH:**

• Exterior grade paint from reputed makes and brands.

## **ELECTRICAL WIRING AND INSTALLATIONS:**

• Fixtures & Fittings : ISI mark switches / sockets, distribution boxes and

circuit breakers from standard makes and brands

Wiring : ISI mark concealed conduits with copper wire

• Plumbing : ISI mark CPVC water supply pipes with standard valves

and accessories

• Security System : CCTV surveillance, EPABX,

# LIFT AND INSTALLATIONS:

• Make & Fittings : KONE/ SCHINDLER/ OTIS/MITSUBISHI

**EV charging:** Provision for EV Charging

DISCLAIMER The above specifications are only indicative & some of these may be changed in consultation with the Architect or equivalent may be provided at the sole discretion of the Company