

उत्तरो प्राविष्ट आवास एवं विकास परिषद

कार्यालय अधिशासी अभियन्ता,

निर्माण खण्ड आगरा-02

सेक्टर-13, ऑफिस कॉम्प्लैक्स, तृतीय तल,
पं० दीनदयाल उपाध्यायपुरम (सिकन्दरा योजना), आगरा।

Email : eecd30@gmail.com, cd30agr@upavp.com

IS 15700:2018



सेवोत्तम प्रमाणित



पत्रांक UPHDB/CDAGRA-02 /

दिनांक / / 2025

Specification of Project

Road Work

Road width for the project is 12.00 Meter having metallic width 4.50 meter. Thickness for this road with construction material will be as :-WMM 0.225 m, GSB 0.15 m, BM 0.04 m and 0.025 m SDCC. The road will be constructed as bituminous road.

Water Supply

The water from there will be delivered through underground domestic water supply line (UPVC) of 110 mm. Water line connected to the OHT Nagar Nigam, Agra. Sluice valve and air releasing valve will control the flow of water in line.

Sewer System

Sewage will run through a RCC-NP3 pipe (250mm dia). Many inspection chamber and manhole will be constructed for clearing of blockage. R.C.C. slab 1:1.5:3 covered manhole. Sewer which is currently running is connected to the STP.

Drain

A surface drain will be collected through brick work drain and will be connected with existing trunk drain which will be constructed of brick class 150, cement, coarse sand, mortar 1:6 and type of surface will be C2 type drain as per U.P. AVP specification.


Executive Engineer
CDAGRA-02, UPAVP
AGRA