GENERAL SPECIFICATIONS

FOR CONSTRUCTION OF HOUSING COMPLEX "HIMALAYA PRIDE" AT GH-10B, TECHZONE-4, GREATER NOIDA WEST, U.P.

A. STRUCTURE

• TYPE: Earthquake resistant R.C.C. framed Structure

B. MATERIALS

- **CONCRETE WORK**: Ready Mix Concrete (machine mixed design R.M.C.) of grade M-30 for Foundations & M-25 for Super Structure
- FORM WORK: Wooden shuttering
- STEEL REINFORCEMENT WORK: Thermo-Mechanically Treated Fe-500 bars
- MASONRY WORKS: Autoclaved aerated cement blocks masonry with 200 mm
 8 100 mm thick AAC blocks
- PLASTER WORKS: Cement and sand mortar on interior and exterior walls

C. DRAWING / LIVING ROOM

- FLOOR: Vitrified floor tiles of superior grade
- WALLS& CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- MAIN ENTRY DOOR: Wood double rebate frame with teak wood moulded beading all around and factory made panelled door with provision of steel / m.s.door.
- BALCONY DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride)
 frames with sliding shutters of uPVC reinforced profiles and refractive glasses
- **INTERNAL DOORS**: Sal wood single rebate frames with factory made one side decorative flush door shutters.
- HARDWARES: All internal doors with stainless steel fittings of superior grade along with mortice lock on the main entry door
- **ELECTRICAL FITTINGS:** Modular switches with protective M.C.B's
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light and power points as well as telephone and TV outlets as per space utilisation Plan.
- **AIR-CONDITIONING:** Provision only for split type air-conditioner to be provided by occupant.

D. DINING ROOM

- FLOOR: Vitrified floor tiles of superior grade
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- BALCONY DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride)
 frames with sliding shutters of uPVC reinforced profiles and refractive glasses

- **INTERNAL DOORS**: Wood single rebate frames with factory made one side decorative flush door shutters.
- HARDWARES: All internal doors with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light and power points as per space utilisation Plan
- **AIR-CONDITIONING:** Provision only for split type air-conditioner to be provided by occupant.

E. MASTER BED ROOM

- FLOOR: Vitrified floor tiles of superior grade
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- BALCONY DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride) frames with sliding shutters of uPVC reinforced profiles and refractive glasses
- **INTERNAL DOORS**: Wood single rebate frames with factory made one side decorative flush door shutters.
- HARDWARES: All internal doors with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light and power points as well as telephone and TV outlets as per space utilisation Plan
- AIR-CONDITIONING: Provision only for split type air-conditioner to be provided by occupant.

F. BED ROOMS

- FLOOR: Vitrified floor tiles
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- BALCONY DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride)
 frames with sliding shutters of uPVC reinforced profiles and refractive glasses
- **INTERNAL DOORS**: Wood single rebate frames with factory made one side decorative flush door shutters.
- HARDWARES: All internal doors with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light and power points as well as telephone and TV outlets as per space utilisation Plan.
- AIR-CONDITIONING: Provision only for split type air-conditioner to be provided by occupant.

G.KITCHEN

- FLOOR: Vitrified floor tiles
- KITCHEN PLATFORM: Granite stone of superior grade

- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- WALL DADO: Ceramic wall tiles on all inside walls up to the level of 2' height from the kitchen platform
- BALCONY DOORS: uPVC (un-plasticised Poly Vinyl Chloride) frames with openable shutters of uPVC reinforced profiles and reflective glasses
- **EXTERNAL WINDOWS**: uPVC (un-plasticised Poly Vinyl Chloride) frames with casement type shutters of uPVC reinforced profiles and reflective glasses
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan
- FITTINGS: Sink mixture over stainless steel sound & scratch proof double / singlebowl.
- WATER SUPPLY: Underground and overhead water tanks with 24 hours water supply
- WATER SUPPLY PIPES: cPVC pipes
- **SANITARY PIPES**: uPVC pipes

H. TOILETS

- FLOOR: Anti-skid ceramic floor tiles of superior grade
- WALL DADO: Ceramic wall tiles of superior grade up to 7 feet.
- **VENTILATORS**: uPVC (un-plasticised Poly Vinyl Chloride) frames with casement type top hinged shutters of uPVC reinforced profiles and frosted glasses
- **INTERNAL DOORS**: Wood single rebate frames with factory made one side decorative flush door shutters. with PVC panelled / flush door shutters.
- HARDWARES: Internal door with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- ELECTRICAL: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan
- **FITTINGS:** C.P. fittings including wall mixture, wash basin, wall mounted European water closet of superior grades
- WATER SUPPLY: Underground and overhead water tanks with 24 hours water supply
- WATER SUPPLY PIPES: uPVC / cPVC pipes
- **SANITARY PIPES**: uPVC pipes
- FALSE CEILING: Grid false ceiling

I. SERVANT ROOM

- **FLOOR**: Vitrified floor tiles
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- BALCONY DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride) frames with shutters of uPVC reinforced profiles and refractive glasses

- **INTERNAL DOORS**: Wood single rebate frames with factory made one side decorative flush door shutters.
- HARDWARES: Internal doors with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan

J. <u>DRESSING ROOM</u>

- FLOOR: Vitrified floor tiles of superior grade
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan

K. BALCONIES

- FLOOR: Anti-skid ceramic tiles
- WALLS & CEILING: Premium acrylic smooth exterior paint over cement based primer
- DOORS & WINDOWS: uPVC (un-plasticised Poly Vinyl Chloride) frames with sliding shutters of uPVC reinforced profiles and reflective glasses
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan
- **SANITARY PIPES**: uPVC pipes
- **RAILINGS**: M.S. decorative type railing with epoxy paint.

L. <u>ENTRANCE LOUN</u>GE / LOBBY

- FLOOR: Vitrified floor tiles of superior grade
- EXTERIOR STEPS: Granite stone slab including risers
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- **EXTERNAL DOORS**: Patch fitted toughened glass doors
- EXTERNAL DOOR HARDWARES: stainless steel tubular type U-shaped round handle bars, lock and double action hydraulic floor spring systems
- **INTERNAL DOORS**: Sal wood single rebate frames with factory made non-decorative type flush door shutters.
- INTERNAL DOOR HARDWARES: All internal doors with stainless steel fittings of superior grade
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light and power points as per space utilisation Plan.
- RAMP FOR DIFFERNTLY ABLED: Heavy duty vitrified floor tiles, Stainless steel railings

• AIR-CONDITIONING: Provision of split type air-conditioner

M.LIFT LOBBIES & CORRIDORS

- FLOOR: Vitrified floor tiles
- LIFT FACIA WALL DADO: Ceramic wall tiles around Lift doors
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- **ELECTRICAL FITTINGS**: Modular switches
- **ELECTRICAL**: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan

N. STAIRCASES

- FLOOR: Granite stone flooring for tread & ceramic tiles for risers.
- RAILINGS: M.S. railings with M.S. hand rail and epoxy paint
- WALLS & CEILING: Acrylic emulsion paint on walls & ceiling over cement based putty work of J.K. White or equivalent.
- **DOORS**: Fire check doors with fire rated accessories
- **ELECTRICAL FITTINGS**: Modular switches
- ELECTRICAL: Copper wiring and PVC concealed conduits, Provision of adequate light as per space utilisation Plan

O. EXTERIOR FINISH

 WALLS: Combination of different approved shades of Premium acrylic smooth exterior paint over cement based primer

P. BASEMENT

- FLOOR: Chequered tiles over tri-mix concrete flooring.
- WALLS & CEILING: Waterproofing cement painting on columns, walls & ceiling.